

SINCLAIR

QL

WORLD

INCORPORATING QL USER

Every Month £1.25 November 1986

DENMARK DKR 40.00

GERMANY DM 19.00

NETHERLANDS DFL 9.25

**KNIGHT
THOUGHTS—
Sir Clive
speaks
his mind**

**Microdrive
recovery**

**Build a MIDI
interface**

**On test:
The fastest
RAM disc?**

**Competition
Results**



NEW RELEASE

ONLY £14.95!

GRAPHIC TOOLKIT provides a comprehensive set of machine-code extensions geared specifically toward fast efficient manipulation of the QL's graphic memory, that can be used directly and simply in your own Superbasic programs.

More than 70 extensions ... for instance:

STORE & PLACE

Real windows can be controlled simply from basic. Move sections of screen fast and easily.

FRAME

Load as many screens into memory as your QL will permit ... FRAME will allow you to display/pan/scroll a section of one of these "virtual" screens behind an adjustable window on the current screen.

MAG

Zoom/magnify any section of the screen to 16x normal size.

SHRINK

Shrink the screen to 1/4 size or smaller.

GET/PUTBRUSH

Record an area of screen (texture/colour) beneath a definable brush matrix ... Paint with that texture or copy to a different part of the screen using free-hand copy.

COMP

Screen compilation ... allows screens to be stored in memory or to disk/microdrive, using a fraction of the normal 32K (depending on the complexity of the image).

DUMP

Screen dump for Epson® compatible printers.

ROTATE

Rotate a section (or all) of the screen through 180°.

PAINT

Zone fill routine.

PLUS...

Definable mouse pointers, cursor manipulation routines, 6 default displays, screen grids, QDOS window information, rectangles, locking devices, drive status test, colour conversion, character font and step setting, hex/decimal conversion, indestructible variables, protection devices, allocation and release of common heap memory for screens or machine code ... and much more.

The extensions operate in mode 4 and mode 8 and are compatible with the Supercharge® compiler. In addition, a comprehensive user manual is supplied plus utilities and example routines.

Also included - the program **TRANSFER** offers facilities for processing and freehand copying of images between two independent screens using a selection of brushes and airbrushes. Stunning results can be obtained using this unique utility. No other software available for the QL is capable of processing images in this way.

Whether you draw, paint, write games or utilities, if your programs use the QL's graphic capabilities, they will be greatly enhanced by the many extensions provided by **GRAPHIC TOOLKIT**.

DEALERS IN UK: You can order from Microdealer Int., A & S. Lazer, European Software, Leisuresoft, any good distributor or direct from us.



PYRAMIDE SOFTWARE PRESENTS:

MORTVILLE MANOR, ★★★★★ Sinclair User, Sept '86,

John Gilbert

VISIT US ON THE NEXT MICROFAIR

An urgent telegram, the anguished plea of an old friend and the chance to revisit your childhood home build up the Poe-like atmosphere.

It's an unusual adventure in both plot and execution. Motive, rather than monsters, makes up the game, which includes a novel use of window graphics.

Mortville Manor has a good smattering of characters, all of whom are relations of Julia, the friend who pleaded with you to come to the house, but was murdered before you got there.

The discussion mode lets you talk to the house guests, but the vocabulary is limited and your audience unresponsive if you don't ask the right questions. It's a hard slog but, coupled with the information gleaned from characters and the furnishings in their bedrooms, you'll suss out the mystery plot to usurp the family fortune and heritage. Edgar Allan Poe and the machinations of Underland would be pleased with this plot.

Mortville Manor is a slow house for the mystery contained in Pyramide's latest game. It contains all the elements for the solution of the puzzle but is not, literally, the scene of the crime.

The game pulls off a difficult conjuring trick. It has all the hall marks of a classic who-dunnit but you must realise that the solution lies in how the characters live and react.

Pyramide's adventure is for slickers who like a good mystery and are willing to play for months to get into the game.

THE WANDERER, ★★★★★ Sinclair User Classic

The three dimensional graphics are stunning (Popular Computing 21-27 August '86)

'This game is absolutely incredible ... in a class all by itself. There is really nothing on any other computer that can compare with it for the truly innovative visual effects it creates. Other games on the QL are good. On a scale of one to five, this game rates a ten.'

(The QL Report, Copyright 1986, Curry Computer, U.S.A.)

NUCLEON

One of the most exciting utilities for the QL.

(QL World, Sept. '86)

QL-PEINTRE

'Most impressive ... Superb value' (QL World, Sept. '86)

VROOM

'Another HIT for Pyramide' (Sinclair User, July '86)

OTHELLO

'You would be hard pushed to find a BETTER VERSION of Othello on ANY MICRO' (Sinclair QL World, July '86)

- ☐ WANDERER
☐ VROOM
☐ NUCLEON

£19.95
£14.95
£19.95

- ☐ MORTVILLE MANOR
☐ QL PEINTRE
☐ OTHELLO
☐ GRAPHIC TOOLKIT

£19.95
£14.95
£14.95
£14.95

NAME:

ADDRESS:

AVAILABLE BY MAIL ORDER, ENCLOSE CHEQUE/P.O. MADE PAYABLE TO:
RIO PROMOTIONS LTD Dept QL, 28 Waverley Grove, London N3 8PX. Tel: 01-349 2764

OR you can order from: W. H. SMITH, Micro Anyika, or any good Software supplier.

BUYERS outside U.K. please order from:

France: Pyramide Ltd., 8 Rue du Rousseau, 75018 Paris
(tel. 425 43 967).

U.S.A.: Curry Computer, P.O. Box 5607, Glendale,
Arizona 85312-5607 U.S.A.

Denmark: Dansoft, Dronningensgade 15 DK 1420 Ko-
penhagen (tel. 010451 951743)

Netherlands: Selectrans B.V. Universiteitsweg 3-5 6732
Hx De Bilt (tel. 030 76 25 12)

SINCLAIR**QL****WORLD**

INCORPORATING QL USER

Editor
 Ken McMahon BA
Sub Editor
 Harold Mayes MBE
Production Editor
 Jim McClure
Production Assistant
 Nick Fry BSc
Art Editor
 Chris Winch
Design Assistant
 Neil Tookey
Technical Associate
 Marcus Jeffery BSc
Editorial Assistant
 John Barnes

Advertising Manager
 Kathy McLennan
Advertising Executive
 Jane Brooks Wadham

Magazine Services
 Sheila Baker

Publisher
 Paul Coster BSc

Managing Director
 Richard Hease

CONTRIBUTORS

Colin Opie
 Mike James
 Marcus Jeffery
 Ron Massey
 Mike Lloyd
 James Lucy
 Robert Penfold
 Karl Jeffery
 John Hartrey
 Steve Sutton
 Bill Jones

Microdrive Exchange 01-731 7948
 System Design

Sinclair QL World,
 79-80 Petty France,
 London SW1H 9ED.
 Telephone 01-222 9090

Back issues are available from the publisher price
 £1.50 UK. £3 Overseas. Please telephone
 01 222 9090 to check availability.

Published by Focus Investments, London
 Distributed by Quadrant Publishing Services,
 Sutton.

Subscription information from: Quadrant
 Subscription Services, Oakfield House, Perrymount
 Road, Haywards Heath, West Sussex 0444 459188
 (£15 UK. £30. Europe. £45 Rest of the world)

Please allow 5 weeks from date of order to receipt
 of first subscription copy

Typesetting and Make-up by
 Cradley Print PLC, England.

Printing by Cradley Print PLC, England.

© COPYRIGHT SINCLAIR QL WORLD — 1986

CONTENTS

■ ■ NOVEMBER 1986

- | | |
|----|--|
| 5 | QL SCENE • News of new software and add-ons. |
| 8 | MEDIA MANAGERS • We examine the disc doctor programs. |
| 14 | KNIGHT THOUGHTS • Sir Clive speaks. |
| 17 | SOUNDING OUT THE MIDI • Building a musical interface. |
| 22 | UTILITY FILE • Serious software reviewed. |
| 28 | DESIGN A SCREEN • Competition results. |
| 32 | SOFTWARE FILE • Frivolous software reviewed. |
| 35 | PUZZLE PAGE • An easy one — so you can all try. |
| 36 | BETTER BASIC • How to avoid error messages. |
| 40 | MANDELBROT MAGIC • Mysterious maths and stunning screens. |
| 42 | TECHNICAL HELPLINE • Fixes for plug-in ROM and RAM users. |
| 44 | SOFTWARE APPLICATIONS • Make your software do somersaults. |
| 47 | FORTH • Two versions compared. |
| 50 | THE PROGS • In addition to games and utilities, an educational program. |
| 55 | MICRODRIVE EXCHANGE • Yet more additions to our growing selection. |



NEXT MONTH

Miracle Modem

Miracle System's new QL Modem must be one of the smallest produced for any micro. At less than £50 it is also small in price. We test it in the December issue.

An added dimension

We look at two new CAD packages which have pushed QL design into the third dimension.

Competition

Another great software give away.

Plus

Our regular mixture of news, programming features, reviews, help and listings.

NEW TALENT RELEASES!

Get the most from your QL with these latest TALENT programs — a CAD package for professional designers, an Assembler/Disassembler for machine code programmers and an addictive arcade game for everybody!


TECHNIQL

A two-dimensional CAD package suitable for all general, scientific and engineering applications. Create accurate, finely detailed plans, diagrams or designs and print them out to any width on your Epson printer.

You'll find TECHNIQL extremely easy to use and capable of producing top-quality professional results.

Features:

- ★ Full User Guide and Reference Manual provided on master cartridge
- ★ Menu or keyboard driven
- ★ Pictures many times larger than screen
- ★ Zoom in and out
- ★ Compressed storage of designs
- ★ Complete library of drawing tools — lines, circles, boxes, ellipses, polygons, curves
- ★ Two screen modes
- ★ Relocatable code (compatible with disc & extra RAM)
- ★ Up to 75 cells can be created
- ★ Cells can be edited, mirrored, rotated, scaled, positioned accurately in other cells.
- ★ Grid and grid snap
- ★ Up to 8 layers per design
- ★ Text can be included
- ★ FAST multi-width printer output



Suitable for: Flow charts, electrical designs, mechanical drawings, letterheads/logos, architectural drawings.

£49.95 (+ 50p postage and packing)

NEW!
NEW!
NEW!

THE LOST PHAROAH

by Stefan Kuhne

An exciting, fast, addictive game for all ages. Find the fabulous treasure of the Lost Pharaoh — and live to tell the tale.

Deep beneath the desert sands, a vast labyrinth of underground passages leads to the sealed burial chamber of the Pharaoh. Many foolhardy robbers and archaeologists have tried to reach it — but all have perished miserably.

Can you succeed where they have failed? Armed only with your trusty blunderbuss, you must explore the ancient passageways and find the hidden keys. But beware of monsters

- ★ Over 100 screens
- ★ Joystick or keyboard controlled
- ★ No intelligence required

£14.95
(+ 50p postage and packing)



ASSEMBLER WORKBENCH

by Eddy Yeung

A complete set of tools — everything you need to write, edit and debug programs written in Assembly code. Compact, elegantly designed and easy to use.

Three main program modules:

- FULL SCREEN EDITOR
- ASSEMBLER
- MONITOR & DISASSEMBLER

The Editor can operate on RAM or disk files. Assembly programs can be edited, assembled, executed and debugged in memory with no microdrive access. The Editor is also suitable for programs in other languages (e.g. SUPERBASIC)

The Assembler can operate in a conventional two-pass mode or as a one-line assembler.

The Monitor offers a useful dual screen to assist in debugging graphics programs.

"Talent is on to yet another winner....."

Popular Computing Weekly

£24.95 (+ 50p postage and packing)

COMPARISON WITH OTHER PRODUCTS

	TALENT Assembler Workbench	ADDER Editor/ Assembler	COMPUTER ONE Monitor Assembler	DIGITAL PRECISION Monitor/Disassembler Version 3.0	METACOMCO OL Assembler Development Kit
Assembler	●	●	X	●	●
Monitor	●	X	●	X	X
Disassembler	●	X	●	X	X
Text Editor	●	●	X	●	●
Memory Editor	●	X	●	X	X
On-line help	●	●	●	X	X
Easy Graphic debugging	●	X	X	X	X

Don't forget Talent's CARTRIDGE DOCTOR!

Can YOU afford to be without it?
£14.95 (+ 50p postage and packing)

TALENT
COMPUTER SYSTEMS

Return completed form to Talent Computer Systems, FREEPOST, Glasgow G4 0BR. Tel: 041-552 2128

Please send me ☐ TECHNIQL, ☐ ASSEMBLER WORKBENCH, ☐ THE LOST PHAROAH, ☐ CARTRIDGE DOCTOR. ☐

I enclose a cheque for Please debit my Access/Visa account

Expiry Date

Name

Address

P. Code

Signature

Mini modem is a Miracle

Miracle Systems has produced what must be one of the worlds' smallest modems — and it is for the QL. The dimensions of the modem are 70mm. long x 48mm. wide x 24mm. deep, smaller than a packet of cigarettes.

The modem operates at 1,200/75 baud or 1,200/1,200 half-duplex. Terminal software to emulate both a viewdata terminal and a scrolling 80-column terminal is supplied on Microdrive. Therefore it is possible to access Prestel and Micronet, other viewdata services and amateur bulletin boards. The software for the modem was written by Qcode.

Although the modem is not

BT-approved, Miracle director Stuart Honeyball commented: "The QL modem has not been submitted for approval because of the high costs and long delays involved in doing so. If it were, however, we are

sure that it would pass." The QL modem costs £49 including the software.

For further details contact Miracle Systems, 20 Mow Barton, Yate BS17 5HF. Tel: 0454 317772.



Sophisticated Citizen addition

Citizen has added to its extensive range of printers with the new HQP 45. Costing £795, the 24-pin dot matrix machine boasts features such as print speeds of 200cps in draft mode and 66cps in letter-quality mode, standard RS232 and Centronics interfaces, and automatic paper load.

"The HQP 45 is the first of a new range of 24-pin printers which will establish us in the more sophisticated dot matrix printer market," says Jack Bennett, Citizen Europe vice-president, sales and marketing.

Desk-top publishing takes a Quantum Leap

Desk-top publishing on the QL has arrived with a release from GAP Software called *Front Page*. Costing, £22.50, the menu-driven program allows you to scroll, pan, cut and paste, change print sizes and even design simple graphics, then print-out the results to produce newsletters, leaflets or slim volumes of verse.

Among other features the program has a user-defined 8x8 graphics grid, as well as a freehand drawing facility, an alternative character set, up to 80 lines and 133 columns, and a routine for printing A4 pages to an Epson or Epson-compatible printer.

The program works by holding half the page in RAM and the other half on Microdrive. Floppies or a RAMdisc can be used to speed the access time and you can toggle between the devices if you wish.

Front Page is available from GAP Software, 17 St John's Terrace, London E7 8BX.

Schön is first with new keyboard

Schön Keyboards, a company formed by ex-Saga sales manager Christopher Smith, has released the first replacement keyboard for the QL. It has professional full-travel keys, is based on the original QL and therefore is compatible with all existing software and peripherals.

Assembly, it is claimed, takes no more than five minutes and consists of removing the original keyboard, connecting the new one and attaching the

new top housing.

Commenting on the new keyboard, Smith says:

"With home computer keyboard experience behind me I have managed to design the perfect keyboard for this computer. With virtually the same key layout, QL owners can look forward to programming the machine with pleasure.

"People who are considering buying a computer this Christmas should now seriously consider

the QL. The consumer now has the chance of buying a superb 16-bit machine with a professional keyboard at a very low cost".

Other companies working on replacement keyboards for the QL include Smith's ex-employees, Saga, ABC Electronics and Rainbow Digital Repairs.

The price of the Schön QL keyboard is £54.95 inc. VAT. More details from Schön Keyboards, Tel: 04865 3836.

Rubicon gives CAD graphics an added dimension

Rubicon Computer Systems has released a three-dimensional CAD program, *Viewpoint*. Designed as a technical drawing aid, the program is also aimed at teachers and lecturers, and enables a 3D wireframe image to be constructed from two-dimensional images. The 3D shape can then be rotated, zoomed in or out, and changed in perspective.

Viewpoint is the first program of its kind in the U.K., although a similar one,

Concept 3D, is produced by Tesseract Software in the U.S. *Viewpoint* costs £19.95.

Rubicon is also taking pity on frustrated players of the company's graphic adventure game, *Dragonhold*, by allowing them to write for a clue to enable them to find the elusive dragon and elixir. Only one clue will be given, so players are advised first to think carefully.

Rubicon Computer Systems is at 11 Bannerdale Road, Sheffield S7 2DJ.

War games

War in the East has arrived — from the west. The military strategy game based on the Russo-German conflicts of World War II is now being imported from the States by TK Computerware.

There are three scenarios — Barbarossa, Stalingrad and the destruction of army group centre. The complete set costs £39.95 although the programs are available individually.

For further details contact TK Computerware, Stone Street, Stanford, Kent TN25 6DF. Tel: 0303 64039.

SANDY U.K.

P.C.P. LTD.

THRU-CON RAM CARDS

512K	£110.00
256K	£75.00
256-512K Up grade	£40.00

NEW! SUPER QBOARD WITH SUPER TOOLKIT II

Without Ram	£120.00
256K	£199.00
512K	£215.00
0-256K Up grade	£84.00
256-512K Up grade	£40.00

SUPER QBOARD WITH SUPER MOUSE AVAILABLE NOW

3½" DISK DRIVES

Single	Ring for details
Dual	£190.00
3½" DS/DD 135 TPI Disks (per box of 10)	£24.10
Nec 3½" Bare Drive	£74.49

QXT 640 Up grade kit	£259.00
Ready built with 2 drives and new QL	£699.00
QEP Eprom Programmer	£115.00
QEP Eprom Cartridges	£4.99
Parallel Printer Cable	£10.00
Ram Disk and Utilities Cartridge	£7.50
Microdrive Cartridges (4-pack)	£6.99

★FAST QL REPAIRS★

NEW SANDY 68000PC

AVAILABLE NOVEMBER
PHONE 0234 219814 FOR DETAILS

NEWS
FLASH

OLD SQB OWNERS:

UP GRADE TO SUPER
TOOLKIT II inc. MANUAL

£25!!

COME AND SEE
US AT THE 20th
ZX MICROFAIR

Post to: SANDY (U.K.) P.C.P. LTD., Unit 33, Mardock Road, Bedford MK41 9EH. Phone (0234) 219814
I enclose cheque/P.O. for £.....
Made payable to SANDY (U.K.) P.C.P. LTD.
NAME
ADDRESS
Prices include VAT, Post
and Packing. Despatch
within 14 days
or Money Back

You'll be nuts to miss this show



There's a bumper crop of goodies for the Spectrum and QL User at this year's Autumn Microfair in the Central Hall, Westminster, on Saturday 25th October 86.

See all the New Season's products including the New Spectrums, — plus the usual fantastic Microfair bargains, with big reductions on selected hardware and software.

The Show offers full support for all the SINCLAIR machines (and compatibles), with a huge range

of software, peripherals, books and magazines on sale — just about all you wanted for your computer under one roof!

Talk to the experts on the User Club stands or find special bargains at the bring-and-buy. You'll enjoy a great day out in a friendly atmosphere.

Send **NOW** for the reduced price advance tickets on the coupon below.

You'll be nuts to miss this show.

THE AUTUMN MICROFAIR

25th October 86

At the Central Hall,
Westminster SW1

10am—6pm

Admission £2.00 (Adults)
£1.50 (Kids under 14)



SEND FOR REDUCED PRICE TICKETS TODAY

Send to Mike Johnston (Organiser), Dept ZX MICROFAIRS, 71 Park Lane, London N17 0HG
Please send me advance tickets
(Adults @ £1.50)

Please send me advance tickets
(Child under 14 @ £1.00)

Name:

Address:

20th
ZX MICROFAIR

Please include a stamped, self-addressed envelope and make cheques/P.O.s payable to ZX Microfair
Exhibitors ring Mike or Moira on 01-801 9172 for details of stand availability.

FREE
INTERFACE OFFER

FREE
INTERFACE OFFER

FREE*

Delta Disk Interface

When you buy a Disk Drive

A Very Special PROMOTIONAL OFFER!

For a LIMITED PERIOD!

Delta Disk Drive has a 4 in 1 Unique Feature — It is a Disk Interface, a Centronic Interface, RAM Disk Driver and a Memory Expansion (optional).

Single Drive + Delta Basic

1 Mbyte 3.5" **£159**

1 Mbyte 5.25" **£179**

Twin Drive + Delta Basic

2 Mbyte 3.5" **£259**

2 Mbyte 5.25" **£299**

For Delta 128 add £30 Delivery is £8 for drive and interface

Technology Research Limited,

Unit 18, Central Trading Estate, Staines, Middlesex TW18 4XE.

Telephone: 0784 63547

★ Offer is subject to availability ★ All prices are for UK and inclusive of V.A.T.

FREE
INTERFACE OFFER

FREE
INTERFACE OFFER

TANDATA COMMUNICATIONS

FOR THE SINCLAIR QL

UNBEATABLE PRICES!



APPROVED
for use with
telecommunication systems
run by British
Telecommunications
in accordance with the
conditions in the
instructions for use

The only communications package for the QL. The modules are available separately but, by using all three as a complete matched system, full advantage can be taken of the integrated features.

Q-CONNECT

Complete RS 232 output for general communications from 75-9600 baud with full two way buffering and flow control. Software on a micro drive to support all 3 modules includes Prestel Viewdata/Videotex and VT100 emulation, and many other features.

Q-MOD

Manual dial V23 modem operating at 1200/75 bps and 1200/1200 half duplex.

Q-CALL

Provides traditional pulse/loop disconnect auto-dial and auto answer.

**Q-CONNECT Q-MOD
AND Q-CALL NOW ONLY**

£79.99

**Q-CONNECT AND
Q-MOD ONLY**

£59.99

PRICES INCLUDE VAT & P&P

I'd like to know more about Tandata communications for the QL.

Name

Address

Tel No

Send to:
Tandata Marketing Ltd.,
Albert Road North, Malvern,
Worcs. WR14 2TL.

Tandata

Tandata Marketing Limited

Albert Road North, Malvern, Worcs. WR14 2TL.
Telephone: 06845 68421. Telex: 337617 Tandat G.
Prestel *799# Telecom Gold 81: TAN001
A subsidiary of Tandata Holdings plc
Prestel is a registered trade mark of British Telecommunications plc

What happens if your QL generates the 'bad medium' error? Ron Massey looks at recovery programs — a healthier alternative to suicide.

Media Managers

However meticulously the rule for making back-ups is observed, there is a time in the life of every computer buff when, just as we plan to stop backing-up what can amount to hours of work — possibly more, if making a back-up is not carried-out as part of normal routine — when a relatively minor electrical disturbance turns your data or program cartridge or disc into second-hand plastic. Anyone who says it cannot happen to them is living in a fool's paradise. All kinds of horror stories are alive and well and lying in wait.

A range of utilities exists to help. Readers wishing to acquire useful background regarding disc and cartridge file structure would benefit from reading the articles on the subject by Colin Opie in the February and March issues of *QL World*.

Media Manager

The first recovery utility dealt with is the new Digital Precision definitive blockbuster *Super Media Manager*, which includes every possible facility for management of all types of recorded media, whether in the QL format or not.

Entirely menu-driven, its first set of options is divided into utilities for

either cartridges or discs. Each of the menu options drop through a hierarchy of its command structure. The option of producing hard copy from the various options is both implemented and strongly recommended throughout the manual.

While the internal workings of SMM utilities vary according to the type of media concerned, externally, utilities of a similar nature — Sector Editors, for example — serve a similar function for discs and cartridges and, where similar utilities in this sense are being described, it will be done from their exterior appearance and, unless otherwise noted, apply equally to both types of media.

The Primary Device Selector option provides facilities for changing the default values temporarily for access to Microdrive, floppy, printer specification and baud rate. Permanent changes to the default values of the system may be made by reconfiguring the SMM Medman-Dat file to the defaults required.


Sector Editing is normally used only where one of the automatic recovery methods cannot produce adequate results. When this option is selected, it is usually used in conjunction with the Drive Utilities option. An option common to Microdrive and disc utilities, current sectors may be saved as separate

files or integrated back into the parent file.

Sectors may also, with the Load and Print Sectors option, be loaded and printed in groups of half-sectors. Special facilities are included for disc sector editing to display the disc type, a calculator for converting denary and hexadecimal values. Of primary importance, the Set Disc Drive and Type of Disc option is used where more than one disc is used in a single editing session to inform the system that a change has occurred.

In common with other options, screen displays may be echoed to a printer; users are encouraged to keep hard copy records of their media information throughout the manual, in any case, so that the job of recovering files at some time is made easier.

Directory sorting may be carried-out by a number of parameters — in alphabetical order filenames may be converted to upper- or lower-case *en masse* or individually, by file size in either ascending or descending order, or by



Super Media Manager.

Utilities options are available for displaying the mapping sector, display of the true drive map, string search by any of three methods—by file name, file sector or global sector search. Microdrive utilities include an option to recover deleted files; because of the more complex way recovery of deleted files from disc occurs, other SMM utilities are used in conjunction with each other for this purpose.

date with the newest file either first or last. Sorted directories may be viewed either on-screen, sent to a printer, or the media may be altered to the sorted values.

A warning regarding sorting Microdrive directories — it is considerably faster to copy a cartridge to RAM disc, sort the directory, and re-write the files to a cartridge than to attempt a cartridge directory sort directly.

That is not a failing of SMM. On average, it takes 10 to 15 seconds to write and verify each sector but if you are not busy for 45 minutes or so . . .

Full selective file-handling facilities are implemented for intelligent wildcard specifications. Directories include their relevant file numbers, which is useful if a printed record is kept to aid in their eventual recovery should they become corrupted. There is selective deleting either

directories can be sorted by filename and the finished catalogue includes filename, size in



bytes, and the media volume in which it appears. Copy printed with XDIR will, wherever possible, produce a two-column listing, optimising the printed catalogue presentation.

A powerful utility exceptional to SMM is the option to read text and binary files from virtually any disc system alien to the QL, using the QL drives. When considering this option, in addition to all the other powerful utilities incorporated into this media utility, Super Media Manager must be a world-beater.

Three major operating systems catered for by the Alien disc file copier include the BBC/Acorn DFS, CP/M and MS-DOS single- or double-sided, 40-and 80-track discs.

The first requirement for this utility is to set the disc drive and Alien disc type so that the system can obtain data concerning the disc regarding its number of tracks, recording density and format layout.

Sectors can contain 128, 256 or 512 bytes but are displayed in SMM standard half-sector screen layout. Other screen information included is the current side, track number and sector value.

A display of an Alien directory includes a number against each file

for total file count — or file extents, in the case of CP/M. Viewing Alien files, or printing them, requires only the relevant file number to be entered. Alien files may be transferred to the QL by entering the appropriate file number.

Of equal value, SMM documentation is well-planned and includes a considerable amount of background information regarding the way discs and cartridges store data. In addition, a chapter is devoted to the file alterations occurring on disc and cartridge when files are deleted, and procedures used to recover them.

Commonsense recommendations are made throughout the manual to help prevent the need arising where the use of Super Media Manager will be required. If programs and data files are important, it is equally important to provide a level of security to ensure their continued availability.

Back-ups are a primary consideration. Of almost equal importance, printed records of a drive will prove a powerful aid where the primary rule was not observed. Recovery is, at best, a

either simpler, more specialised or limited solely to cartridge, disc or RAM disc file are available to perform various operations on files for purposes of recovery or modification.

Cartridge Doctor

One of the first utilities available for the QL, the Talent *Cartridge Doctor*, has become a classic semi-automatic data recovery system for corrupt or damaged cartridges — an invaluable tool in any program library.

It incorporates five separate but related utilities which, between



by wildcard name or utilising the global options of yes/no/all/quit. Copying files include the same facilities.

Text files may be formatted with the parameters required to produce tidy print copy and includes printer control codes, margins, line spacing, page and line numbering, or continuous and sheet stationery options.

Text files may be edited with string search and replacement, case replacement. Machine code files may be altered so that all calls to one drive medium within the file — say, mdv — is replaced by a call to another, say flp or RAM disc.

XDIR is a utility added to SMM which will allow you to make a master directory of the directories of all your media, either as a separate file, on printed copy or both. The



them, will enable the user to recover the majority of files from damaged or corrupted cartridges, produce a directory from



Cartridge Doctor from Talent.

tiresome job; SMM almost makes it an adventure of discovery. It also manages to make recovery, if it is possible, a relatively simple task.

Utilities released by other software houses,

file header information — where access may not be possible by more conventional means — recover newly-deleted files, or patch text files for Quill or Basic programs.

The default facility, Autoclone, is successful in a large number of cases where the much dreaded "bad or changed medium" report is returned after an unsuccessful attempt to load a cartridge.

Users are first given the option of formatting the new destination cartridge. If the offer is declined, a directory of the destination cartridge is performed — a sensible precaution — and the user is then returned to the main Autoclone menu, from which selection of the source and destination is made.

Good health

The next stage examines the "health" of the source cartridge. Sector headers and then files are examined to ascertain data integrity. A screen report is given for sector headers, directory map and file content.

One of the important aspects is that Cartridge Doctor does not depend on the high-level directory — the information obtained with DIR — which may be corrupt; directory information is taken, instead, from local sources.

Q Doctor

Taking a different approach to the problem of repairing Microdrive files, the Adder QDoctor performs its operations by loading a sector at a time, using the file number rather than the filename, and filing all alterations are made manually.

There are three main elements which can be modified — the sector header, the block header and the block. All the system options are available from a single menu and provide facilities to edit a sector, edit an existing file block, edit a deleted file block, write the edited sector to Microdrive, list

Microdrive bad sectors, obtain a directory for the filename and number, set the number of attempted reads before abandoning the attempt and change drive default number.

The QDoctor file display is the conventional hex and ASCII half-sector used with the majority of similar utilities. Other display conventions observed are the drive number, file and block numbers, in both decimal and hex values, and the high or low half flag of the displayed half-sector.

Editing may be performed in either the hex or the ASCII windows. Modified files may then be saved to Microdrive. Applied in a systematic manner, the QDoctor options provide a means of extracting as much usable data from corrupt files as well as a method, where it is possible, for replacing or the patching of files.

Disc Monitor, included with the Ultra Soft Qlone + package is, as the name implies, intended for editing disc files. Entirely menu-driven, the editor displays both HEX and ASCII representation of a half-sector. Like QDoctor, sectors are loaded one sector at a time for editing and, when completed, can be saved back to disc.

Data Management, Patcher is, superficially, the simplest of the file-handling utilities. While not a repair utility in the sense of the other programs featured, it is nonetheless a powerful and useful utility for editing file contents. One of its specific features is that it will load up to about 80K of file code into RAM, on an unexpanded QL, rather than the more conventional approach of loading one sector at a time. The top part of the screen contains information relevant to

the file.

Sensibly, the documentation quotes the old Chinese proverb — To prevent crock up, make back-up. By by-passing the Qdos COPY command, it is possible to recover otherwise unreadable files. If such files are loaded successfully, they can be saved intact on to a new media.

From all appearances, Qflash intends eventually to produce a sub-

operating system for the QL. As part of its Ramdisc Toolkit program, it also includes a routine called Ramdoctor, which can be utilised only with the Qflash Ramdisc and Toolkit.

Using the Toolkit command *mdvload*, an entire Microdrive can be dumped into the RAM utility in seven to 14 seconds. By-passing the normal Qdos copy command, *mdvload* is able to transfer both good and corrupt files successfully.

Media file management programs — comparative features

	RAM Doctor	Disc Monitor	Patcher	Q Doctor	Cartridge Doctor	Super Media Manager
Auto File Recovery — corrupt	X	X				
Auto File Recovery — deleted	X	X	X1			
Manual File Recovery	X	X	X	X	X	X
Load — file name	X	X	X	X	X	X
Load — file number	X		X		X	X
Intelligent directory handling	X	X				
Intelligent directory sorting	X	X				
Sector editing	X	X	X	X	X	X
File block salvage	X	X	X	X	X	X
Transliteration by character	X	X				
Transliteration by string	X					
Text file format translation	X					
Directory of bad sectors			X			X3
Sector viewing	X	X	X	X	X	X
Sector copying	X	X	X	X	X	X
Header block reporting	X	X2	X	X		
Drive map reporting	X					
String searches	X					
Formatted print utility	X					
Selective file manipulation	X					
Printer echo facility	X					
Media — mdy	X	X	X	X	X	X
Media — disc (QL format)	X			X	X	X
Media — disc (other format)	X					

NOTES:

- Files are loaded, block by block, for recovery or editing.
- First 14 bytes only.
- Rather than a director of bad sectors, by using the *mdvload* option a report is returned indicating the number of bad sectors on a cartridge.

INFORMATION

Super Media Manager £39.95 Digital Precision 222 The Avenue, London E4 9SE 01 527 5493	Ramdoctor £14.95 QFlash Available from: Eldersoft 0708 851099 TK Computerware 0303 64039
Cartridge Doctor £14.95 Talent Computer Systems Curran Building, 101 St James Road, Glasgow G4 ONS 041 552 2128	Disc Monitor £14.95 Ultra Soft c/o Sandy UK PCP Ltd 93 Chiltern Avenue, Bedford MK41 9EH 0234 219814
Q Doctor £19.95 Adder Publishing 0223 277050	Patcher £12.50 Datamanagement 0904 760351

QL Storage from



QDISC

Now containing the complete QL Toolkit software as well as an easily used Ram-Drive device driver, the CST QDisc is the longest established and most widely used floppy disc controller for the QL computer. The QDisc interface may be used with virtually any 3.5" or 5.25" floppy disc drives including, of course, CST's dual slim-line 720K (1 Megabyte unformatted) high performance, 80 track double sided drives. The Toolkit software provides a wide range of SuperBASIC commands and functions designed to allow the full power of the QL to be realised without resorting to machine code programming, giving access to job control, random access I/O, character sets, wild card file handling and so on. The Toolkit is included in the QDisc firmware, so it is ready for use as soon as the system is switched on, as is the Ram-drive device driver, which allows any unused memory to be used as a high speed storage medium, ideal for temporary results, and for saving screen images for high speed displays. Naturally the Ram-drive may be used to maximum advantage when used on a QL with additional memory such as the RAM-plus.



Expanding the QL's memory from 128K to the maximum 640K, the CST RAM-plus is based on the latest 256K DRAMs to give full speed no wait-state operation and is housed in an elegant aluminium case which matches the QL and provides an expansion port allowing a peripheral interface, such as a QDisc floppy or Winchester controller to be plugged in. Adding high speed memory to the QL has several advantages: all QL programs run faster, including ones that make heavy use of disc or microdrive as QDos uses spare memory for buffering data; increased data space is available for SuperBASIC, Psion and other application packages and the QL's multitasking ability is greatly enhanced by the ability to load several large programs simultaneously. The extra memory can also be used to advantage with the Ram-drive firmware supplied with the QDisc. For customers who have already purchased an earlier QDisc controller, the Ram-drive software can be supplied on floppy disc at a small charge.

20MBytes!

The flagship of the CST fleet of storage devices for the QL is the 20 Megabyte Winchester drive with integral floppy drive. The system is housed in a compact metal case with integral power supply and is interfaced to the QL by a small controller card. The floppy specification is the same as the standard QDisc; the Winchester is a high performance drive unit based on the new SCSI standard, which allows up to eight drives to be connected to one QL (available to special order). The Winchester firmware is fully compatible with standard microdrive and floppy QDos drivers, and also supports hierarchical directories and file date stamping. The directory structure allows files to be separated into compartments; for example, programs can be held in one directory while data for various projects can be held in other directories. This is essential when a disc can hold over 1000 files! Date stamping of files is used to keep a record of the last time every file on the Winchester was accessed, modified or backed up. This allows the Data Management Utility supplied with the system to archive only those files which have been changed since the last backup was performed. This greatly reduces the time taken to perform regular backups.



Cambridge Systems Technology
24 Green Street, Stevenage, Herts SG1 3DS
Telephone: Stevenage (0438) 352150

Please supply the following items:

<input type="checkbox"/> QDisc Interface including ram drive (3.5")	£79.95
<input type="checkbox"/> QDisc Interface including ram drive (5.25")	£79.95
<input type="checkbox"/> Dual 720K 3.5" Floppy Disc Drives:	£219.95
<input type="checkbox"/> RAM-plus 512K Memory Expansion:	£139.95
<input type="checkbox"/> QDisc + Dual Floppy Drive:	£275.00
<input type="checkbox"/> QDisc + RAM-plus + Dual Floppy Drive:	£405.00
<input type="checkbox"/> 20Mb Winchester with floppy:	£1150.00
<input type="checkbox"/> 20Mb Winchester, floppy + RAM-plus:	£1280.00
<input type="checkbox"/> Q488 IEEE GPIB interface:	£224.25
<input type="checkbox"/> QEP-III Eprom Programmer:	£115.00
<input type="checkbox"/> Utility disc including ram drive (3.5"):	£10.00
<input type="checkbox"/> Utility disc including ram drive (5.25"):	£10.00
Information on:	

Prices are inclusive of VAT, postage and packaging in the UK only
CST reserve the right to alter prices and specifications without prior notice

Name _____

Address _____

Post Code _____ Telephone _____

I enclose a cheque/PO for £ _____

Please deduct my Access/Mastercard/Eurocard/Diners Club a/c

Card No. _____

Expiry Date _____

Signature _____

Open Channel is where you have the opportunity to voice your opinions in *Sinclair QL World*. Whether you want to ask for help with a technical problem, provide somebody with the answer, or just sound off about something which bothers you, write to: Open Channel, Sinclair QL, Petty France, London SW1H 9ED.

OPEN

Slap-happy?

For a machine of this quality, though embodying a language second to none, I am surprised at the standard of some of the programs you publish. Beginners or people new to the beauties of SuperBasic might wonder what is so super about it.

An idle moment tempted me to enter *Pentathlete*, published some months ago. Too long, I thought, to make any of those minor adjustments of style one naturally tends to make.

I had not gone far before I stopped. A more careful reading of the program made me draw breath. I found some dozen examples of five or 10 commands repeated for each event. Where were the passing of parameters? Two long procedures were identical except for one variable. Unbelievable.

Nearly as unbelievable was to find another program

by the same author in the latest issue. It is much shorter and yet a quick perusal showed the same slap-happy disregard of the beauties of the machine. Style and the powers of SuperBasic ought to be promulgated on every page of your magazine.

A. J. Senior,
Dragonby,
S. Humberside.

Editor's reply:

The criterion for acceptance in The Progs is not technical excellence — which you will find in the other features — but that programs work well.

The second program to which you refer, Cosmic Revolution, by A Didcock, may be to good programming what cheese on toast is to haute cuisine but it is a great game all the same.

Of course, if you think you can do better . . .

The scientific view

I am prompted by David Harper's Star Letter in the September issue to comment on the article The Unpredictable Micro in the same issue. It contains little astrology as such and in the main appears to be a program review. Ron Massey attempts to justify serious consideration of astrology by suggesting that "large numbers of respectable groups of serious-minded people, scientists and laymen alike, are examining the validity of astrology."

Of course, one can be respectable, serious-minded and still be mis-informed but it is unlikely that one can also be a qualified scientist and believe in astrology.

One of the sad facts is that unless you have a solid grounding in one of the hard sciences — physics, chemistry or mathematics — you are unlikely to be able to distinguish between the nonsense and the science.

So-called serious astrology is full of mathematics and astronomy, all perfectly correct of course, and perhaps difficult to boot, and that gives the impression that the essence of astrology — i.e., planetary influences at your birth — is also perfectly correct when in fact there is no evidence whatsoever, despite Michael Gauquelin, to support that.

It is difficult not to quote nonsense from any publication on or about astrology. Massey states that "anyone wishing to dispute the validity of the astrological process using its failures as supportive evidence should examine weather reports as reviewed in an historical perspective. In spite of all the extensive technology providing a method of prediction for an entirely physical phenomenon, its frequency of inaccuracy leaves much to be desired."

The first sentence of that paragraph suggests that the

New boot

I have just received a copy of FCOPY from Microdrive Exchange and perhaps you could throw some light on a problem I am experiencing? While the program performs perfectly when I load it manually, i.e., I run `mdv1_fcopy_boot`, it will not run automatically when I press either F1 or F2 on my machine.

As I also received a copy of *Golf* on the same cartridge I thought that might be having some effect, so I transferred the FCOPY suite to a clean cartridge. Still the problem persists.

I have run the program through *Cartridge Doctor* and all appears to be well. I have also checked the Boot listing with that published in the magazine but the program will not load automatically.

J L Hadley,
Oxford.

Editor's reply:

You need to re-name Fcopy_boot. Copy it to another cartridge with the command COPY MDV1_FCOPY_BOOT TO MDV2_BOOT.

Which upgrade?

I have been buying your magazine for the last 16 months and find it very enjoyable and informative. My system consists of an unexpanded QL, a Sinclair Vision QL monitor and a Brother M-1009 printer, none of which has ever let me down — not even the 'unreliable' Microdrives.

I now wish to upgrade my QL to 640K and am thinking about buying the 512K Expanderam, including RAM disc, made by Miracle Systems. I would welcome your comments on the product.

David MacDonald,
Glasgow.

Editor's reply:

The 512K Expanderam is a perfectly adequate way of upgrading your QL memory capacity and one of the cheapest. Other options exist but will cost you more.

The Sandy Super Q Board costs £249, but as well as the extra 512K memory you get a disc interface, parallel printer port and the Tebby/Care Supertoolkit. As with

astrological process cannot be invalidated by failing to give correct weather forecasts. Why are we not talking about astrological successes? There are none, of course.

The second sentence implies that today's hi-tech satellite forecasts — which are 90 percent accurate and the most accurate method yet of predicting the weather — are somehow connected with the failure of astrology to do likewise. The mind boggles.

Regrettably, the article does not attempt to explain how astrology is supposed to work and its scientific basis. I say regrettably, since it would be interesting to learn how many of your readers consider astrology to be a load of hogwash and write to say so.

The essence of astrology is prediction. The essence of modern science is quantum mechanics. While there may be some doubts on the true randomness of the Universe, the Uncertainty Principle and the Second Law of Thermodynamics still reign supreme. Without the Uncertainty Principle computers cannot exist in their present form and, if the basics of astrology are correct, your Sinclair Quantum Leap will not work. The best evidence in favour of astrology is that some QLs do not.

Five articles this year on astrology is a bit much, anyway.

Dr John Maltby,
Rubicon Computer
Systems,
Sheffield.

CHANNEL

CST, Silicon Express, MCS and others, the trend is to incorporate several functions on one board.

You must decide whether you want to upgrade in piecemeal fashion — often more expensive and messier — or go the whole hog.

If you want only extra RAM, the Silicon Express Quattro internal upgrade is also worth considering.

No problem

Buying my July edition of *Sinclair QL World*, I read with great excitement of your machine code Spectrum Simulator and not having an assembler I typed-in the hex-loader and discovered with some disappointment I had to wait another month for the end of the program.

A month later, armed with my August edition, I completed the program and it crashed. So I checked all the data and it was satisfactory. Then I noticed the paragraph which reads: Look for lines 202, 203 and 317 — they are 'storage statements'. Look at the hex numbers after the equals sign and type-in that many double zeros, ie, "00".

After trying every combination of zeros I could think of other than typing-in some 2,000 sets of "00", which the hex numbers suggest, it still does not work.

Could you tell me and many others how many and where to put our "00"?

**Anthony Knott,
Shanklin, IoW.**

Editor's reply:

The 00 is intended as a substitute for the storage definition statements so that the rest of the code occupies the correct (relative) address space. For example, at line 202, instead of 00 06, you should enter 00 00.

Fruit for sale

I have just finished designing a Fruit Machine game for the Sinclair QL. I have seen a game advertised with the same name for the QL but after reading the brief description of it, I consider mine may be superior. It has extra features and Winner spinner routines which make it very addictive indeed. When anyone is playing it, I have trouble distracting attention from it.

It is 100 percent machine code and occupies about 20K

of memory. I wonder if you could advise me what to do next? I have never designed a game previously with the intention of selling it. Do you think it would be a good idea to show it to the company already selling the other Fruit Machine? If I cannot sell it would you be able to publish it in your Progs page? Do I even stand a chance of selling it? If so, how much should I expect to receive?

**P R Townshend,
Boscombe,
Dorset.**

Editor's reply:

It is difficult to say whether your program is saleable without first seeing it. You have nothing to lose, however, by sending it to any or all of the QL software houses.

A 20K program sounds too long for The Progs and, to be honest, fruit machine games are considered to be a little passé these days. Send it in all the same and if we cannot use it, we may be able to make some suggestions for improvement.

What — No Midi?

Nobody seems to have written a program and built an interface to be used on the QL for composing music. I am a musician and also a computer-keen person and when I went to the British Music Fair at Olympia I saw on the Electromusic Research stand a new technology for composing music using a computer and Midi Channel from Midi Instruments, amazingly using only BBC, Amstrad, ZX-Spectrum (48/128) and no QL. I could not believe it. Such a powerful machine

and still nobody has done anything about it.

I am sure there are plenty of musicians involved in recording and also they have a QL and would love to use it for composing, as well as playing games or to check the balance in the bank account.

**S. Ruggeri,
Watford,**

Editor's reply: Herts. You have obviously not yet read the October issue. It is hoped that our Midi series will inspire someone to put together a QL interface. You might even try yourself.

Reward

When I bought from 4 Systems a copy of the Sagesoft Integrated Accounts, adapted for the QL and sold under the Sinclair label, I found it would not transfer to disc. Since the manual gave simple instructions as how to do this, I contacted Sagesoft, which promptly exchanged the Microdrives for version V1.21 of the software. V1.21 loaded with neither disc nor Microdrive.

The program Microdrive cartridges — or discs — autoboot a short program which allows posting, reports, utilities or an installation routine to be run. On running one of them, the Sagesoft logo

appears on the screen, the data Microdrive — or disc drive — spins to set up some data files on the blank formatted data cartridge/disc and spins forever. No further progress is possible.

I use a Silicon Express QL bought with 512K on-board and a Cumana double disc drive. The first version of the software worked on Microdrive, with the second drive hanging-up on disc as described. I insert a one-line 'FSP_USE mdv' in front of the Sagesoft Boot program to run the discs. The same hang-up occurs when I change the installation defaults to accommodate the data disc.

A Sagesoft programmer was bemused by the problem and took the Silicon

Wrong numbers

Having acquired a QL some months ago and using Abacus a good deal, I wondered if there is a numerical keyboard which can be connected to the QL. The keying-in of a large amount of data from the keyboard is tedious and unnecessarily time-consuming and I am surprised that I have not seen a numeric keyboard advertised yet.

**Magnus Danielsen,
Oslo,
Norway.**

Editor's reply:

Numerous new keyboards have been announced for the QL and some will, it is hoped, appear before Christmas. Most of them feature a separate numeric keypad.

Express telephone number, in case it had changed the hardware. Two days later a girl from Sagesoft telephoned to say it could help me only when the software was loaded. She, too, was "not happy" with this response to a loading problem and suggested I wrote to someone else in the company, who has since been sent a letter.

In the meantime, £10 to the first reader who can crack the problem.

**Patrick Dorly,
London SW12.**

When, in April, Sir Clive Sinclair sold his computer business to Amstrad, it was seen by many as the end of Sinclair as a force in the home computer field, but as Ken McMahon discovered, he is preparing not only to take the computing world by storm once again, but has all the answers for the errors of the past.

Sir Clive Sinclair is portrayed variously as the eccentric English inventor, shy genius, airy intellectual and man of vision. He may be any or all of those things to varying degrees. He strikes me as a genuinely friendly and, needless to say, interesting man, refreshingly free of the kind of hype and sham which characterises the conversation of most other computer barons.

Despite those endearing characteristics, Sinclair has a forceful personality. My first, admittedly lengthy, question was interrupted in mid-course and I was informed that if I wanted to hear what he had to say I would have to listen. That I did and what follows is Sir Clive's view of what caused the eventual demise of Sinclair computers, what part the QL played, what he plans for the future and a few things besides.

Sir Clive decided to start by giving a "bit of a rundown" on the events leading to the Sinclair/Amstrad deal.



"The home computer business, in which we are of course pioneers, hit very big trouble two years ago. The problem arose because retailers misjudged the market and ordered heavily. Then they cancelled and we were left with a dearth of orders, in fact negative orders, effectively for several months.

"That caused us and other people in the business at the time very severe difficulties — cashflow problems and so on. The culmination was a very severe major re-organisation on our part and the route we chose eventually was to sell the existing computer range to Amstrad.

"The reason we adopted that approach was that so far as I was con-

cerned they were fairly well-developed, mature products by then. My principal interest is in the future and we wanted to keep within the company the new technology. We are floating the new technologies into new companies. There is Anamartic which does the waferscale business. Shaye Communications which will be doing communications products and a new company, as yet unnamed, which will have the new computer products.

"They will all be partly- or wholly-owned subsidiaries of Sinclair Research — or associates I suppose I should say. The new computer business, I would like to emphasise, has no relationship with Amstrad. We did a one-time deal with Amstrad and that related only to existing technology — nothing at all to do with the future technology.

KNIGHT THOUGHTS

"So we are continuing to develop new computers which naturally will be very radical and they will be our products. What I do not think we will be doing — at least for which we have no immediate plans — is anything in the games field. My principal interest really is in the serious computer field, although, of course, any computer can be used for games and should be, but the machine on which we are working at the moment is aimed at serious users."

I asked Sir Clive if his reasons for selling to Amstrad were purely financial.



"They were financial. I mean we were in a position where we had a tight cash position. We had a choice. We could have sold some of the company to raise money to stay in the existing business but the only deal which could do that would not have given us sufficient money to do both the existing computers and the new technology — the waferscale stuff; and the new technology was what really mattered so far as I was concerned.

"I mean, yes, of course the old stuff mattered in the sense that it had been important but it ceased to be innovative so far as we were concerned, in particular the Spectrum. The QL had also been a disappointment and so it made sense to sell them.

"Above all I think that from my point of view and from the point of view of my customers, it is a tremendously good deal. It may not look a good deal initially, perhaps from the customers' point of view, but I think it will be seen to have been a very good deal because it leaves me to get on with my next generation of computers without the burden of the other products. In particular we don't have to consider any degree of compatibility.

"I think it is very important every so often to take a new stage with computers as we have done traditionally. The QL had nothing in common with the Spectrum. Perhaps it should have done but it had some advantages in doing that. We were able to make more of a technical leap. I think the time is very ripe for something new to be said in the computer business.

If Sinclair's desire has always been to produce a serious computer for serious users it has to be said that his attempts have not met with resounding success. The ZX machines, culminating with the Spectrum, although providing an introduction for many to the joys (?) of Basic programming, will be remembered primarily as the most popular games consoles ever produced. That is why Sugar bought them. I asked Sir Clive if he was disappointed with the frivolous nature his product had acquired.



"Well, I think disappointed is the wrong word. I suppose in a way it has gone a little astray in that what we started doing was selling machines to people to learn programming, knowing that they would play games. I do not mind if they play games on them; if that is what they want to do, that is fine. At the same time it is not the business I want to be in. That is not of interest to me, or at least it is not of great interest.

"Obviously it can be fascinating at times and I have become very interested in what one could do in the games field but I am much more interested in the serious use of computers — in inverted commas, which includes games. I do not have the slightest objection; indeed, I like to see computers being used for games if it is part of them being used in general.

"Most people — and I mean most — discovered a little about computing in the process, so it was pretty good and I think because of that huge number of people exposed to computers by our machines and those of other people in that category, that the market is now ripe for a serious machine, the way it perhaps was not when the QL was launched.

"What has now happened is that we have reached the curious situation where games machines are being sold as if they are computers. I think it will diverge — I am sure it will, in fact — and what you will see in the future is two categories of product, one a games machine which probably will have no keyboard and you will see computers *per se* which, obviously, as I said earlier, will have a games capability."

So to the QL, the no-compromise machine for the serious user. Was it the decision to use a 68008 micro-processor which caused the downfall of the machine? Or was it the unreliability of the Microdrives and the never-ending delays?



"What happened there is an interesting story. It seems to me we made a mistake. Apple made the same mistake, Commodore made the same mistake, and Atari made the same mistake. The mistake is to, well, just that — go to 68000.

"There is nothing wrong with the 68000. I think it is a super chip but if it was a mistake then it was only a temporary mistake. The point is that when the QL was in its development phase it was Z-80-based but the engineers

working on that team were very keen to use the 68000.

"Their argument ran like this. The 68008 is much more expensive than the Z-80 but nothing else goes up in price so the machine will not cost much more, but it will be very much more powerful. That sounds great but it is a fallacy — in several ways.

"First it is a fallacy that it does not cost much more. In practice, as soon as you go to a more powerful chip like that, to exploit it, to have any reason for having it, you need more basic RAM and the chip is less code-efficient so you must have more ROM. Before you know where you are you have a more expensive machine. So the QL was a considerably more expensive machine being 68000-based than it would have been had it been Z-80-based. It was targetted originally at a price of only £250 and as you know it transpired that it was £399.

"I felt then, but I was persuaded by the engineer, and I still feel that really we were not giving the customer what the customer wanted or needed. We provided nothing in that machine

"We have reached the curious situation where games machines are being sold as if they are computers."

which could not have been provided in a Z-80-based machine.

"It was a wonderful chip; one day wonderful programs will come from the 68000 chip and no doubt they will be written for the Amiga or something but it is still the case, I think, that you are not really getting great benefit. That does not prevent it being a good machine; it is a good machine, but it did not need the 68000 to make it a good machine.

"Obviously it meant that there were customers — the hackers, the enthusiasts — to whom the machine was very much better with that chip than it would have been with a Z-80. So it sold well to those people but they are a small part of the market and it inhibited sales to the mass user, which was the large part of the market overall. The overall result was that we had poor sales."

Is he disappointed to see the machine selling for £150 complete with a printer?

"I do not even look at it these days. I do not even think about it because I am always looking to the future and getting on with the next job but it is sad when you think of all the effort which went into it. Really sad. Of course, that has happened not just because of the 68000 choice but because we got off



to a bad start with the Microdrives being unreliable in the early versions."

And the dangled ROMS?

"Well, I think that we could have got away with. That was not so severe, but the trouble with the Microdrives ... and I think the reviewers were needlessly harsh about it; they were very silly, the press were very irresponsible."

Where does he see his responsibilities to the customer begin and end?



"As I see it he will not buy the product if he does not like it, so I have to meet his needs. It is a responsibility of a kind, I suppose, but I do not think of it in terms of responsibility. What I try to do is to develop a machine so that people will say 'Yes I must have it, it's really good'. I want them to be excited and charged-up about the machine."

Many QL users are exasperated with what they have to do to get their machines to do the simplest things like printing a document; and the support is almost non-existent.

"In terms of where you get the information, the sad concomitant of the sale to Amstrad is that there is no support of any great measure ... I do not know what Amstrad plans to do with the QL but I judge that it does not plan to continue with it. I do not know why in that case it does not just sell it to someone who will do something with it."

Clearly he is not particularly interested in talking about things past. That I genuinely believe is not an attempt on his part to avoid the question — it bores him to death. Had the QL been particularly successful and Sinclair hailed as a hero of the modern technological age, I have no doubt that his reaction would be exactly the same. So we move to more fruitful ground. The future is a subject at which Sir Clive will talk at length.



"What I am most interested in is portability. I do not mean that I want to make a portable computer and therefore I look at the portables and say how can I make a better one? What I mean is that I want to make a PC and I want to give it those features I consider important. One of the features I consider very important is portability so I am taking it from the personal computer end and making it portable rather than saying let us look at existing portables."

"I think existing portables are niche market products and that what is required is to take a personal computer and, without compromise, to make it portable. That is very difficult because personal computers at the moment

have disc drives and I do not think disc drives are compatible with portability because they are too bulky, too heavy, too mechanical. It is just not on. So you have to find some way round that; you need a neater disc drive or something like that. The Microdrive would be one way but portability, to be valid, has to be portability without compromise."

"The reason I feel so strongly that portability is essential is that some of the things with which a computer can most readily help you — name and address file, diary — are vitiated completely, or badly, if the machine is glued to a desk. I do not think until you have a machine which can move around you will see people in general start to use computers."

Past events have shown, however, that while Sir Clive might have the imagination to produce new and innovative products, things do not always go as planned. Has he learned from the experience of the last five years



and how will that affect the way in which his new products are presented?



"I think the huge lesson of the QL is that you must give customers what they want. It is what I felt instinctively when we were doing it and now I have the experience to back it. There is no point in trying to persuade customers that they need something they do not need."

"It is just like cars, isn't it? There used to be each generation of car with a bigger and bigger engine in it. Then people realised they were not going to sell the bigger engines because people did not want them. There was no advantage to them and they were more expensive."

"So it is with computers. The parallels are not exact, because the day will come when we will think of applications for computers which will justify very great increases in performance. I do not doubt that at all but I have very serious doubts as to whether you will ever gain an advantage by going from 8-bit to 16-bit, for example."

"What we learned from the Microdrive episode was that you must not

"I do not even look at it these days (the QL). I do not even think about it. . ."

rush people. It is a difficult business and if the press get their teeth into it you are a bit stuck. You have to introduce change very carefully. People are very suspicious of change and they are right to be so because most change is frankly for the worse. So it is a natural instinct to be suspicious of change. If you push it too hard at people, even if it is a good thing, they will probably kill it instinctively. You really have to introduce it gradually."

"If you have a radical machine, I think the thing to do — with the benefit of hindsight — is to aim it initially at the people who know what they are doing, who know the product so they will take it up. Other people will see them using it and it will spread out. In a way that is a thing you cannot always do. If you are an IBM and you want to get into the PC business you are bound to be fairly conservative because you must go for volume."

"Take Apple with the Macintosh, which is a very radical product. It was disappointed with the sales but again I think it is because it was too new. If you are going to be radical you have to be gentle about it."

Final thoughts from the man of vision on the future of personal computing in the next decade?



"One thing I am reasonably sure of is that they will be ubiquitous. But, you see, ten years, when you look ahead, seems a hell of a long time. When you look back you think to yourself 'things must be very different now mustn't they?' But they are not. The Apple II, which is by far the best-selling computer Apple makes, has gone through that whole period."

"What I am really saying is I do not know, but I'll bet you one thing. I wouldn't be surprised if the processors in machines ten years from now are the same ones which are around today"

SOUNDING OUT THE MIDI

In the second of our features on the musical interface Robert Penfold describes how to design and build a QL MIDI.

Controlling a number of musical instruments via a Midi interface is a fairly demanding task but one with which the QL is well able to cope. It would seem to be much better-suited to the task than machines such as the Commodore 64 and BBC model B but whereas those computers have a selection of Midi interfaces and software available, the QL seems to lack any commercial support of that type.

That is not to say that the QL is unusable in Midi applications and, apart from the Hinton Instruments RS232C-Midi interface mentioned in Mark Jenkins' article in last month's issue, there is the do-it-yourself approach. I would not encourage anyone who is completely lacking in practical skills and technical knowledge to risk damaging a computer by dabbling with add-on electronics but, on the other hand, making home-constructed interfaces is much easier than most people imagine.

There is nothing particularly out of the ordinary about a Midi interface so far as the technical specification is concerned. It is an asynchronous serial interface, very much like an ordinary RS232C type. The word format is the popular one start bit, eight data bits and one stop bit — with no parity — type but the baud rate is exceptional at 31,250 baud. That is the main problem in trying to use an ordinary RS232C interface for Midi purposes. The nearest standard baud rate is 19,200, which is nothing like close enough to stand any chance of working with Midi equipment.

Another important difference between Midi and the standard RS232C type of serial interface is the form of the

output signal. In the case of RS232C equipment, the output signal switches between about 12V positive and 12V negative but with Midi the output signal is in the form of a nominal 5-milliamp signal which is switched on and off. That method, plus the relatively high baud rate, limits the guaranteed maximum range of the system to only 15 metres, although that should prove to be inadequate only in exceptional circumstances.

The point of using the current loop system is that it works in conjunction with a device called an opto-isolator which is used at each Midi input. It is an ordinary light-emitting diode with its light output directed at a photocell shielded from other sources of light.

Connections

This optical connection results in no direct electrical connection via a Midi interface. One advantage is that it avoids the possibility of damage to the system because of the fairly high voltage differences which can occur between the earth rails of various items of mains-powered equipment.

It is not likely to be a problem, as most electronic musical instruments seem to have their earth rails earthed properly to the mains earth lead, which should eliminate any significant voltage differences. It introduces the possibility of the dreaded earth or hum loop, though, with the attendant 50Hz buzz on the audio output of the system.

There are two general approaches to adding a Midi interface to a computer which could be categorised as the software and hardware systems. With the former, the problem is solved largely by using software to generate the correct serial signals on a digital output and using software to decode received signals on a digital input.

It is usually possible to drive Midi inputs from ordinary logic outputs, or from RS232C type outputs, but to conform properly to the Midi standard an opto-isolator circuit would have to be added ahead of the digital input. The

solution therefore is not provided totally by software but the additional hardware required is minimal.

Although this method has obvious advantages, it is not a very common way of tackling the problem. Encoding and decoding high-speed serial signals is something which requires a machine code or assembly language program and is not a practical proposition for a QL user who is not competent at programming the 68008 directly. Also the encoding and decoding program has to be written in a way which enables it to be integrated easily into sequencer programs or whatever.

The real disadvantage of the software approach is that much of the computer time is likely to be occupied by the encoding and decoding, which could limit severely the prospects for writing good software to run with the system. The QL with its powerful 68008 microprocessor is better-placed in this respect than most of its rivals but that is still not my preferred approach to the problem. It is one which would probably be worthwhile pursuing if you have the necessary programming skills and are familiar with QL hardware.

Hardware

What is in many ways a better solution to Midi interfacing is to use a hardware add-on which does all the encoding and decoding, so that the user has to do little more than send and receive data from the appropriate address. This form of Midi interface is integrated easily with applications software and takes very little processor time. It requires nothing particularly complex so far as the electronics is concerned, since special serial interface devices intended for RS232C and similar interfaces will work equally as well in a Midi application.

Figure one shows the basic stages needed for a hardware Midi interface and the stage at the heart of the unit is the serial interface device. It can either be a general-purpose device called a UART — universal asynchronous re-

ceiver/transmitter — or one of the serial interface chips designed specifically for the 6800 or 68000 series of microprocessors. In either case it connects direct to the databus of the computer

have always found that the best method of interfacing user add-ons to the QL is to place them in the 16K block from 49152 upwards, which is intended for plug-in ROMs. Obviously

modern electronics are such that it requires no more than a handful of what are in the main fairly mundane components. A QL Midi interface circuit appears in figure two.




Figure 1. The basic stages

and it does all the hard work of encoding and decoding.

When it is fed with a byte of data for transmission it first latches it into a data register, then transfers it to another register, and from there it is clocked out, one bit at a time, at the appropriate rate. There is more to it than that, with start, stop, and — if required — parity bits being added to the signal but that is all handled by the chip, with the user having only to supply the correct value to the control register to select the required word format.

A clock oscillator controls the baud rate. When data is received the chip synchronises to it automatically, clocks it into the receiving register with any stop, start, or parity bits being stripped-off, and then transfers it to another register. From there it can be read by the microprocessor.

The 68008 has memory-mapped input/output and the interface must therefore be placed at a suitable position in the memory map. It can then be read from and written to in exactly the same way as when dealing with RAM. An address decoder activates the unit when an appropriate address is accessed but at other times holds it in the disabled state with its data outputs at a high impedance state so that they do not interfere with the normal operation of the computer.

There should be no difficulty in finding a gap in the memory map, since the QL uses little of the available 1MB address range. In practice, things are less straightforward because of the use of less than full address decoding for the internal circuits. Placing add-ons in one of the vast unused areas of the memory map tends to result in read and write operations to the circuit accessing ROM or RAM echoes instead.

The problem can be overcome but I

only user add-ons which use this section of the memory map or cartridges should be connected to the QL at any time, and not both at once.

The serial output signal of the interface device is inverted — otherwise it will send 0s instead of 1s and vice versa — and then fed to an electronic switch which turns the nominal 5-milliamp output current on and off. On the input side, the serial signal is fed to the interface device only via the opto-isolator.


Although a Midi interface is really a fairly complex device, the wonders of

IC3 is the serial interface device — the standard serial chip from the 6800 series of peripheral chips. It is the obvious choice for this application as it is very inexpensive for a component of this type but has sufficient facilities for the present application. A 1MHz clock signal is generated by a simple crystal oscillator based on IC5a and IC5b and that is then divided by two in IC6 to give a 500kHz clock signal for IC3. IC3 is used in the mode where it requires a clock signal at 16 times the required baud rate, and 500kHz — $31.25K \times 16 = 500K$ — is therefore the correct clock frequency in this case.

Address decoding is provided by a single device — IC2 which is a three-to-eight-line decoder. There we are making use of its three enable inputs so that six address lines are decoded. That gives considerably less than total address decoding and although the 6850 occupies only two addresses, echoes occupy the full 16K address range allocated to plug-in ROMs.

When running at full speed, the 68008 microprocessor is too fast for 6800 series peripherals but it can slow to the correct speed if interfacing is handled properly. That involves using the output of the address decoder to pull the Valid Peripheral Address line

Figure 2. THE QL MIDI circuit.



of the expansion port low but the VPA line must be left floating at other times — not pulled high. Therefore it is driven from the output of IC2 via diode D1. The 6850 requires a timing signal on its E (enable) input and the 68008 is equipped with a suitable output available at the expansion port.

At the Midi input, IC4 is the opto-isolator and it must be a high-efficiency type. Cheap types are unlikely to work in this application. The serial output signal is inverted by IC5c, which drives common emitter switch Tr1 which, in turn, drives the output socket via current-limiting resistor R6.

The expansion port of the QL has no

two tags are used for signal-carrying purposes but a third can be used to earth the outer connector if the lead is a screened type.

It is advisable to use a screened cable, as high-speed serial signals otherwise can cause strong radio frequency interference to be radiated. Note that the lead connects each pin of one plug to the corresponding pin on the other plug and a lead with crossed-over connections is not suitable — some ready-made 5-way DIN leads seem to be of the crossed-over type.


With any add-on which connects to the computer buses the interface should be connected before switching-

than they can be transmitted. A software loop can be used to provide a suitable delay between writing bytes of data, or the software can monitor bit 1 of the status register. That bit goes high when the interface is ready to receive a fresh byte of data.

If you are using a Basic program there is no danger of sending data to the interface at an excessive rate due to the relative slowness of this language and values for transmission are POKEd to address 49153.

Received values are read from address 49153 but care has to be taken to avoid reading each byte more than once. The Midi input is unusable from

Figure 3. Connections for the DIN 41612 socket.



5V output but a 5V stabilised supply is derived from the unregulated 9V supply rail via ICI. The current consumption of the circuit is not great at about 100 milliamps or so but it is advisable to fit ICI on to a small heatsink to ensure that it runs reasonably cool.

Unfortunately the QL is not the easiest of computers to deal with so far as user add-ons are concerned and its expansion port is well recessed into the machine and a little inaccessible. Connections to the port are made by way of a DIN 41612 64-way connector which must be of the narrow spacing — "a + b rows" — type and must be a socket.

The neatest way to construct add-ons is as plug-in boards, with the board being made long enough to fit right into the recess so that there is no difficulty in plugging it in. A less neat but in some ways more practical approach is to fit the connector on to a board which acts as an extension piece to enable the connector to be fitted into place.

The other end of the board can be fitted with another connector, or wired to a piece of ribbon cable which carries the connections to the Midi interface. In either case, figure three gives connection details for the DIN 41612 connector.

The standard Midi connector is a 5-way, 180-degree type and figure four gives connection details for the Midi IN and OUT sockets of this interface. Only


on the computer. Once switched-on, the computer should operate normally — switch-off at once and re-check everything if it does not. Only two addresses are used when dealing with the interface:

Address	R/W	Function
49152	Read	Status register
49152	Write	Control register
49153	Read	Received data
49153	Write	Data for transmission

The control register is needed only when setting-up the interface for use initially. Unusually, the 6850 does not

Basic, incidentally, because data will be received at a far faster rate than Basic could possibly handle. Unlike an ordinary RS232C interface, a Midi type has no provision for handshaking and every element of the system has to be designed to be able to keep pace with a constant flow of data.

Bit 0 of the status register goes to 1 when a fresh byte of data is available and it is re-set automatically to 0 when the received data register is read. The software therefore should be designed to read bit 0 of the status register and



have a re-set input but instead uses a software re-set. That is achieved by writing a value of 3 — POKE 49152,3 — to the control register. The correct word format is then selected using a value of 21 — POKE 49152,21.

Data for transmission is written to address 49153 but care has to be taken to avoid sending values faster

read the received data register if this bit is set to 1.

With the QL and a home-made Midi interface and software you have can have a set-up which makes ready-made Midi sequencers look under-specified and over-priced. If you have a QL and some Midi instruments it is worthwhile bridging the gap.

PROFESSIONAL ASTROLOGER

NEW IMPROVED VERSION V1.4 by Elmar Duensser

★ Amazing Astrology system ★ Supplied with 140 A4 page Manual which assumes no knowledge of astrology ★ Gives 10 A4 pages of personality/character delineation ★ Gives 6 A4 pages of day-to-day and year-to-year personalised text predictions ★ Gives 3 A4 pages of text comparisons between two people ★ Massive 300K of user adjustable text files (450K for disk users) supplied together with machine code editor ★ Incredibly fast - 0.5 seconds/computation ★ One minute accuracy this century ★ Exact hardcopy on all options - 16 print modes, user definable astrological glyphs and printer driver ★ Transits ★ Progressions ★ Synastry ★ Choice of 7 house systems ★ Individually adjustable orbs ★ Batch processing mode ★ Full Quill compatibility ★ 158 birth data files supplied ★ File compression ★ Output to any device, including files ★ Advanced command language using AND/OR/NOT and a P0123456789 multiple criteria facility ★ Eclipses ★ Closing aspect indicator ★ Comprehensive user tunable defaults ★ Rectification ★ Extremely user friendly ★ Real-time interpretation trim ★

"One-of-a-kind ... every requirement provided for ... descriptions such as superb, ultimate, excellent are barely adequate" **QL WORLD**
"The most powerful & complete astrology package on any micro ... provides everything that a present day Nostradamus will need ... the ultimate astrology package ... a 5-Star (★★★★★) program - a Sinclair User Classic (the highest award given to any program)" **SINCLAIR USER**

PROFESSIONAL ASTRONOMER is £10 extra for users of Professional Astrologer. ASTRONOMER has a full planetarium display, a choice of 5 coordinate systems, Moon/Mercury/Venus/Mars actual face display with real shadows and eclipses, automatic parallax correction (only NASA has this!), solar system display in parallel projection with zoom, tilt, freeze, autoincrement etc. If not bought at the same time as Astrologer, the price is £12.95. ☆☆☆☆

£59.95 COMPLETE WITH HUGE MANUAL, OR £69.95 WITH ASTRONOMER TOO

SUPER ASTROLOGER DE LUXE

A fun-filled package for beginners,
- ideal for parties, friends, entertainment.

£24.95

"Succeeds very well ... an excellent program ... you certainly will not find as good an astrology program as this on any other home computer" **QL USER/QL WORLD**

"Incredibly fast ... unnervingly accurate even on default files ... a powerful tool ... easily the best & most powerful astrology program for any micro ... I would strongly recommend it" **QUANTA (IQLUG)**

"An invaluable tool - an excellent package - a 5 star (☆☆☆☆) program" **SINCLAIR USER**

SUPER MEDIA MANAGER V1.12

An essential program for anyone who uses microcartridges and/or disks to store things of value! No more need you fear for the safety of your programs & data. Super Media Manager provides a host of device management tools in one integrated, fully menu-driven unit - an unbelievable 350K of programs!

- ★ Selective directory, copying, and erasing of files
- ★ Sector loading and viewing (cursor controlled)
- ★ Sector editing - Hex, and ASCII input allowed
- Automatic reports when mapping sectors
- ★ Sector copying to sector, file, device etc.
- ★ Viewing, printing, or saving of drive map details
- ★ Automatic (semi-auto on disks) recovery of deleted files
- ★ Bulk recovery of corrupt files to new files
- ★ Header block or Disk type information display
- ★ String searching by sector or file - ultrafast

- ★ Direct file copying from other disk formats (PC-DOS, MS-DOS, CP/M, Acorn DFS etc, etc) - sector copying to other disk formats.
- ★ Text file translation utility
- expands tabs, converts CR/LF to LF intelligently: converted files may be imported to Quill.
- ★ Disk sector editing for both QL & non-QL disks, with all the usual features
- ★ Full error reporting with automatic recovery
- ★ Hexadecimal calculator
- ★ System configuration
- ★ Full directory sort facility, by name/size/type/date etc

★ Control upto 256 separate cartridges/disks - DIRECTORY of DIRECTORIES

SUPER MEDIA MANAGER works with microcartridges, QL & allen disks, FLP & FDK interfaces, ramdisks etc. The leading QL publication says "SMM has every possible facility ... it's got to be a world beater"

£39.95 COMPLETE WITH 80 A4 PAGE MANUAL, OR £24.95 FOR A CARTRIDGE ONLY VERSION

NEW

EYE-Q V2.0 THE DEFINITIVE QL GRAPHICS PACKAGE

We would love to tell you all about this superb system - but space is short. Take it from us, we've looked at every single graphics & CAD program available on the QL (£49.95 systems included!) and combined their best features with our own ideas. The result ... EYE-Q (yes, it is intelligent). Design your own full colour screens with complete ease - ALL the features are here. Fully driven by pop-up menus ★ single key entry ★ several zooms ★ windowing ★ proportional movement ★ paint/fill ★ rubber bands ★ arcs ★ ellipses ★ circles ★ lines ★ files ★ replicable sprites ★ horizontal & vertical stretch ★ reflect ★ invert ★ transfer ★ pan/scroll ★ undo (ie; whoops!) ★ font design editor ★ automatic anti-aliasing ★ graphic screen compression ★ offset display ★ on-screen help ★ XOR/OR cursor with variable width ★ paste ★ recolour ★ magnify ★ reduce ★ text inclusion ★ freehand movement ★ localised save/load/scroll/pan/recolour/zoom ★ integral sprite editor ★ full range of QDOS colours & stipples available through paintbox ★ user-definable defaults ... If you already have a graphic system, throw it out. Eye-Q is in a class by itself, a state-of-the-art program

V2.0 features also include: ★ amazing 4 colour airbrush ★ user definable printer driver (user sets proportionality, graphic mode density etc) - hundreds of printers supported ★ improved fill and compress ★ 3 text modes plus toggle off - rubber band boxes and blocks ★ full diagonal movement ★ separately definable cursor dimensions ★ multitasking multiple copies of EYE-Q, each with its own screens ★ full compatibility with SUPERCHARGE TURBO, SSG V4.0, joysticks + TURBO TOOLKIT - monochrome save - localised options on all full-screen operations ★ user switchable resolution - SuperBASIC extensions supplied free

Two artistic but provocative demo screens supplied - *prides stay clean!!*

"Includes every conceivable drawing option ... is simple to use ... a powerful CAD system of monumental proportions ... outstanding ... a brilliant concept, highly innovative ... accuracy is superb ... it is a brilliant concept, very well produced, incorporating the best features of other graphic programs ... very original, useful, highly-innovative functions ..." **QL WORLD**

£29.95 COMPLETE WITH COMPREHENSIVE A4 MANUAL

SUPERCHARGE V1.19

THE CLASSIC QL COMPILER - THIS ACCLAIMED SYSTEM AUTOMATICALLY TRANSLATES SLOW SuperBASIC INTO FAST MULTITASKING MACHINE CODE

"Superfast, Super compact and Super flexible - produces minor miracles - a superb utility - a 5 star (★★★★★) program - a Sinclair User Classic (the highest award given to any program)" **SINCLAIR USER**

"The best professional applications package available ... extremely impressive ... the quality speaks for itself" **POPULAR COMPUTING WEEKLY**

"The claimed speed increase over SuperBASIC at THIRTY to ONE THOUSAND times was substantiated" **EX COMPUTING**

"A runaway success - SUPERCHARGE is dangerously close to being a completely over-the-top raver ... performance is simply dramatic ... the final spark that sets the QL software scene alight ... SUPERCHARGE really shows that you can do things on a QL that you can't on other machines" **YOUR SINCLAIR**

"The claims made by DP are completely factual and in some cases understated. I was astonished with the speed ... incredible ... it really does what it says. The QL is at last forced to live up to its original specification" **QUANTA**

£59.95 with 100+ page A4 Manual.



NEW SUPERFORTH V2.0 £29.95 COMPLETE with 100 page A4 manual!

- ★ New extended documentation
 - ★ Full string handling SuperBASIC-like
- This full FORTH-83 multitasking stand-alone relocatable hyperspeed system is supplied with a version of Ohello (FORTH source code provided) to enable you to understand the language of the 1990s with ease ... The Reversal itself is of stunning strength. Fully compatible with SUPERCHARGE, QDOS & 68000 m/c.
- "Superforth succeeds very well" **QL WORLD**
- "A good product - an invaluable developer's tool at a good price" **QUANTA**

SUPER SPRITE GENERATOR VERSION 4.0 DE LUXE

Superb games designer in its final form. New manual, upto 256 multicoloured sprites, upto 256 planes, upto 16 frames each, windows with screen 1 and 2, 100% flicker free, individually variable speeds, hundreds of special effects. Works with keywords from SuperBASIC or machine code (new faster integer keywords supplied) - easily compiled with SUPERCHARGE or TURBO.

"A well designed & carefully planned utility - superb - simply excellent" **QL USER**
"The sprites produced are very good" **POPULAR COMPUTING WEEKLY**
"Excellent" **THE U.S. QL REPORT**
"The results that can be achieved are excellent" **ELECTRONICS & COMPUTING**

Most QL games on the market are written using Super Sprite Generator ... now you can get the same effects!

£29.95 COMPLETE, OR £24.95 if bought with EYE-Q, SUPERCHARGE or TURBO

SUPER REVERSI V2.0 £9.95

9 levels, 3 modes, Set-up/Retract/Setup/Design/Help/Full evaluation display - beats all the other Ohello programs on the market.

SUPER ARCADIA £9.95 FOR TWO HYPERSPED GAMES!

V3.5 SUPER MONITOR + DISASSEMBLER £18.95

SUPER BACKGAMMON V3.0

6 levels, 3 modes, switchable evaluation display, dual clocks, help facility, ultrafast ultrastrong - obeys all the rules. Understands both strategy and tactics.

"Super Backgammon is brilliant!" **QL WORLD**

"I have no hesitation in recommending it" **QUANTA (IQLUG)**

"Be warned - the computer will almost certainly beat you!" **QL USER**

"A package that is very enjoyable to use" **ELECTRONICS & COMPUTING**

£12.95 COMPLETE WITH RULES

First came SUPERCHARGE ...

Now, one year on, DP brings you

TURBO

– Simon Goodwin's State of the Art SuperBASIC compiler!

- * **TURBO** translates SuperBASIC programs into fast multi-tasking machine-code. People use compilers because they want their programs to run FAST, and **TURBO** is the fastest.. **TURBO** code is even faster than SUPERCHARGE code, **THREE TIMES faster** than QLiberator's interpreted pseudo-code!
- * **TURBO** compiles programs **faster** than any other SuperBASIC compiler; it typically works more than **TWICE AS FAST** as the pseudo-compiler QLiberator.
- * **TURBO** compiles programs of **unlimited size** – there are no problems with expanded memory. **TURBO** tasks have zero library overhead – they only contain routines which that specific program needs in order to run – whereas you must load a complete library to handle every possible BASIC action before you can run a QLiberator program.
- * **TURBO** supports **instant linking** – a powerful and unique multitasking feature. Programs can be compiled in parts and 'linked' in milliseconds as they load! Composite tasks of unlimited size can be built on a 128K QL; if you make changes you only re-compile modules that have been altered!!
- * Compiled tasks can efficiently call, read and write to any number of procs, fns, arrays, variables and channels **separately compiled** into other tasks running concurrently!
- * **TURBO** is supplied with a **library** of 65 amazing new BASIC commands, functions and directives – the **TURBO TOOLKIT**.
- * Arrays of any number of dimensions may be passed as **parameters** of procedures or functions, at lightning speed, even between two tasks!! This is unbelievable!
- * **TURBO** adds reliable **WHEN ERROR** trapping to ALL versions of the QL, including AH and JM.
- * In general, large programs are **smaller** and use significantly less data space when compiled with **TURBO**, compared with their pseudo-compiled or interpreted counterparts.
- * No cumbersome protection system – once invoked, **TURBO** remains **resident**.
- * Parameters may be passed to compiled tasks as they are invoked, and **pipes** allow tasks to communicate via PRINT and INPUT.
- * **TURBO** has all the powerful, popular features of **SUPERCHARGE** – comprehensive and flexible reporting, user-controlled space/speed optimisation, multi-tasking, stand-alone code, support of the entire syntax of SuperBASIC, support for 'alien' procedures and functions (with optimisation of TURBO TOOLKIT commands), fast code loading, two extra digits of arithmetic precision compared with the interpreter and pseudo-compiler; etc.
- * **TURBO** has a powerful and original **user-interface**. You can start the compiler with a single command. You can compile several programs while only loading the compiler once, editing the programs between compilations. Compilation is a one-step process: you can trigger a complete default compilation by pressing one key from the main menu, yet a host of useful compiler options are available; you can adjust the defaults yourself.
- * **TURBO** has a detailed, readable A4 manual, containing tutorial and reference sections, hints and tips, plus over **100 example programs**.

TURBO costs £84.95 on disk or two microdrive cartridges.

Upgrades: Supercharge owners may claim a discount of £35 when they upgrade to **TURBO** – send us £49.95, plus page 100 of your Supercharge manual as proof of purchase.

NEW

TURBO TOOLKIT

A package of 65 new SuperBASIC commands, functions and directives, for anyone seeking to realise the QL's true potential.

- * **TURBO TOOLKIT** is packed with features designed to increase the power, convenience and flexibility of QL SuperBASIC. It has many unique facilities, yet it is totally compatible with other toolkits and occupies just 5K of RAM. It is configurable. It can be used with or without **TURBO**.
- * Example program shows you how to use **TURBO TOOLKIT** commands for: graphic effects, user-defined keys, random-access files, 'pipes' (temporary RAM files), 'transient' (pop-up) windows, continuous background music, fast filing systems, SuperBASIC development tools, and much more.

QL TURBO TOOLKIT COMMANDS:

- * Task invocation and communications: EXECUTE, EXECUTE_W, EXECUTE_A, CHARGE, DEFAULT_DEVICE, LINK_LOAD, CONNECT, CHANNEL_ID, SET_CHANNEL
- * On-screen data-editing functions: EDIT%, EDIT#, EDIT\$
- * Super-fast memory-handling commands: MOVE_MEMORY, PEERS, POKES, SEARCH_MEMORY, ALLOCATION, DEALLOCATE
- * File and data handling: DEVICE_STATUS, IMPROVED_DEVICE, SPACE_POSITION, SET_POSITION, INTEGERS, FLOATS, STRINGS, GET%, GET\$, GETP, INPUTS, DATABASE
- * SuperBASIC utility commands: BASIC_INDEX%, BASIC_W%, BASIC_R%, BASIC_L, BASIC_POINTER, BASIC_NAME, BASIC_TYPE%
- * Task control commands: LIST_TASKS, SET_PRIORITY, REMOVE_TASK, SUSPEND_TASK, RELEASE_TASK, SNOOZE
- * TURBO compiler directives: IMPLICIT%, IMPLICIT\$, GLOBAL_EXTERNAL, GLOBAL_PROCEDURE, GLOBAL_FUNCTION, REFERENCE, WHEN_ERROR, END_WHEN, the AH and JM QLS, COMPILE, OPTION, CMD\$, DATA_AREA, LINK_LOAD_A, LINK_LOAD_W
- * And many more... TYPE_IN% and COMMAND_LINE let a task enter ANY command or sequence of characters into any window, SET_FONT for user-defined graphics, FREE_MEMORY buds the obvious, END_CMD allows command files, CURSOR_OFF% and CURSOR_ON select windows, with automatic 'control C's

TURBO TOOLKIT costs £24.95 and comes with full, readable documentation, over 100 example programs, new character fonts, Sound, Character-design and Configuration utilities.

BETTER BASIC EXPERT SYSTEM £19.95

BETTER BASIC reads any SuperBASIC program, examines & analyses it for structural & other faults or weaknesses, corrects or annotates all errors it detects, & creates a brand new, tidy, clean, optimised source program from it! The result is a program which is much easier to read, understand & maintain. Impossible? We've done it. BETTER BASIC uses AI techniques to achieve its aims. BETTER BASIC is easily (no programming involved) configured to fit your needs exactly. Of course, all the trivial features like auto-indenting & line-splitting are provided too. Supercharge & **TURBO** love programs cleaned by BETTER BASIC!

THE EDITOR £24.95

For all those of you who are fed up with QUILL's hyper-slow, erratic & unpredictable behaviour, here is the product of your dreams!

A full-scale text editor of absolutely amazing speed and flexibility

Once you use **THE EDITOR**, you won't wish to touch Quill or any other editor ever again!

Here are a few of **THE EDITOR**'s amazing benchmarks – speed increases are over Quill: ☆ Load ASCII file **17X** ☆ Merge file **4X** ☆ Define block **66X** ☆ Copy block **200X**
 ☆ Find nth occurrence of string **100X** ☆ Page up **26X** ☆ Delete lines **31X** ☆ Move block **42X** ☆ Create line **26X** speedups on ED are: 1x, 3.4x, 11x, 10x, 14x, 26x, 53x, 59x, 26x
 To list a few goodies: 21 cursor commands (vs 8 on Quill)... easy navigation to and from Quill...all ASCII characters (0-255) allowed (hence ideal for technical work, assembly language work and even direct modification of object code and machine code – not just word processing!)...justify, paragraphing, printer controls, command files, block commands, help information, windowing, garbage collection, default configuration, etc. are all available...a 70 page manual...written by the famous Chas Dillon team. **THE EDITOR** works perfectly with both Quill and ASCII files.

BLOCKLANDS £9.95 DROIDZONE £9.95

Tense, Fast moving (the fastest scrolling in the West!)

The best shoot-em-up game on the QL – gripping & brilliant.

BONUS – You may deduct £1 from the total price if you buy any 2 programs, £2 if you buy any 3 programs, £3 if you buy any 4 programs and so on. (These offers do not apply to upgrades.)

★ Orders from abroad are welcome. Please add £1 (£2.50 for programs over £25) per program for orders from Europe and £1.50 (£4 for programs over £25) per program for orders from other countries, to cover airmail postage and packaging costs. Cheques from abroad should either be drawn on a UK bank or be Eurocheques – if you are unable to obtain either of these add £5 to your order price to cover cheque clearing charges.

★ If you have an early version of one of our programs, send the microcartridge(s) (not the packaging) to us accompanied by £5 (£10 if SUPER ASTROLOGER or over £25).

★ All our software is 100% compatible with all memory expansion & disk systems.

★ Programmer & dealer enquiries are welcome. Demonstrations of all our programs are available at Micro Anvika, 220A Tottenham Court Road, London

★ SUPERCHARGE+ICE is available for £79.95 – or £89.95 with CHOICE too! Special prices on all EIDERSOFT programs – just phone us.

★ All our Software is compatible with the THOR & QLT machines – we guarantee to support the QL & QL compatible market through 1986 & 1987 at the very least.

✂ CUT HERE ✂

To: DP, 222 THE AVENUE, LONDON E4 9SE
 [Or use the Credit Card Hotline ☎ 01-527 5493]

Please rush me

Name: _____ Address: _____

Post Code: _____

Enclosed ☐ Cheque ☐ Cash ☐ P.O. ☐ Access/Mastercard ☐ Visa/Barclaycard

for the amount of £ _____ Number: _____ Expiry date _____



Signature: _____

Please indicate if you have: ☐ 3 1/2" disks ☐ 5 1/4" disks ☐ Microdrive only

"THE ONLY SOFTWARE HOUSE DEDICATING ALL ITS RESOURCES TO THE QL"

QFlash RAM disc

QFlash

£21

A RAM disc is useful for saving wear and tear on mechanically-orientated drives; in terms of access speed, they are about as fast as it is possible to be unless you have a Winchester hooked to your QL.

From the users' point of view, a RAM disc works much like a conventional drive in which files can be saved, deleted or copied; conventional RAM discs are formatted in the same manner as cartridges or discs but require stipulation of the number of sectors. Full



drive emulation is supported as a standard feature of most RAM disc programs.

That from QFlash is exceptional in a number of respects. For all practical purposes, it attaches itself loosely to all the available memory for RAM1 when it is installed and releases memory required for program space until the ceiling of the RAM disc meets any files loaded into the utility.

Where QFlash departs sharply from similar utilities is its astonishing speed. If you already own a RAM disc, run the small program to establish its comparative performance. Also, compare the test results obtained with the Sandy I/F RAM disc and the jet-propelled RAM disc released by QFlash:

UTILITY FILE

```
100 WINDOW
512,256,0,0: PAPER 7:
CLS: CSIZE 3,1
110 AT 11,0:PRINT"
FRAME NUMBER"
120 PAUSE 100: BEEP
1000,5
130 SBYTES
ram1_screen,
131072,32768
140 BEEP 1000,2
150t1=DATE: i=0: AT
11,0:PRINT "0=START"
```

```
190 AT 11,0: INK 2:
PRINT i
200 IF i=1000:EXIT
loop
210 END REPEAT loop
220 BEEP 3000,5:
t2=DATE
230 AT 1,1:PRINT <t2
-t1>/1000: "SECONDS
on RAM Disc."
```

A word of warning. If you are using any RAM disc other than QFlash, reduce the "1000" in lines 210 and 240 to "100"; alternatively, you could watch a movie while slower RAM discs get on with it.

Two demonstration routines are included with the QFlash package. A simpler version of the listing is one of them; the other, called Cartoon_bas, requires maximum memory expansion to be able to run the full 14-frame demonstration.

Cartoon_bas runs in two stages. The first

```
160 REPEAT loop
170 LBYTES
ram1_screen,131072
180 i=i+1
```

Bench Test

1. Cartoon_Bas		14 frame	Run	
	Memory requirement	draw/save time	(seconds 24 frames)	Time per frame
Toolkit				
RAM disc	14-32K files	2:05.25	16.8 sec.	1.2 sec.
QFlash				
RAM disc	14-32K files	2:00.25	1.845 sec.	0.134 sec.
2. Repeat single-screen bench test — the above program listing.				
Parameters: Save a 32K screen to test device and re-load it to the screen using the LBYTES command.				
	No. of repeats	Test period	Seconds per screen	
Microdrive	1	20 sec.	20 sec.	
Disc — 3½ in. NEC	1	3 sec.	3 sec.	
Toolkit RAM disc	100	1:44.50	1.04 sec.	
QFlash	1000	3:13.78	0.194 sec.	
Ratios	mdv: QFlash	= 103.1:1		
	mdv: disc	= 6.7:1		
	mdv: Toolkit RAM disc	= 19.2:1		
	Toolkit RAM disc: QFlash	= 5.4:1		

Ron Massey tests out a RAM disc fast gaining a reputation for speed, two more QL toolkits and a competitor for ICE.

draws a series of concentric, filled circles on the screen and then saves it as a 32K file in RAM disc. The process is repeated until there are 14 files, differing only in the angle of circular eccentricity. They are then loaded sequentially on to the screen. The resultant display is the nearest thing available for full-fledged QL animation, operating at slightly less than 7.5 frames per second.

The facilities available with the complete QFlash system are inter-dependent and may not work with other RAM discs.

QLone
Ultrasoft
£14.95

A toolkit with a difference, the Ultra Soft Qlone + Toolkit II serves a single main purpose — new keywords are added to SuperBasic to simplify the cloning of files and it supports services for both cartridge and floppy drives.

The 11 keywords included in the system implement the full range of facilities required for the job and enable you, with minimal typing or opportunity for error, to set the defaults for source and destination devices as required, selectively or mass clone files, obtain a detailed directory of files on both drives, set the size of the copy buffer and to perform limited garbage clearing from the common heap acquired

during prolific use.

A useful command included in the Qclone + repertoire is Change. This keyword provides a means for patching a string in a file. The most common use for the option is to replace all occurrences of "mdv" with "flp" when files are converted for use in disc-based systems. The only restriction on this keyword which must be observed is that the new string must be of the same length as the one being replaced.

Also included with the program is one of the most useful clock routines I yet have encountered. Occupying a miniscule 300 bytes or so, the clock makes its appearance by pressing <SHIFT> & <ALT>, disappearing again when either or both of the keys is released. Also indicated in the clock display is the amount of free memory available. Of more questionable value, after you have seen it for the first time, is your QL Qdos version number. Qclone + also includes a disc monitor.

Although the review copy of Qclone + included a standard type of RAM disc, the minimal documentation, on a Quill file included with the program, made hints of upgrading it soon to a superfast version.

Megatoolkit Utilising Software £19.95

From Utilising Software, *Megatoolkit* adds 123 extensions, 63 procedures and 60 functions to SuperBasic commands which cover a wide range of facilities not directly available directly to a standard QL operating system.

Divided roughly into nine categories, utilities are provided for memory

management of the entire QL memory map. Facility is included for obtaining the lengths of a Basic program, tables area, Basic program area, transient program area, common heap area, resident program area, and the largest contiguous block of free memory.

More powerful screen — and graphics — handling has been made possible by keywording the control of the cursor with regard to location and movement. A range of reports via the new keywords is available for obtaining the position of the cursor by character, character size — height or width — or pixel. Other reports are available for obtaining the height or width of characters for a given channel.

Machine code and stream control utilities can switch interrupts off and on, re-set default devices and drives — calls made to mdv to occur to flp instead and drive 1 to drive 2, for example — place or read file position.

An extensive range of job — multi-tasking — control facilities has been included for the allocation of priority; job details regarding owner, location, tag, and job ID have been implemented.

Improved file-handling includes an extensive range of wildcard utilities, automatic input from a device either to upper- or lower-case, spooling between devices with or without file headers, direct manipulation of bytes and file headers and combining the input of devices with output to another device.

It also includes SuperBasic handling functions and procedures to dump Basic variables, machine code addresses, perform a soft system re-set and a group of commands for complete error control.

The range of miscellaneous commands enables simplified

conversion of hex and decimal vales, software control of the capslock key, control of keyboard auto repeat and delay — setting both values to 0 makes for very fast typing — options, programming the function keys, intelligent movement of bytes in memory and a system operation speed control — and a re-positionable clock.

My only two criticisms apply to its general presentation from marketing points of view as related to the user. The first criticism is that Megatoolkit is a single program rather than a collection of linkable routines. More than 13K in length, the single program precludes the possibility for users to incorporate only those routines pertinent to their programs.

Also documentation for programs such as this, where a wide range of often rather esoteric features is available, I feel the author, willing or otherwise, should take care to remember that every potential customer may not be conversant with some of the concepts included.

Where that requirement is applicable, documentation should include some form of tutorial and/or very detailed descriptions of all the concepts included throughout the program, other than instructions for making back-ups.

Roughly half of the keywords included in the repertoire include very good example applications. Some of the others are mentioned, almost as "also includes", with few application notes. Be that as it may, considering the flexibility, Megatoolkit represents very good value. If your ROM slot is otherwise occupied and you are not using any other form of EPROM toolkit, you can still enjoy the options of file handling and an

improved operating environment.

4Matter Zitasoft £9.95

With the problem of piracy uppermost in the minds of most software publishers, various sophisticated protection routines have been employed, almost all of which require verification of a master — i.e., an officially-produced purchased copy. While the precaution is prudent and understandable, from a customer's point of view it can be annoying and frustrating.

It means that a program is forever tied to a master cartridge which is prone to corruption. Also, transferring programs to disc will still keep them tied to the cartridge master, perhaps long after the user has graduated to one of the non-mdv-based QL derivatives.

Compounding the problem, increased sophistication has led to very clever tricks being implemented which, from a coding point of view, are susceptible to corruption or introducing read errors of their own.

When problems of that nature occur, as it seems to do more and more often, the result is a very irate customer. Software houses which ignore customer satisfaction do so at their peril.

Realising the cause for a genuine grievance exists, Zitasoft has leapt into the breach by providing an elegant solution for the majority of users with its new program *4Matter*.

Although technically a sophisticated copying program, it is referred to by its producers as a back-up program and, considering the

ramifications of the term, they are correct.

What 4Matter accomplishes, by using various combinations of routines selected from its main menu, is an exact copy of a master in all respects except one; because of coding introduced by 4Matter, further copying from the sub-master is inhibited, making its role solely that of a key — the main routine for producing a byte-for-byte copy is called *Locksmith*.

Although 4Matter does not provide a solution for complete disc-based transfer, it at least goes a long way towards preventing users having unusable programs and, in this perspective, justifies its release.

Steve Jones, author of 4Matter, has included a rather dramatic exit, if the option to quit is selected. I will not spoil it for you by relating it but be sure not to miss it.

Another routine included with 4Matter is a program called *Bobby-Dazzler* — also available to members of Quanta from its library — and is an interesting, flashy — both allegorically and literally — screen display controller.

Considering the difficulties 4Matter can prevent it represents superb value.

QATS Cope Software £20

A new modular program system from Cope, the EPROM-based *QL Applications Traffic Supervisor* — QATS — is a professional-grade front-end with which you can control the operation of your QL and one which is not tied to a single screen presentation format.

QATS provides facilities for selecting options from your own menu structure, controls QL tasks,

controls virtually any output device connected to your QL in a comprehensive manner, and supervises the production of printed copy.

The complete package consists of an EPROM and two Microdrive cartridges, with additional modules being developed. The body of the QATS program may be run from either the EPROM or, if the ROM port is required for other purposes, from software.

Any of the modular services of the system are software-connected when and as required. To conserve memory, any services not in use can be disconnected, in effect terminating a job.

On start-up, you are presented with an option to load particular QATS-related files. After pressing <CTRL> & <C>, you select the first default file by pressing <ENTER>; you are then offered sequentially a choice of source drives, the availability of which the system has obtained by examining the configuration of your QL, and drive number. Input throughout the QATS system is confined mostly to single key presses.

The first menu, titled "1 Start", is the calling menu and contains main heading options. Selecting any of those will produce the next menu in the hierarchy and will be numbered as one greater than the preceding menu.

Although the menu structure, as supplied, is configured for general applications, re-configuring a front-end — or any number of front-ends, according to the type of work you are doing — is simple. Depending on the complexity of your command structure, you can build as few or as many successive menus as required.

Screen layout may be

customised temporarily by moving any of the menus and windows to other parts of the screen. When an optimum layout is established, it may be saved and subsequent uses of QATS will default to the new layout.

Operationally, QATS enables you to use the entire range of file-handling functions in a manner unavailable with any other system. Paged directories, displaying filename sizes in alphabetical order, can be produced. From the directory listing, you can apply sophisticated wildcard options for selective copying, deleting, printing or spooling.

The Output Control module permits you to print formatted text pages from unformatted text files — which can include headings, page numbers and other information — print labels or mailing lists. Another specific option provides facilities for nominating printed files as either ASCII characters or hex dumps.

Output can be nominated to print on continuous or sheet stationery, include any of the printer control codes, all as a background job, while you proceed with

other work. Mailing lists may be previewed on-screen before accepting the option to print to the ser or par port.

From the user's point of view, Output Control provides a far more comprehensive range of options than the corresponding Psion printer driver. By selecting any one of the Stationery Codes, which can be user-definable, you can send pre-determined control codes, also re-definable, to your printer for, as an example, setting the baud rate, lines per page, characters per line, margins and paper type.

Designed for ease of use, QATS is an exciting product. The modular approach taken by QATS is well-planned and executed. The Users' Guide is comprehensive and includes practical working examples of almost every application imaginable.

Very good value, by the sheer weight of its polished professional approach, it will have a tremendous impact on the QL and its derivatives.



Information

Megatoolkit £19.95. Utilising Software, 75 Oakhanger Drive, Lawrence Weston, Bristol BS11 0RJ.

QFlash. T. K. Computerware, Unit A, Range Road Industrial Estate, Hythe, Kent CT21 6HG.

QATS £20, *Output Control* £15, *Eprom O/S* £10. Cope, 3 Langham Mansions, Earls Court Square, London SW5 9UH.

Qlone Ultra Soft. c/o Sandy 0234 219814

4Matter £9.95 — on cart. Zitasoft, 93 Foxbourne Road, London SW17 8EN.

AT LAST! A QUALITY KEYBOARD FOR THE QL

THE RAINBOW KEYBOARD

The Rainbow Keyboard has 81 full-travel keys: The full QL Keypad plus Number and Cursor Pads with 1 metre of coiled lead. It is a simple d.i.y. fit requiring no cutting of the case.

Price **£69.95** plus V.A.T.

As an introductory offer, return the completed coupon by the 1st November 1986 and we will reserve you a keyboard and allow you a £10 discount.

£10 VOUCHER

Please reserve me Rainbow Keyboard(s) at £59.95 plus V.A.T.

I understand I will be notified when my units are available.

Name.....

Address.....

Tel:

N.B. Send no money now.

QL REPAIRS ('Phone for a quote)

From **£17.50** inc P&P, V.A.T. and insurance.

72 hour Express Service available.

TRADE & OVERSEAS ENQUIRIES WELCOME

J.S.-ROM KIT

You do it £26.00

We do it £32.00

AVAILABLE SOON: 512K INTERNAL RAM UPGRADE £85.00



Clark House, Haxby, York YO3 8HU
Tel: (0904) 768853

DISCS AND RAM

Cumana 3.5" drives: Single	£139	Dual	£219
Cumana Interface	£89	512K Expandram	£119
Super Oboard disc and printer interface with 512K RAM	£239		
Sinclair QL (No warranty).....	£139		

MEDIC DISC SYSTEM UPGRADES

Additional 256K.....	£79	512K.....	£129
Additional 3.5" disc drive	£119		

UNDISTORTED SCREEN DUMPS

"1" to "1" Dump enables you to get true hard copy of your QL screen images (works with Epson FX80)£5.99

RUN THOSE AWKWARD PROGS WITH. . .

Boot 128K: Fools your expanded QL into thinking it has only 128K RAM. Menu driven£5.99

MICRODRIVE COPYCAT

Will make master copies of many protected programs. Sold subject to condition of legal use.....£10.99

READ AND WRITE MICRODRIVE SECTORS. . .

With extensions to Super Basic	£9.99
or 1,000 lines of assembly source code.....	£19.99
Both the above on one cartridge	£24.99

DO YOU SUFFER FROM LOCK-UPS?

Try a computer cleaner—problem solved or money back ...£14

MICRODRIVES AND OTHER BITS

4 Microdrives and Wallet	£7.99
Parallel printer interface	£38
Storage box (20 cart)	£5.99
Parallel Printer cable	£15
Ten 3.5" DSDD discs in plastic storage box	£29



57 REPTON DRIVE
HASLINGTON, CREWE
CHESHIRE CW1 1SA
Tel: (0270) 582301
Tlx: 265871 MONREF G
(Quote ref: 72MAG70076)

PRICES INCLUDE VAT AND DELIVERY
EXPORT ORDERS WELCOME: WRITE FOR TERMS

SWOPPER


NEW

ONLY £19.95

Enables you to have up to nine swop-tasks plus Basic and other jobs all available instantaneously.

- Run multiple copies of any program (Quill etc.)
- Automatic loading of your default files into Quill etc.
- You decide how much RAM each swop-task can have.

You will get the most out of Swopper with a QL RAM expansion. If you buy Swopper and RAM expansion together, Swopper will cost only £14.95



★ FIVE STAR QUALITY ★

TOP QUALITY SOFTWARE FOR THE PROFESSIONAL QL USER

- ★ **PASCAL** The professional's choice. Full implementation. 100 page manual. Example programs. £39
- ★ **FORTH** Latest Forth 83. Includes macro assembler. Very fast compiled code. Excellent manual. £39
- ★ **ASSEMBLER** The fastest QL assembler. Includes linker. Comprehensive user manual. £29
- ★ **MONITOR** Simply the best QL monitor with many exclusive features. £24
- ★ **TYPING TUTOR** The quick and easy way to learn to touch-type. A true tutorial. £14

DEALERS: Please call for details of our favourable terms.

AMSTRAD PC • CALL FOR AVAILABILITY

NEW

Name:.....

Address:.....

Please send me:

I enclose a cheque for £

PSION XCHANGE

Xchange is a suite of programs including Database, Spreadsheet, Wordprocessor and Business Graphics. Multitasking allows you to run upto 8 applications simultaneously, data sharing allows you to transfer data from one application to another.

ARCHIVE DATABASE

Multifile relational database. Only memory restricts the number of files in use at one time. Variable length records with a maximum of 255 characters per field, 255 fields per record, 65535 records per file. Command language allows the user to define procedures using a powerful editor. Flexible multifile indices provide fast access and a form designer for screen and printer input and output.

QUILL WORDPROCESSOR

Text and page formatting, underlining, bold, italic, superscript, subscript, justification, tabs, line spacing, page size, page headers, footers and numbering. On screen editing, fast page access, cut and paste, block copy, block move, insert, overwrite modes, search and find, search and replace, key define and mail merge. Document size only restricted by disk capacity, background printing. Allows the user to print documents while working on others.

EASEL BUSINESS GRAPHICS

3D Business graphics including bar, line and pie charts, no limit to the number of values or numbers or sets of figures. Automatic replotting, user define colours, text annotation of graphs at any point. Intelligent evaluation of data formulae or manipulation of existing data. Images stored in internal format, monitor resolution is the only limit on final image quality. Accepts data from spreadsheet, database, etc.

ABACUS SPREADSHEET

Expansive spreadsheet with 999 rows, 255 columns, virtual memory system buffers to disk only when full, facilitating very large spreadsheets. Efficiency memory used only for full cells, each cell only uses 14 bytes. Variable width cells, block copy, block move, insert, delete columns and rows, merge and consolidation of data from different spreadsheets. Accurate to 15 significant figures, full range of mathematical, scientific, date, average, ASCII and DIF conversion.

£295
INC. VAT

Xchange is available from Transform Ltd, to run on the following IBM PC XT AT and IBM compatibles, APRICOT PC, F SERIES, XEN, ICL DRS20, DRS300, OPD, LOGICA KENNET, MERLIN 4000, VICTOR SIRIUS, TORCH GRADUATE and BT TONTO. We offer onsite training and DATABASE applications to suit your requirements. Network upgrades enables Xchange to run on upto 10 workstations. Evaluation packs available for £10.00p. For further details contact Transform



Transform Ltd



24 West Oak, Beckenham, Kent BR3 2EZ 01-658 6350

WDSOFTWARE

FOR THE SINCLAIR QL:-

JOSS

£15 on mdv or 5 1/4" flp, £17 on 3 1/2" flp

Forget syntax errors and mistyped names in file commands! Just move a cursor and press SPACE. Cursor keys or joystick allow access to up to 8 microdrives and all the discs your interface will handle, with up to 150 files on each. Scroll & print directories, COPY, DELETE or PRINT any file, select TV or Monitor mode before LOADING/RUNNING a program. Use keyboard only to set date or label a medium. Easy to use with Psion or other software. No silly icons to learn - JOSS will tell you what it's doing! Mass copying/printing utilities and programmer's toolkit. Specify disc size, tracks and interface (CST, Cumana, PCML, MicroPeripherals) or microdrive only.

RefQL7 £11 on 2 mdvs or 1 3/4" flp, £9 on 5 1/4" flp

For use with **ARCHIVE 2**, contains 1300 useful references and a search/print program. Find programs, articles and reviews buried in the magazines on your shelf! Cheap updates of earlier editions.

Mdv Extension Cable (8" £5.50
Add ZX Microdrives to your QL.

Joystick Adaptor £4.99

FOR THE QL, SPECTRUM, (ALL), BBC & ELECTRON:-

WD Morse Tutor

£4 cassette, £6 mdv or 5 1/4", £8 3 1/2"

Teach yourself to read Morse Code. From absolute beginning to 18 wpm! Feedback on screen or printer. Random letters, numbers or mixed, 100 random sentences, many helpful features include phonetic speech via Currah Micro-Speech (Spectrum). Discs unsuitable for BBC B+.

We export hardware and third-party software. Ask for lists

PAYMENT:-

In advance, in **STERLING** on British bank branches, international Giro, Postal Order or **ACCESS/MasterCard**. Add £1 outside Europe for AIRMAIL.

FROM:-

WDSOFTWARE (QLW),

Hilltop, St Mary, Jersey, C.I. Tel: (0534) 81392

Giga Chrome

Giga Chrome—the ultimate graphics program for the QL

©Copyright 1986 J. Merz & R. Bicnick

Giga Chrome is very easy to use; it is totally mouse-driven (it also runs with cursor keys of course). All functions are selectable by icons or pulldown-menus. You can create pictures with the size up to a whole DIN A4-Page (400 x 356 pixel). Some of the functions are: Pencil cursor, paint brush (with lots of brush shapes, paints every pattern you create with the texture editor), spray tin, text, lines, circles, boxes, ellipses, magnifying-lens etc.

Giga Chrome also offers extended blocks handling facilities:

- ★ Blocks may be of any size up to the whole work window.
- ★ You can copy, mirror, recolour them.
- ★ Rotation of blocks is possible (0 to 359 degree turn in 1 degree steps).
- ★ Magnify.
- ★ Logical block operations are possible.

Giga Chrome supplies different fonts, you also create own fonts with the in-built character editor, they can be used with every CSIZES.

Further features are UNDO, reduces view of the whole page, elastic or filled shapes.

There is default file handling (for example, load offers you only those files, which are load-able by Giga Chrome: screens (normal 32k-QL screens), Pages, Blocks and fonts. There also is a control panel to install your mouse speed mouse key-click etc.


Supplied with Giga Chrome are two other programs: A Spectrum-to-QL screen format via RS232 Port. A Mode-4 to Mode-8 converter.

By now there are printer drivers for all Epson-compatible printers and for the Canon F60. Giga Chrome needs at least 128K extra RAM. Giga Chrome is available on Cartridge and on 3 1/2" Disk.

Please make cheque or postal order payable to:

ABC Elektronik; Hugelstraße 10-12; 4800 Bielefeld 1; West Germany

The price 100 German Marks + 10% Airmail Charge for Overseas Orders.



MPC SOFTWARE

SOFTWARE

Games

BJ The Return	£10.00
Boulder	£9.00
Bridge Player II	£17.00
Cavern	£10.00
Chess	£16.00
Dragonhold	£17.00
Fictionary	£10.00
Flight	£17.00
Jabber	£9.00
Karate	£13.50
King	£13.00
Knight Flight	£13.00
Lands of Havoc	£17.00
Lost Pharaoh	£13.00
Matchpoint	£13.50
Meteor Storm	£10.00
Othello 3D	£13.00
Quboids	£9.00
Scrabble	£13.50
Spook	£10.50
Startrek	£4.00
Steve Davis Snooker	£13.00
3D Slime	£11.50
Vroom	£13.50
Wander	£17.00

Adventures

Aquanaut 471	£17.00
Mortville Manor	£17.00
West	£13.00
Lost Kingdom of Zkul	£13.00

Utilities

Archiver	£17.00
Artice	£11.50
CadPak	£13.50
Cartridge Doctor	£13.50
Choice	£13.50
Copier	£12.00
Cosmos	£13.50
Font Designer	£7.00
Graphiql +	£22.00
Graphic Toolkit	£13.50
Gardener	£20.00
ICE	£21.00
ICE Toolkit	£10.00
Nuclear	£17.00
QL Mon	£14.00
QL Paint	£20.00
QL Painter	£13.50
Techniql	£45.00
Touch Typist	£11.00

Languages

APL	£99.00
Assembler (GST)	£20.00
Assembler (Metacomco)	£35.00
Assembler Workbench	£21.00
BCPL	£54.00
C	£90.00
Lisp	£54.00
Forth (Computer 1)	£30.00
Macro Assembler (GST)	£50.00
Pascal (Metacomco)	£82.00
Pascal (Computer 1)	£35.00

Business

Cash Trader	£60.00
Decision Maker	£32.00
Entrepreneur	£32.00
Home Finance	£20.00
Impact Accounts	PHONE
Integrated Accounts	PHONE
Project Planner	£32.00
QSpell	£18.00
Techniql	£45.00
Transact	£25.00

BJ in 3D Land, Eagle & Zapper and Citadel 3 pack, only £13.50

War in the East

War in the East is a simulation of the German-Russian conflict during World War II. The programme has every aspect of the war in it, including 16 types of Division and Brigade, Partisans, Reinforcements, Weather, Terrain etc. . .

There are 3 Scenarios:

- 1) Barbarossa 1941 - The German invasion of Russia
- 2) Stalingrad 1942
- 3) Destruction of army group centre 1944

The prices are:

Scenario 1	£19.95
Scenarios 2 & 3	£13.50 each
All 3 scenarios	£39.95

BOOKS

The Working QL	£2.50
Sinclair QL Adventures	£3.00
Artificial Intelligence on the QL	£2.50
Developing Applications on the Sinclair QL	£2.50
Simulation Techniques on the Sinclair QL	£2.50
Quill, Easel, Archive & Abacus on the QL	£3.00
Inside the Sinclair QL	£6.00
Desk-top Computing with the Sinclair QL	£2.50
Word Processing with the Sinclair QL	£3.00
Database Management on the Sinclair QL	£3.50
Advanced Programming with the Sinclair QL	£3.00
Making the Most of the Sinclair QL	£3.00
Machine Code Programming on the Sinclair QL	£4.00
Using Graphics on the Sinclair QL	£4.00
Introduction to Superbasic on the Sinclair QL	£3.00
Profiting from the QL (Abacus)	£4.00
QL Games Master	£3.00
QL Superbasic	£3.00
QL Computing	£3.00
QL Advanced User Guide (QDOS)	£14.50
Quantum Theory	£4.00
QL Quill	£4.50

Sinclair QDOS Companion	£6.95
QL Service Manual	£19.95
Hackers Handbook (Hardback)	£4.50
Creating Adventure Programmes on your Computer	£2.50
101 Things to do with a Dead Computer	£1.50
How to Computerise Your Business Successfully	£2.50
MS-Dos, an Introduction	£5.00
Xenix Users Handbook	£5.00
Beyond the Arcade	£2.50
Home Applications on your Micro	£2.50
Business Computer Guide	£2.50
Home Applications on your Micro	£2.50

Sinclair QDOS Companion

This book is essential reading if you are interested in programming the QL in machine code. It describes all the features of QDOS, and gives details of all the TRAPS, and Vector calls. It includes details on how to access the keyboard, screen, serial ports etc. from machine code, how to communicate with the 8049 co-processor, and how to write multi-tasking programmes and lots more. £6.95

HARDWARE

Joysticks

Joystick Adaptor	£4.50
Arcade Professional Joystick	£38.00
Arcade Joystick	£16.00
Elite Joystick	£15.00
Micro Ace Joystick	£15.00
Micro Pro Joystick	£16.00
Pro 5000 Joystick	£15.00
Cheetah 125 Joystick	£9.00
Pro Ace Joystick	£9.00
Wiz Card Joystick	£8.00

Modems

Tandata Q-Connect/Q-Mod/Q-Call system with 1200/75 and 1200/1200 baud communication, auto dial/answer etc. £78.00

Astracom 1000 multistandard intelligent modem has 300/300, 1200/75, 75/1200, 1200/1200 baud communications with autodial/answer, and Prestel software. £195.00

Free copy of 'Hackers Handbook' with all Modems.

Other Products

Microvitec 1451DQ3 QL Colour Monitor	£255.00
Fidelity QL Monitor	£175.00
Philips 14CF1114 Colour TV/Monitor	£210.00
Miracle Modaptor	£35.00
Centronics Printer Interface	£19.00
Serial Cable	£7.00
QL Computer & Software	£130.00
Epson LX80 printer + Interface	£260.00
LX80 Tractor Feed	£20.00
LX80 Ribbon (Black)	£5.00
LX80 Ribbon (Red, Blue or Brown)	£6.00
LX80 Sheet Feeder	£64.00
Eidersoft Mouse (ICE & Artice free)	£85.00
Eidersoft Mouse (If you already have ICE)	£68.00
3.5" Axiom Guaranteed discette	£3.20
Microdrive Cartridges	£1.80

Postage:

UK: FREE on orders over £5. 50p on orders under £5.
Europe: 50p for each book ordered.
Outside Europe: £3 on all orders + £1 for each book.

Memory Products

Miracle Expanderam 256	£95.00
Miracle Expanderam 512	£118.00
RAM disc software	£14.00

Miracle Expanderams are compatible with both Cumana and Silicon Express disc systems, and cause most QL software to run up to 30% faster.

Disc products

Disc Interface	£78.00
Interface & Single drive	£190.00
Interface & Dual drive	£280.00
10 x 3.5" discettes (Guaranteed)	£30.00
40 x 3.5" lockable disc storage box	£13.00
3.5" disc head cleaner	£8.00

Choice of either Cumana or Silicon Express systems. Prices quoted for 3.5" systems. Phone for 5.25" disc systems.

Special Offer: Buy a disc system and get as many discettes as you want at only £2 each!!!

All prices correct at the time of going to press. E&OE.

MPC SOFTWARE, 72 Julian Road, West Bridgford, Nottingham NG2 5AN.
Tel: 0602-820106


SCREEN STARS

COMPETITION WINNERS

Our offer of free QL software provided the creative inspiration for those who entered our Design a Screen competition.

The 20 prizewinners will each receive a copy of the *Pyramide* program of their choice. Most people opted for *QL Peintre*, with one or two deciding *Nucleon* would better suit their talents.

We do not have space to show all the winning entries but here are some of them, together with the programs from which they were generated.



Like many of the winning entrants, Josep-Feliu and Jordi Fuster Foncillas produced a stunning screen image by clever use of perspective.

Sharp-eyed readers may notice that the program is 51 lines long but as the first line is a REM statement we decided it was a small transgression.


Space Tunnel Δ
Pattern Generator ∇

Dimitri Vouzounaras chose a Formula One racing car as his subject. Being Italian, he naturally chose to make it a Ferrari. The program, though

straightforward, has produced an excellent and realistic design. His choice of program is *Vroom*.



Δ Ferrari



The only interactive screen design program was submitted by H Hodgson. The program will run either as an automatic pattern

generator, or you can input your own values at the prompt. The author recommends trying some of the following settings:

Ratio	RD1	DC1	RD2	DC2	Mode
4	0	0	82	.01	1 & -1
2	40	0	40	.01	1 & -1
7	40	0	40	.02	1 & -1
.01	60	.03	20	0	1



△ The Worm

Pattern Generator

```
100 MODE 8:XD=82:YD=50:CIR=360:CLS
110 X=DATE:RANDOMISE X
120 CLSNO:PRINTNO,"AUTOCYCLE (Y/N) ";
130 AS=INKEY$(=13)
140 IF AS="Y" OR AS="y" THEN GO TO 270
150 IF AS="N" OR AS="n" THEN GO TO 170
160 GO TO 120
170 CLSNO:PRINTNO,"RATIO RD1 DC1 RD2 DC2 M
ODE"
180 PRINTNO,"ENTER 0 FOR RATIO TO STOP PROGRAM"
190 AT#0,1,0:INPUT#0,RATIO:IF RATIO=0 THEN GO TO 5
60
200 AT#0,1,6:INPUT#0,RD1:AT#0,1,12:INPUT#0,DC1
210 AT#0,1,18:INPUT#0,RD2:AT#0,1,24:INPUT#0,DC2
220 AT#0,1,30:INPUT#0,M:IF M=0 THEN IM=1:GO TO 3
30
230 IM=1:GO TO 330
240 PRINTNO,"RATIO =":RATIO:"RD1 =":RD1:"DC1 =":DC1
250 PRINTNO,"RD2 =":RD2:"DC2 =":DC2:"MODE =":M
260 PAUSE 250:IF XT=232 THEN GO TO 120
270 CLSNO:PRINTNO,"PRESS F1 TO STOP AUTOCYCLE":PAU
SE 50
280 RATIO=RND *10 +.1:IF RATIO > 1 THEN RATIO=INT(
RATIO)
290 RD1=RND(0 TO 70):DC1=RND/10-SE-2:IF DC1<0 THEN
DC1=0
300 RD2=RND(5 TO 70):DC2=RND/25-2E-2:IF DC2<0 THEN
DC2=0
310 TV=RD1+RD2:IM=RND(1 TO 2):IF IM=2 THEN IM=-1
320 RD1=INT(RD1*83/TV):RD2=INT(RD2*83/TV)
330 PAPER 0:CLS:OVER=1:STP=3/RATIO
340 X=XD-RD1-RD2:Y=YD
350 CIR=360:CLSNO
360 IF RATIO<1 THEN RATIO = .1
370 IF RATIO<1 THEN CIR=360/RATIO
380 FOR ANG=0 TO CIR STEP STP
390 IF ANG > CIR/2 THEN GO TO 420
400 CAL = ANG
410 GO TO 430
420 CAL =CIR-ANG
430 INK INT(CAL/25.715)+1
440 RD1=CAL*DC1 + 1
450 RD2=CAL*DC2 + 1
460 A=RAD(ANG):RA=RATIO*A*IM
470 R1=RD1/RD2:R2=RD2/RD2
480 X=R2*DCOS(RA):Y=R2*SIN(RA)
490 X=XD - R1*DCOS(A):Y=YD+R1*SIN(A)
500 X2=X-R1:Y2=Y+R1:LINE X,Y TO X2,Y2
510 LINE X2,Y2 TO X1,Y1:X1=X2:Y1=Y2
520 XT=CODE(INKEY$):IF XT = 232 THEN GO TO 540
530 NEXT ANG
540 IF AS="Y" OR AS="y" THEN GO TO 240
550 GO TO 120
560 CLS:CLSNO:PRINTNO,"PROGRAM RUN TERMINATED":STO
P
```

The Worm

```
1 MODE 0:OVER 0
2 OPEN #3,scr 512x256a0x0:PAPER #3,4:CLS #3
3 OPEN #4,scr 445x195a45x28:PAPER #4,0:CLS #4
4 PAPER #1,7,2,1:CLS #1:SCALE 200,0,0
5 FILL 1:write:sky
6 FILL 1:INK 2:CIRCLE #1,300,130,50
7 FILL 1:INK 4:LINE 0,100 TO 400,100 TO 400,0 TO 0
,0 TO 100
8 FILL 0:INK 0
9 ground:mount:c=2:BDORER #1,1,0
10 FOR n=0 TO 152 STEP .5
11 n1=n/1.5
12 x=n1+n1*DCOS(n/104*PI)
13 a=n1+n1*SIN(n/52*PI)
14 b=n1-n1*DCOS(n/(26*x)*PI)
15 FILL 1:INK 0:CIRCLE 100+(a-n1),100+(b-n1),n/B
16 FILL 0:INK 0:CIRCLE 100+(a-n1),100+(b-n1),n/B
17 c=(2*(c=1))/(4*(c=2)):NEXT n
18 FILL 1:INK 7:CIRCLE 110,160,15,.8,RAD(0)
19 FILL 0:INK 0:CIRCLE 110,160,15,.8,RAD(0)
20 FILL 1:INK 7:CIRCLE 130,160,15,.8,RAD(0)
21 FILL 0:INK 0:CIRCLE 130,160,15,.8,RAD(0)
22 FILL 1:INK 0:CIRCLE 110,160,15,.8,RAD(0)
23 FILL 1:INK 0:CIRCLE 130,160,15,.8,RAD(0):PAUSE
24 DEFINE PROCEDURE mount
25 c=1
26 FOR loop=1 TO -5 STEP -1
```

Winners

M J Gale, Guildford, Surrey;
James Carmichael, Stockbridge, Hampshire;
Anthony Joyner, Emsworth, Hampshire;
Dimitri Vouzounaras, Ancona, Italy;
Adam Boyse, Moreton-in-the-Marsh, Glos;
Alan Ersser, Old Woking, Surrey;
Nat Alcock, Leamington Spa, Warwicks;
G J Morgan, Tunbridge Wells, Kent;
Josep-Feliu Fuster Foncillas, Barcelona, Spain;
Damian Debski, Wivenhoe, Essex;
D Dimitrov, Ilford, Essex;
Per Svensson, Frolunda, Sweden;
J Dempster, Comberton, Cambridge;
Louai Munajim, Ahmadi, Kuwait;
H Hodgson, Lowestoft, Suffolk;
S Salmon, Rayleigh, Essex;
D Burrows, Rotherham, S. Yorks;
David Duggan, Worthing, Sussex;
G Calladine, Wellington, Somerset;
Edward Whittton, Rochester, Kent.

```
27 c=(1*(c=3))+3*(c=1))
28 FOR n=30 TO 300 STEP 30
29 a=INT(RND(1 TO (loop+5)*10)):a=a+10*5*SIN(n/10
0*PI)
30 b=INT(RND(50 TO 100))
31 FILL 1:INK 2,0,c:LINE n,100+loop TO n+b/2,100+a
+loop TO n+b,100+loop
32 FILL 0:INK 0:LINE n,100+loop TO n+b/2,100+a+loo
p TO n+b,100+loop
33 NEXT n
34 NEXT loop
35 END DEFINE
```

Space Tunnel

```
100 REMARK -- Josep-Feliu Fuster Foncillas & Jord
i Fuster Foncillas -- (1985) --
110 MODE 4: WINDOW 512,256,0,0: PAPER 5: CLS: INK
7: OVER 0: a=100: b=0: c=0: x=1: y=1
120 SCALE a,b,c: FILL 1: INK 0: F=1: segment: FILL
0: INK 7: F=0: RANDOMISE 355
130 FOR c=0 TO 127 STEP 9: SCALE a,b,c: segment: x
-x+.13: y=y+9E-2: a=a-5: b=b-7
140 SCALE 100,0,0: FOR i=0 TO 9: LINE 35+i*2.05,55
TO 5.38+i*18.37,0
150 LINE 55.5,55.5 TO 196.34,0: LINE 56.5,57 TO 23
7.5,0
160 FOR i=0 TO 7: LINE 57,58.5+i*2.07 TO 170,30.68
+i*12.03
170 LINE 55.73 TO 119.6,100.25, 55.75 TO 103.5,100
.25, 53.75 TO 95.5,100.25
180 LINE 53.77 TO 86.3,100.25, 50.77 TO 76,100.25,
48.89 TO 55.75,89 TO 64,100.25
190 LINE 47,75 TO 55.5,85: LINE 43.75 TO 48,85
200 FILL 1: INK 2: LINE 48.25,88.75 TO 48.25,85.25
, 55.5,88.75 TO 55.5,85.25
210 FILL 0: INK 7: FOR i=0 TO 3: LINE 43-i*2.66,77
TO 52.75-i*9,100.25
220 LINE 34.75 TO 16.5,100.25: LINE 32,73 TO 5,100
.25
230 FOR i=0 TO 6: LINE 31,71-i*2 TO 0,91.84-i*0.1
240 LINE 33,59 TO 0,35: LINE 33,59 TO 0,22: LINE 3
5,57 TO 0,6.5
250 FILL 1: INK 7: LINE 27.75,41 TO 18,23.25, 46.2
5,41 TO 52.25,23.25
260 FILL 1: INK 0: LINE 27.75,39 TO 20,23.25, 46.2
5,39 TO 50.75,23.25
270 FILL 0: INK 5: LINE 27.75,41 TO 27.75,39: LINE
46,41 TO 46,39: INK 7
280 FILL 1: LINE 64,27.5 TO 86.75,27.5 TO 95.5,21
TO 95.5,16.5 TO 88.25,16.5 TO 64,23 TO 64,27.5
290 FILL 1: INK 5: LINE 64.5,27.25 TO 68.75,21.25:
LINE 86.75,27.25 TO 95.21,25: INK 7
300 FILL 0: INK 1: LINE 82,21 TO 75.25,27.5: INK 5: LINE
68.5,21 TO 68.5,15.75, 82,20.75 TO 82.15,75
310 FILL 1: INK 7: LINE 92,76 TO 92.54,5 TO 122,50
.25 TO 122,81.75 TO 92,76
320 FILL 1: INK 0: LINE 95,76 TO 122,80.75 TO 122,
51.25 TO 95,54.5 TO 95,76
330 FILL 0: INK 5: LINE 92,75.75 TO 95,75.75, 92,5
4.75 TO 95,54.75
340 FILL 1: INK 2: CIRCLE 85,28,5.2: FILL 1: INK 7
: ELLIPSE 85.5,30.5,1.6,.5,PI/4
350 FILL 1: INK 5,0,2: ELLIPSE 105,20,8,.3,PI/2,2
360 FILL 0: FOR v=1 TO 48: INK RND(2 TO 7): POINT
RND(36 TO 56),RND(56 TO 73)
370 FOR v=1 TO 50: INK RND(2 TO 7): POINT RND(28 T
O 45),RND(24 TO 39)
380 FOR v=1 TO 40: INK RND(2 TO 7): POINT RND(96 T
O 121),RND(55 TO 75): NEXT v: SCALE 22,0,0
390 WINDOW 93,75,330,48: y=10: FOR c=20 TO 5 STEP
-1: INK c: FILL 1: ELLIPSE 20,y,r,.2,PI/2.5
400 FILL 1: INK 2: ARC 12.75,11.25 TO 27.7,5,PI/3.
8 TO 12.75,11.25,PI*.9
410 FILL 1: INK 2: ARC 12.4,8 TO 26.4,PI/8 TO 12.4
,.8,-PI*.75: WINDOW 512,256,0,0: SCALE 100,0,0
420 x=56: r=.2: FILL 1: FOR y=52 TO 39 STEP -.6: C
IRCLE x+.19*SIN(y-3),y,r: x=x-.7: r=r+9E-2
430 FILL 1: FOR v=0 TO 4 STEP .4: INK 2: CIRCLE 39
.5,39-2*v,4.5-v,.5,PI/2
440 FILL 1: INK 88: LINE 36.75,32 TO 39.5,27 TO 42
.32: x=55: FOR y=65 TO 48 STEP -.4
450 FILL 1: INK 2: CIRCLE x,y+3*SIN(y),1.5: FILL
1: INK 7: CIRCLE x,y+3*SIN(y),1
460 FILL 1: INK 5,0,2: CIRCLE x+.6,y+3*SIN(y)-2,1:
x=x+.7: NEXT y
470 INK 2: FOR x=11.3 TO 15 STEP .5: FILL 1: ELLIPSE
```

```
x,69,6,.4,0: FILL 1: ELLIPSE x*.6+17.67,3.5,.4,0
480 FILL 1: INK 2,5,3: CIRCLE x-.5,69,5.5,.4,0: FI
LL 1: ELLIPSE x*.6+17.5,67,3,.4,0
490 FOR v=0 TO 1: FILL 1-v: INK 7-v*5: LINE 23,8,4
7 TO 17,47 TO 21.5,56 TO 25.5,49 TO 23,47 TO 21.
5,56
500 FOR v=0 TO 1: OVER v-1: FILL 1-v: INK 2-v*5: L
INE 11,86 TO 37,73 TO 39,60 TO 23,42 TO 11,86
510 FOR h=1 TO 1000: NEXT h: BEEP 30000,50,10,530,
7,5,1: PAUSE
520 DEFINE PROCEDURE segment
530 IF c<37 AND f=0: FILL 1: INK 5: LINE 43*x,77
*y TO 43*x,75*y,48.5*x,77*y TO 46.5*x,75*y: FILL 0
: INK 7
540 LINE 35*x,55*y TO 53*x,55*y: ARC TO 57*x,59*
y,PI/2
550 LINE TO 57*x,73*y TO 55*x,73*y TO 55*x,75*y
TO 53*x,75*y TO 53*x,77*y
560 IF c<36: LINE TO 48.25*x,77*y: END IF : IF c
<36: LINE TO 47.5*x,77*y: END IF
570 IF c<45: LINE TO 46.5*x,77*y TO 46.5*x,75*y
580 IF c<46: LINE TO 46.5*x,75*y TO 43*x,75*y TO 43
*x,77*y
590 LINE TO 35*x,77*y TO 31*x,71*y TO 31*x,59*y
TO 35*x,59*y TO 35*x,55*y
600 END DEFINE segment
```

Ferrari

```
1 WINDOW 512,256,0,0:MODE 8:PAPER 1:CLS:SCALE 70
,10,20:RESTORE :POINT 0,102
2 READ c: IF c=0:SELECT ON c=0:READ x,y:POINT x,y
:=-1:READ x,y:LINE TO x,y:-2:READ x,y,r:ARC TO x,y,
r:-3:READ x,y,r,e:1:CIRCLE x,y,r,e,1:-4:READ i:INK
1:-5:READ f:FILL f:END SELECT :GO TO 2
3 add=148388:FOR j=0 TO 8:FOR i=0 TO 5:READ c:POKE
add,c:add=add+2:NEXT i:add=add+116:NEXT j
4 INK 7:CSIZE 2,1:CURSOR 57,90:OVER 1:PRINT'27'
5 DATA 4,4,5,1,1,0,55,1,180,55,1,180,100,5,1,4,0,0
,17,57,1,17,60,1,16,60,1,16,68,1,22,68,1,28,68,1,2
8,61,1,28,55,5,1,0,30,72,1,13,72,1,42,70,1,42,65,1
,39,59,1,34,58
6 DATA 1,30,61,1,30,65,1,30,72,1,16,68,1,28,63,1,3
1,66,5,0,4,1,0,16,68,1,22,68,1,28,66,1,28,63,1,41,
67,1,34,67,1,30,72,5,1,4,0,0,52,59,2,37,59,2,5,1,4
,0,3,92,57
7 DATA 7,1,0,5,0,4,1,0,93,53,2,86,60,3,5,5,1,4,0,0
,106,52,1,107,50,1,100,50,1,95,48,1,95,52,1,97,57,
1,106,52,5,0,1,95,48,1,106,51,4,1,0,93,53,1,97,54,
1,97,57,1,98,56
8 DATA 0,1,98,54,1,98,52,1,106,51,1,101,50,5,1,4,5,0
,33,53,1,33,58,2,28,55,1,1,28,53,1,4,2,0,95,47,1
,97,48,2,97,51,1,1,84,59,1,80,62,1,62,62,2,35,59,1
,2,33,56,2,1
9 DATA 33,48,1,39,47,1,63,47,1,65,48,5,1,4,1,1,63,
47,1,72,51,1,96,46,5,1,4,0,3,72,52,7,1,0,5,0,4,1,0
,71,45,2,67,56,3,6,4,3,3,70,5,51,4,.9,5,0,71,54,2
,74,50,4,5
10 DATA 1,4,0,0,63,47,1,63,54,1,65,56,1,65,49,1,63
,47,5,1,4,0,0,92,47,1,97,49,1,88,50,1,86,52,1,82,4
9,1,82,47,5,1,0,80,52,1,81,46,1,92,46,1,91,48,1,80
,52,5,0,4,1
11 DATA 1,91,48,5,1,4,0,3,22,52,7,1,0,3,24,53,7,1,
0,5,0,4,1,0,21,45,2,17,56,3,6,4,3,3,20,5,51,4,.9,
5,0,22,54,2,24,50,2,5,5,1,4,0,0,33,56,1,27,55,1,27
,47,1,33,48
12 DATA 1,33,55,1,36,56,5,1,4,0,5,57,61,1,64,69,2,
62,61,.3,5,1,4,4,0,63,62,2,60,63,1,5,1,4,0,0,66,64
,1,64,69,2,62,61,.3,1,65,63,1,66,64,5,1,4,2,0,66,6
4,1,64,61
13 DATA 1,73,58,1,66,64,5,0,4,3,0,62,61,2,72,60,.7
,5,1,4,6,0,66,67,1,65,63,2,72,62,1,2,71,67,1,2,66,
67,1,5,1,4,3,0,72,65,1,69,65,2,72,63,1,1,72,65,5,0
,4,3,0
14 DATA 65,56,2,33,55,.3,1,63,54,5,1,4,5,0,61,54,1
,55,63,1,55,48,1,61,47,1,61,54,4,0,5,1,4,0,0,66,64
,5,53,1,55,48,5,1,4,1,0,43,60,1,51,60,1,50,58,1,42,
58,1,43,60,5
15 DATA 0,4,7,0,43,60,1,51,60,1,50,58,1,42,58,1,43
,60,4,5,0,45,60,1,44,58,0,46,58,1,47,60,0,49,60,1,
48,58,1,1,170,170,170,170,170,85,162,170,170,170,17
0,85,128,170,42,138,170,85,160,136,138,170
16 DATA 170,85,160,40,136,136,42,85,136,40,2,8,138
,85,136,136,136,8,42,85,136,136,138,32,170,85,170,
168,136,168,170,85,170,170,170,170,85,170,170,170,
170,170,170,0
```


EIDERSOFT SYSTEMS & SOFTWARE



Sales hotline 0708 851099


THE EIDERSOFT QL SUPPORT SERVICE

NOW OVER
1000 MEMBERS!

9 PIECE QL
BOOK SET!
(Worth over £50)

GAMES PACK
(£16.95)

KARATE
(£14.95)



Joining Bonus. Pay only **£19.95** inc. support fee and choose any of the above titles to go with your regular support.

WHAT DOES ESS OFFER?

Regular support **£10.95** per annum.

In return for joining the ESS you will receive an incredible 20% discount off the RRP of all current Eidersoft software except integrated accounts, special prices on QL repairs and a 10% discount on microdrives or diskettes, a regular monthly newsletter, special offers on software, books and hardware and support in writing for your QL problems.

BUSINESS SUPPORT £39.95 as above but with many extra benefits including telephone support, QL loan and much more.

PSION ORGANISER XP £139.50 CM £99.50



This amazing pocket PC can store your entire Archive database, as well as providing you with a diary, calculator and full programming language. Optional RS232 and free Eidersoft Software allows easy two way communication with QL or Thor. **PLEASE WRITE OR TELEPHONE FOR FULL DETAILS.**



**DISK SYSTEMS AT
AMAZING PRICES
PLEASE TELEPHONE!!
0708 851099**

★ **MICRODRIVES £16.95** for 10 remember 10% discount for ESS members.

★ **FLOPPY DISKS DDDS 3.5" £29.95** for 10. **QUALITY BRANDED DISKETTES.**

BUSINESS SOFTWARE

Including integrated accounting. Please phone for a full catalogue

QL REPAIRS

Standard	£35	Please phone 0708-851099 for service
Keyboard	£17	
Microdrive	£37	

ice

SINCLAIR USER
CLASSIC AWARD

PCW/QL WORLD
★★★★



NOW WITH OPTIONAL MOUSE CONTROL AND A RANGE OF SUPPORT SOFTWARE


ICE the award winning icon driven front end for the QL is now supplied in a mouse upgradable form. The system can be supplied complete with the mouse, or the mouse can be purchased later and fitted at home. You can choose between a standard mouse or a fully ball-raced supreme mouse, both in matching QL black.

ICE £29.95 **MOUSE £39.95** **SUPREME MOUSE £59.95**

Existing ICE owners will receive a £15 trade in when purchasing ICE and mouse together.



£14.95 ARTICLE
The ultimate mouse controlled graphics program with many excellent features



£16.95 CHOICE
Allows you to multi-task 4 programs (inc. Psion programs) and ICE on an expanded QL



£12.95 TOOLKIT
Use ICE features and mouse in your own programs

ICICLE

NEW £14.95



Allows for user defined icon control of Quill, Abacus, Superbasic and many other programs. Comes complete with a superb multi-job print spooler.

Note: All ICE systems software is fully compatible with the mouse and requires the ICE ROM to run.




**£16.95
SUPER VALUE GAME
PACK**

4 games for the price of one! BJ in 3D land, Citadel Eagle and Zapper in this super value pack.



★★★★
KARATE £14.95

The top selling Karate Game for the QL with Superb Graphics



**BJ The Return/Spook
£10.95 each**

SPOOK — The ultimate munchman game — PCW recommended ★★★★★
BJ — A cavern style platform game that is fun for all



£24.95 QSPELL **£29.95 DISK**


The only spelling checker available for Psion Quill, 1000's sold. 25,000 word dictionary with the facility to add 1000 user words on a standard QL.



£18.95 QFLASH RAM DISK & TOOLKIT

This amazing utility gives you Ram disks that will work on any QL up to 10 times faster than those currently available on memory cards and alike. The toolkit utility include a facility to copy the entire contents of a microdrive to ram in 7 seconds! Who needs disk drives!



AVAILABLE NOW
with PSION  XCHANGE
the ultimate QL compatible
computer

Thor ^{PC}
**£80
QL TRADE
IN**



- ★ Totally QL compatible
- ★ 640K ram *Superbasic
- ★ 128K user EPROM space
- ★ Extended operating system
- ★ Battery backed clock
- ★ IBM style keyboard with numeric key pad
- ★ Centronics & serial ports
- ★ Mouse port
- ★ ICE + front end
- ★ Full user port at rear
- ★ 3.5" floppy disk storage
- ★ Full user support and maintenance agreement
- ★ Networking capability
- ★ Optional 20MB hard disk
- ★ Improved speed of operation over expanded QL

Illustrated THOR 1FW with Phillips CM8533 monitor



Brand new PCB design provides built-in interfaces, battery clock and centronics printer port.



Optional THOR mouse plugs directly into the mouse port, which will also accept the Eidersoft mouse.



Efficient switch mode PSU ensures reliability and adequate power for peripherals.

NEARLY £500 WORTH OF SOFTWARE FREE WITH EACH THOR COMPUTER

PSION XCHANGE Version 3

Free with the Thor comes the award winning Psion Xchange suite as supplied on ICL OPD and other micros. This is a much enhanced version of the Psion QL packages, that allows you to run up to six Xchange tasks simultaneously, automatically switching data between programs. The powerful TSL, task sequencing language allows you to automatically control each task via a simple program. This makes an ideal environment for training and "non-computerate" staff. All the programs include extra features not found in the QL versions. Quill has an extract function for cutting and pasting paragraphs, mail merge with Archive, a super glossary function that allows you to assign text and commands to single keys and many other improvements to existing commands. Abacus offers several new

commands including cell protection and titles command. In Archive the USR function allows you to link in machine code routines, and the \$EDIT command offers improved screen designing. Easel includes the famous 3D bar graphs to give your presentations that professional polish.

THOR PC SYSTEM SOFTWARE

Included with the Thor is an improved version of the ICE computer front end, that allows simple housekeeping to be achieved by the use of mouse or cursor. Built in screen dumps by QDUMP DANDSOFT allow you to snapshot the screen at any time to the printer or a file. A much enhanced operating system gives you menu control, single key task switching between Xchange and other tasks (including Superbasic) and extended windowing capabilities.

CST **Thor** more than just a peripheral....

OPD is the trade mark of ICL
Xchange is the trademark of Psion Ltd

* QL Superbasic are the trade marks of SRI

EIDERSOFT, THE OFFICE, HALL FARM, NORTH OCKENDON, UPMINSTER, ESSEX RM14 3QH.

All machines include, QL, Xchange, System Software, Keyboard and 6 months warranty and support.

Thor

- | | |
|--|---------------|
| <input type="checkbox"/> THOR PC 1F 640K, single 720K 3.5 disk drive | £599 ex VAT |
| <input type="checkbox"/> THOR PC 2F 640K, double 720K 3.5 disk drives | £699 ex VAT |
| <input type="checkbox"/> THOR PC 2FW 640K, 20MB Winchester, single 3.5 720K disk drive | £1399 ex VAT |
| <input type="checkbox"/> THOR Mouse matching cream high quality mouse | £49.95 ex VAT |
| <input type="checkbox"/> THOR Monitor Phillips monochrome monitor (green screen) | £90.00 ex VAT |
| (NOTE: THOR compatible with ALL QL monitors monochrome and colour) | |
| <input type="checkbox"/> 12 months additional warranty and support (at purchase) | |
| <input type="checkbox"/> I wish to trade in my QL JM <input type="checkbox"/> £70 JS <input type="checkbox"/> £80 FOR CREDIT | |
| <input type="checkbox"/> QJUMP EPROM Programmer | |
| <input type="checkbox"/> I am interested in full details on the CST THOR | |

} Winchester Model £75.00 ex VAT
£100 ex VAT
£100 ex VAT

All Eidersoft prices include VAT and Postage

☐ I am interested in Eidersoft support service

☐ Please supply further details on _____

☐ Please supply _____

☐ £10.95 regular

☐ £19.95 special bonus offer item required _____

☐ £39.95 business

I enclose a cheque for £ _____

Please deduct my Amer X/Access/Visa Card _____

Exp. Date _____

OVERSEAS ORDERING Deduct VAT and add £1 per item P&P Europe, £2 World. Only Credit Cards, Eurocheques and Cheques drawn on UK Clearing Bank accepted.

EIDERSOFT GERMANY: CONTACT EIDERSOFT, POSTFACH 605 212 2 HAMBURG, TELEPHONE 60 4048 3660
EIDERSOFT FRANCE: CONTACT PYRAMIDE, 8 RUE DU RUISSEAU, 75018 PARIS, TELEPHONE 142 54 3967
EIDERSOFT USA: PO BOX 288, BURGESS TOWN PA, 15021

SOFTWARE FILE

The recent dearth of QL games has picked up, thanks to Digital Precision and the Germans.

Droidzone

Digital Precision
£9.95

The trend in computer gaming has in recent months moved away from the mindless megablast towards something which is more demanding of mental agility than fast reactions and a skilful hand on the joystick. With *Droidzone*, Digital Precision has gone against the grain and produced a good old-fashioned, no-nonsense blast.

That is not to say that *Droidzone* is in any way boring or unoriginal. There is nothing else on the QL just like it.

The theme sounds familiar enough. You are in control of a spaceship and must defend the Earth against wave upon seemingly endless wave of alien invaders. The difference is that your ship is not confined to the usual territory, i.e., the bottom or the side of the screen, but can go all the way round. Hence you

kind of problems when it comes to orientation. It is all very well when your ship is facing the proper way up at the bottom of the screen. When you push the joystick left the ship goes left, when you push it right it does the predictable thing. When you are upside down at the top of the screen, however, everything happens in reverse. Left- and right-hand controls are similarly a mirror image of each other.

The result is that nine times out of ten you go left instead of right, up instead of down, crashing into the advancing aliens instead of fleeing to relative safety. You are not helped by the fact that the enemy delights in performing the kind of aerobatic manoeuvres which make your eyes rotate in different directions at the same time.

The secret is to think in terms of clockwise and anti-clockwise, rather than left and right. There are also certain locations

and then move to another position of safety. Easier said than done, as they say.

For sheer blasting, unpolluted by any pretension to mental effort, you would be hard pushed to beat *Droidzones*.

The playing area occupies the whole of the screen — and more. Your little man moves round the screen under joystick or cursor control and as he approaches the edge the whole play area smooth-scrolls in the appropriate direction. Scenery includes, naturally enough, the blocks, an abundance of what looks to me like cacti, a similar quantity of little gold coins and a few other useful props.

Look carefully and, if

Blocklands

Digital Precision
£9.95



Blocklands. The fastest scroll in the West?

Blocklands, one of two new games launched by Digital Precision at the PCW Show, claims to feature 'the fastest scrolling in the West'. The speed of the game as a whole is not exactly tortoise-like and, as names go, *Blocklands* describes the nature of the game fairly well.

"*Blocklands*", you are informed "is inhabited by a bunch of nasties so bad that even touching one is enough to cause serious discomfort". While avoiding the seriously discomfiting touch of the nasties, your task is to roam, no, tear through the cuboid terrain in search of the source of the nasties' energy — a jewel; no other energy source looks like it or lasts like it.

you are lucky, you will find a bottle full of water. The water is useful as it prevents you suffering one of the many possible demises in this game, death by dehydration. I never once suffered that fate; something else inevitably got me first.

A key is a useful thing to have, because without one you will be unable to reach the upper levels of the game. Having collected the key you must find a door but if you managed to find the key that should not prove too difficult a problem, should it?

Did I say the playing area occupies the whole screen? Well, it does, apart from the window which displays your status. That informs you of your score. Points are



Droidzone. No nonsense blasting. can shoot at the invaders from top, bottom, left or right; it is rather like having a spaceship on a curtain rail that runs around the screen.

This departure from convention may be great fun but it leads to all

around the screen edge which offer better defensive and attacking opportunities — sometimes.

Undoubtedly the best tactic is to stand your ground and fire until an impact becomes imminent

gained by collecting the gold coins, the level you are on, the number of shots remaining from a maximum 25, the state of your water supply, number of lives remaining out of the five with which you started, and whether you have anything useful like a key or a map.

The key to success in Blocklands is to adopt the correct tactical approach. If anyone manages to discover what that is, please let me know. For what it is worth the following strategies met with varying degrees of success.

Run through the place like a crazy lunatic shooting everything in sight and grabbing what you can as you go. That is good fun but experience shows that only very low levels of achievement are possible using this plan. There are three major problems. The nasties are not immediately recognisable from the blocks, so you tend to run into them. Control at speed is tricky and you tend to over-shoot targets such as coins, keys and water. Last, you run out of ammunition in next to no time.

A more subtle approach is to hide behind an L-shaped wall and wait for the stupid nasties to hug the other side; they are too stupid to walk round. Then just step from behind the wall and blast them all. Initially that seemed like a good idea but the nasties are replaced in double-quick time, which makes it rather useless.

I decided finally that the only way to win is to keep your eyes open, go cautiously, use your bullets judiciously, head for a key and explore as many levels as you can.

If you become bored with the layout, or manage to complete the game, there is an option to design your own screens. That seems

rather useless as, if you designed the screen you would know where everything was. You could always get a friend to do it, I suppose.

Blocklands is an addictive game which will appeal to anyone who enjoys the challenge of having to react at twice the usual speed. It is also encouraging to see new games being offered at the reasonable price of less than £10.

Full House

Ultrasoft
£14.95

Card games and fruit machine simulations have been around for so long on virtually every machine you can think of that it is difficult to

outcome of a five-card poker hand. Initially the cards are displayed face down on the screen. First you transfer a few credits from the store into the pot by means of the cursor keys. Pressing the down cursor key causes all the cards to flip over and you can see what a poor hand you have.

There are five hold buttons, so you can retain any of the cards if it seems they might yield a promising result. The remaining cards are flipped again and you are either laughing all the way to the bank or heading for skid row.

If you are lucky enough to get a full house, a flush, a pair, or whatever, you have a second option to lose it all. By using the double button your winnings can be multiplied by a factor of



Full House. Or not, as in this case.

summon enthusiasm when another is released. Ultrasoft has managed to enliven the idea by combining the two. This kind of thing is apparently all the rage in Germany, where the pubs are full of card-toting machines urging the punters to part with their Deutschmarks and generally annoying everyone within ear-shattering-chip-generated Musak.

The idea is simple. You start with 100 credits and must gamble on the

up to 64 times — depending on how long your nerve holds. You could, of course, lose the lot but that is the gambling life for you.

There is not a great deal to *Full House* but it is good fun to play, worryingly addictive and will keep you amused in those odd half-hours when you have nothing better to do. The layout of the screen and the graphics are extremely well-implemented and the Musak not in the least irritating.

Various games

RB Software
£6.50

It seemed that it was the month for good German software. We thought Christmas had arrived early when we discovered that RB Software was offering no fewer than five different QL games, each at DM 20 — about £6.50.

It was, in fact, too good to be true. The games were all written in SuperBasic, which in itself is no bad thing, but in every other aspect — speed, graphics, gameplay and overall design — it was poor stuff.

The games we looked at were *World 2000*, *Golf*, and *Satellites*. Instructions were in German only, but surprisingly this was only a problem on one of the games — *World 2000*. It is as old as the ark and is probably better known as *Dictator*. You are the ruler of a thriving economy and must try to maintain the population's goodwill by keeping up living standards.

Satellites and *Golf* are so mediocre they are really scarcely worthy of comment. *Satellites* is a lunar lander-type game in which you manoeuvre a ship from the top to the bottom of the screen.

Golf has potential but is again damned by lack of speed, poor graphics and absence of gameplay. The screen shows an aerial view of the hole, complete with fairway, greens, bunkers and lakes. It is just a question of deciding on the power and direction of each shot until your ball is in the hole.

RB Software lists several other programs in its catalogue but if the quality of these games is a criterion, my advice would be to stay with card games.

QL SOFTWARE



MAILING LIST

£24.95

This program will allow you to quickly store and retrieve names and addresses from within ARCHIVE. Features include single key functions, prints address labels, exports files to Quill for mailing list; also compatible with our stock-control file.



STOCK CONTROL

£24.95

Keeps a complete record of all your stock items including retail price, trade price, minimum order level, items on order and many other features.



QL APPOINTMENT/ DIARY

£24.95

Records appointments dates and times, can be used as diary dentist, doctors, hairdressers, service engineers. Program allows 26 users with up to 40 appointments per day. Features include search for day, search for next spare time, search for client's appointment, print out all day appointments and many others.



QSPELL

£19.95

Spelling checker for Quill supplied with 25000 words, checks on A4 page in 24 secs, users dictionary and auto learns words.



PAYROLL

£63.25

Calculates weekly, monthly or 4 weekly payroll full tax calculations, coin analysis and payment rounding.



INTEGRATED ACCOUNTS

£89.95

This new program from Sinclair will allow you to produce full profit and loss account.



ARCHIVE

Our team of programmers are able to write programs to your requirements, phone for further details.



QL KEY DEFINE

£9.95

For those who use Quill or SUPERbasic this program is a must allowing you to define up to 2k on each key i.e. simply press ALT and "S" and the program will be saved onto the microdrive and overwritten, press "ALT" and "P" to print current file, press ALT and "G" to go to top of file, ALT and "B" to go to bottom of file, ALT and "D" will type in "Dear Sir" You can type a complete paragraph, phrase or letter by pressing one key.

In basic pressing F5 will bring back the last line typed: you can define keys for EDIT LIST etc.



QL CALC

£9.95

This program makes use of the QL's multi tasking facility enabling you to press CTRL and any other key to give you a full calculator; having used the calculator you can return to the current program. This program can be used with Quill, Archive, Abacus and Easel. Features include mouse type operations, keyboard override, memory and all the standard type features very useful in a busy office.



QL SWITCH

£14.95

This program will allow users with extra memory to run QUILL, ARCHIVE, ABACUS and EASEL at the same time, or two ARCHIVE programs and QUILL. Pressing a key will allow you to suspend the current program and switch to the new program.



RAM DISC

£14.95

Users with extra memory will with this software be able to set up a ram disc: programs can then be instantly saved and re-loaded. A printer spooler is also included to allow you to print whilst still using your computer.



TOOL KIT

£9.95

This program will copy all or selected files, delete one or selected files, display file to screen, change file name format, and print multiple copies of Quill files.

MEMORY EXTENSION

MEMORY EXTENSIONS

512k

£125.00

MONITORS

PHILIPS 8533

250.00

PHILIPS 7502

75.00


Ex VAT

Philips 7502

Philips 8533 RGB + C V 250.00 287.50
Philips 7502 black and green 75.00 86.25

Connect your Spectrum to the QL Vision Monitor 39.14 45.00

Please add £5.75 for delivery of monitors



CARTRIDGES

10 CARTRIDGES

17.50

20 CARTRIDGES

35.00

Microdrive Cartridges

£1.99

Microdrive storage box with 10 cartridges 22.45

Microdrive storage box with 20 cartridges 39.95

Add £1.00 post



PRINTERS

DOT MATRIX

Seikosha SP1000

Ex VAT

Inc VAT

179.00

205.85

Brother M1109

185.00

212.75

Epson LX86

215.00

247.25

Taxan Kaga

250.00

287.50

Epson FX85

368.00

423.20

DAISY WHEEL

Silver Reed EXP 400

215.00


247.25

Brother HR15XL

430.43

495.00


Please add £5.75 for delivery of printers



Epson LX86
£215.00p ex vat

3 1/2" DISKS

DOUBLE SIDED DOUBLE DENSITY DISKS



10 FOR £30.00

LEADS

Ex VAT Inc VAT

QL to Spectrum

6.00

6.90

QL RS 232

10.00

11.50

Centronics interface

16.95

19.50

ACCESSORIES

Centronics interface

26.04

29.95

RS 232 lead

10.00

11.50

Monochrome monitor lead

5.00

5.75

M1009 tractor feed

13.20

15.18

LX tractor feed

18.00

20.70

2000 sheets of continuous paper

11.29

12.98

1000 labels

5.78

6.65

Microdrive cartridges

1.73

1.99

10 x 3 1/2" disc

26.08

30.00

We also stock a wide range of ribbons,

daisy wheels etc.

Please add £3.00 for post and packing of

paper £1 for labels.

DISK DRIVES



Technology Research Delta

112.60

129.00

Technology Research Delta 64

152.17

175.00

Technology Research Delta 128

173.49

199.50

Cumana interface

69.48

79.90

720k single 3 1/2" drive

121.65

139.90

1440k dual 3 1/2" drives

210.00

241.50

Cumana interface + single drive

191.17

219.85

Cumana interface + dual drive


279.48

321.40

3 1/2" DISK BOX

£13.25p

Holds 40 disks
Lockable
Tinted removable lid



HOLDS 40 3 1/2 DISKS

Add £1.00 post



TRANSFORM LTD (DEPT. QL)

01-658 6350

Mail order only. 24 West Oak, Beckenham, Kent. BR3 2EZ



PUZZLE PAGE

This month's puzzle is very easy and should not cause many problems for anybody. The trick is first of all to make sure that you have the question correct and, second, to discount as many solutions as possible, due to symmetry.

The puzzle, affectionately known as the *Dodo-Problem*, is based on a multi-coloured dodecahedron. For those not in the know, that is a three-dimensional shape with 12 faces, each of which has five edges. If you were to cut along a few of the edges, then flatten the whole shape, you would have something similar to figure one, which shows the 12 faces and their colours.

Be very careful, when trying to solve the problem, to ensure that you get the correct adjacent faces, or you will cause yourself endless difficulties. One foolproof

method is to make a model of the shape. Just draw the shape in figure one — all the edges are the same length and each inside angle is 72 degrees — cut it out, then fold and stick.

Now to the problem. You play the role of a small bug whose whole life consists of hopping round on its dodecahedral world. Each hop takes it from one colour to any one adjacent colour. Not a very exciting life, I am sure you will admit. To make things more interesting, the bug decides to try never to repeat a sequence of three consecutive colours twice. What is the longest sequence of colours possible?

Easy. For instance, start with RED as the first colour, then hop to ORANGE as the second, though you can start anywhere you like — it makes no difference. You could start:
RED (1), ORANGE (2),
RED (3), ORANGE (4)

but after that you could not return to RED again, because that would repeat the three-colour sequence "RED.ORANGE.RED", so you might instead move on to, say, PINK, and so on. Note that the answer should be the number of faces visited before a sequence repeats — i.e., number of hops plus one.

As usual, I will be interested in any programs you send. Some people have pointed-out that the shortest programs are not necessarily the best. I agree. Unfortunately, space restrictions mean that only reasonably short programs have much chance of being printed.

With this month's puzzle, I will be particularly impressed if anybody can tell me exactly how many variations of the longest colour sequence exist. Obviously, you can start from any of 12 colours, so there will be at least 12 routes, and it does not matter to which colour you first hop, because there will be five other symmetrical ones.

Marcus Jeffery proves that the dodo is not dead, if you attempt this month's puzzle.

RULES

Entries must be sent by post to:
PUZZLE PAGE,
Sinclair QL World,
79-80 Petty France,
London SW1H 9ED.
to arrive no later than
November 17, 1986.

The winner will be the first correct entry drawn for the editor's polyhedron. If nobody submits the correct longest sequence, the winner will be the person with the nearest answer.

All entries will be judged by the Editor of *Sinclair QL World*. The editor's decision is final and no correspondence will be entered into regarding the result.

ENTRY FORM

Maximum colour
sequence: colours
Name
Address
.....
.....
.....




Figure 1.

SOLUTIONS

Trying to figure the workings of the program in the September issue certainly had most of you stumped. The classic problem it was solving was the 8-Queens Problem — placing eight queens on a standard chess board, so that no queen attacks any of the others.

The program corrections were:
150 IF c=a + b
220 h

400 d(c) = b - a
460 IF 1 = a THEN c = c + a
510 for m = 1 TO c - a
I always ask for short solutions and you cannot get much shorter than the one-liner sent by Vladimir Jovanovski, shown in figure two.

The winner this month is Robert Beattie of Edinburgh, who will receive a year's free subscription.

Figure 2.

```
10 MODE 4:n=8:DIM d(n),u(n):c=1:t=0:Repeat k:Repeat l:t=t+1:IF
t\=n:EXIT 1:ELSE c=c-1:IF c=0:STOP:ELSE t=d(c):u(t)=0:END REP
eat 1:IF u(t):NEXT 1:ELSE i=0:Repeat m:i=i+1:IF i=c:EXIT k:ELS
E IF ABS(d(i)-t)=c-1:NEXT 1:ELSE NEXT m:END Repeat k:u(t)=i:d(
c)=t:IF c<=c+1:t=0:NEXT 1:ELSE FOR i=1 TO n:PRINT "(",i,""
;d(i):" "":NEXT i:PRINT:t=d(c):u(t)=0:NEXT 1
```


BETTER BASIC

How do you ensure that user input will be QL compatible?

Mike Lloyd reveals all.

The disadvantages of the SuperBasic INPUT

command were discussed last month. In brief, with INPUT programmers have no control over what users might enter. Characters might be typed when digits were required, or perhaps 30 characters typed when only 10 were expected. Because INPUT gives the user the initiative so imprudently it must be replaced in serious programs by routines which prevent the input of anything for which the programmer has not catered.

The problems of trapping all possible errors are enormous when dealing with numerical input. Although there are only a few valid characters, the rules regarding their validity are complex. The unary minus symbol, for example, can be valid if it is the first character entered and a decimal point can be entered only once, or not at all in integers.

It should be of little surprise that the numerical input function is considerably longer than its string input counterpart, listed last month. What may be surprising, however, is

the wide variety of constraints and assumptions about which the programmer must decide before writing the routine.

The reason for bothering to write a numerical input routine is that it should be crashproof and that must be the over-riding criterion for judging its success. It means only that the user cannot crash the program; errors in programming could cause the program to halt but such problems should be corrected during testing.

Numerical input excludes expressions such as $5-4+9$, algebraic values and variable names but it includes negative numbers and integers, as well as positive real numbers. To allow for negative values, the minus symbol has to be catered for properly.

A common feature of recent programs is "what you see is what you get". It means that the display accords exactly with the information it represents. For this routine, it means that the screen always shows precisely what value would be accepted if ENTER were pressed.

The principles of WYSIWYG need to be considered when deciding on the justification of the screen display. Programmers tend to prefer left-justified printing, so that print co-ordinates are calculated easily, while users appreciate numerical input justified round the decimal point, so that columns of figures are easy to read. The function

called NUM and listing one satisfies both demands by referring to the input area by the print co-ordinates of the left-most character but displaying output in the print area justified round the decimal point.

WYSIWYG also demands that illegal characters are suppressed before they appear on-

When input is complete underline and hash are removed.

Two features for the benefit of programmers, are the limitations of the routine, and the parameters it requires. The input area cannot extend over two lines and, although there are no limits to the number of integer places, a

Listing 1. The NUM Function.

```
100 DEFine FuNction NUM (chan, ypos, xpos, spec)
110 LOCAL digs, decs, dp, dpos, i$, d$, loop, key
120 digs = INT(spec)+(spec<1): decs = (spec-digs+(spec<1))*10
130 dp = 1+(decs=0): dpos = 2
140 i$ = FILL$(" ",digs)
150 d$ = "." & FILL$("0",decs+(decs = 0))
160 UNDER#chan, 1
170 REPEAT loop
180 AT#chan, ypos,xpos: PRINT#chan, "#";i$;
190 IF decs THEN PRINT#chan, d$
200 key = CODE(INKEY$(-1))
210 SELECT ON key
220 = 9, 10: REMark ENTER/TAB keys
230 UNDER#chan,0: AT#chan, ypos,xpos
240 PRINT#chan, " ";i$;
250 IF decs THEN PRINT#chan, d$: ELSE : PRINT#chan
260 RETURN i$ & d$
270 = 27: REMark ESC key
280 RETURN NUM (chan, ypos, xpos, spec)
290 = 194: REMark delete character
300 IF dp
310 i$ = " " & i$(1 TO digs-1)
320 ELSE
330 dpos = dpos-(dpos>2): d$(dpos) = "0"
340 END IF
350 = 46: REMark decimal point
360 dp = dp - (dp = 1)
370 = 45: REMark minus symbol
380 IF i$(digs) = " " THEN i$(digs) = "-"
390 = 48 TO 57: REMark digits
400 IF dp
410 i$ = i$ & CHR$(key)
420 IF i$(1) = " " THEN i$ = i$(2 TO)
430 i$ = i$(1 TO digs)
440 ELSE
450 IF dpos <= LEN(d$)
460 d$(dpos) = CHR$(key): dpos = dpos+1
470 END IF
480 END IF
490 END SELECT
500 END REPEAT loop
510 END DEFine NUM
```

screen. Integer characters need to be added immediately to the left of the decimal point, moving existing figures to the left, and decimal values added to the right of previously-entered figures.

Finally, the user is told that input is expected not by a flashing cursor, which is difficult to program in Basic, but by an underlined area preceded by a hash.

maximum of nine decimal places is imposed by NUM. The parameters are almost identical to those used in last month's string input routine and are consistent with general SuperBasic syntax. The routine should be concisely but clearly written so that RAM is not wasted and so that amendments can be incorporated easily in the future.

NUM could, of course, be re-written to accord with a different set of assumptions, so long as the essential criteria were satisfied. It should be appreciated that programmers impose their own ideas about how input and output are obtained and displayed and that there is a danger that programs become programmer-friendly rather than user-friendly — the terms are usually mutually exclusive. Pre-planning provides a good discipline for programmers to put the interests of users first, which is as it should be.

The NUM format is similar to last month's string input function, with parameters for the screen channel *chan* the print co-ordinates of the first character in the input area *ypos* and *xpos* and a specification for the length of the input *spec*.

Chan, *ypos* and *xpos* are self-explanatory. *Spec* has two components, the number of digits before the decimal point and the number of decimal places after the decimal point. It could have been represented by a mask, such as "00000.000" which indicates five digits and three decimal places. Masks can be awkward when representing large numbers and therefore NUM uses a simpler system. Five digits and three decimal places are represented by 5.3. The local variables used by NUM are:

digs — the maximum number of integer digits in the display.
decs — the maximum number of decimal places.
dp — decimal point status flag.
dpos — the position in the string of the next decimal figure to be printed.
is — the integer input string.
ds — the decimal input string.
loop — a REPEAT control variable.
key — the ASCII value of

a character. The first task of the routine is to decode the specification represented by *spec*. *Digs* is the integer part of *spec* and has a minimum length of one character, to allow space for the minus sign in negative decimals. The number of decimal places is computed and held in *decs* while the decimal point flag, *dp*, is given the value of one if the input includes decimals and two if the input is integer.

Dp can also take the value zero, which indicates that the decimal point has been used. *Dpos* is set to represent the character position immediately after the decimal point. Finally, input strings are made up of blanks for integers and zeros for decimals.

The routine next enters a loop which performs two tasks; it prints the input string repeatedly on the screen and it tests the keyboard for keypresses and acts on them. That approach will be familiar to readers who studied the string input routine last month.

In NUM there are six valid input character classes. The first is formed by the TAB and ENTER keys, both indicating that input is complete. If they are pressed with no previous input the routine will return the value zero. Otherwise the display is tidied and the entered value is assigned to the variable in the calling statement.

The ESC key clears the input area to allow a fresh start by calling the function recursively.

The delete key combination works differently on either side of the decimal point but the effect is to remove the right-most value in each case. The decimal point cannot be deleted. The fourth class comprises the decimal point. If *dp* is two or zero, the keypress is ignored. If *dp* is

KEYWORD OF THE MONTH

CURSOR

EVEN after the issue of numerous corrections to the original QL ROM there are still indications of the haste with which SuperBasic was completed. The peculiar CURSOR command is a case in point.

The thinking behind the CURSOR command is sound, as it allows printing to be positioned using either the pixel or the graphics co-ordinates systems as well as by the more normal print co-ordinate system, as used by AT. The implementation, however is incomplete.

CURSOR works as advertised if only two parameters are specified. The parameters indicate the top left pixel of the print position measured from the top left corner of the window. For example, *CURSOR 20, 50* moves the print position 20 pixels across and 50 pixels down from the default window origin.

The User Guide claims that if another pair of parameters is specified, the first two represent graphics co-ordinates and the second pair are pixel co-ordinates relative to the position of the graphics co-ordinates. This, however, is true only for the default window. If four parameters and a channel identifier are

specified, a 'bad parameter' error is generated.

If three parameters plus a channel identifier are specified in the CURSOR statement, all is well. In other words, it is acceptable to specify a channel, two graphics co-ordinates and the horizontal pixel co-ordinate. Perversely, if three parameters are specified, but without a channel identifier, a 'bad parameter' error again occurs.

The advantage of being able to specify offsets in one co-ordinate system from a point specified by another is somewhat obtuse and this facility is perhaps best ignored. It is, however, genuinely useful to be able to place text using either the pixel or the graphics co-ordinate systems, in which case the following syntax is recommended — with optional items in brackets:

For pixel co-ordinates:
 CURSOR (%*channel*), *ypos*, *xpos*

For graphics co-ordinates:
 CURSOR %*channel*, *xpos*, *ypos*,

or:

CURSOR *xpos*, *ypos*, 0, 0

positive it is set to zero. The minus sign is valid only if *is* is empty.

The sixth and largest class is made up of the digits 0-9. If *dp* is not zero, figures are added immediately to the left of the decimal point, calculator fashion. Previously-entered digits are shifted left-wards by one character if there is space. If *dp* is zero, a digit is added to the left-most position after the decimal point, if space is available.

Defining an error-proof numerical input routine is a teasing intellectual exercise and there is no one correct answer. Other programming tactics might be to adopt calculator-style input.

Other assumptions might be to allow expressions, or to suppress leading zeros, depending on the application. Nevertheless, NUM should be a useful starting-point for designing other variations.

ULTRASOFT

UTILITIES FOR THE SERIOUS USER

TOOLBOX II (v1.17)

A serious self-stipulating backup utility using only superbasic extensions. Make exact microdrive format copies. Clone to any device. 16 mixed files, 85K, cartridge to cartridge 35 secs., Ultrasoft dynamic ramdisk to ramdisk under 2 secs. **SAFE SURE CERTAIN PRECISE FAST FILE HANDLING** in a user friendly packet. Comes with Ultrasoft standard ramdisk, Ultradisk (dynamic ramdisk) and a real multitasking call up clock (depress ALT/SHIFT) with system information. The clock does not run as job, allowing you to respr, and to work undisturbed in any programme. Now you can really put your ramdisks to work. Completely QDOS compatible and with all programmes. **DM79.00 £14.95**

DISKMONITOR (2.1)

Doctor your disks. Rescue corrupted disks. Alter programmes. Change directories. User friendly. Hex and ASCII on screen entries for file or sector editing. **DM79.00 £14.95**

QKICK (v1.35)

QKICK is the programme for the user who needs to work. A fully multi-tasking programme called up to look at notes, calendar, etc while working with any other programme. Real windows, pull down menus and much more. For all the people who miss SIDEKICK (copyright Borland Int.) for the IBM or APPLE. Start letting your QL work for you with this real multitasking programme. **DM120.00 £34.95**

DISPLAY UTILITIES (v1.15)

Display utilities is not only real windows but real windows with complete window channel handling with inverted windows, reversed windows, mirrored windows and nearly everything you have always wanted to do with windows and screens. You can only now really put those screens and windows to work. **DM79.00 £14.95**

FULL HOUSE

A fruit machine poker game completely identical to many machines found in German pubs. Superb colour graphics. It also demands nerves and skill to play. **DM49.00 £12.95**

ULTRABOX

Super clean power supply for the QL. Helps solve the heat problems — main QL voltage regulator is removed. Clean power for floppies and for monitor too. Very simple and easy to fit. No more voltage problems. **DM140.00**

**ULTRASOFT HELPS YOU CONTROL
YOUR QL
MADE IN GERMANY MEANS PRECISE
RELIABLE EXACT TOP QUALITY**

Order from:
Payment by cheque, PO or by COD.
HOTLINE ORDERS OR HELP

Main distributor: **Hardware & Software Systems**
Maximilianstrasse 42A,
4400 Münster
West Germany. Tel: 0251 271653

UK Distributor: **SANDY UK PCP Ltd.**,
93 Chiltern Avenue,
Bedford, MK41 9EH.
Tel: 0234 219814

BYTEBACK

GAMES

Boulder	9.00
Quibods	9.00
Karate	12.50
Vroom	13.00
Blocklands	8.50
Droidzone	8.50
Lost Pharaoh	12.50
Wanderer	17.00
Othello 3D	13.00
3D Slime	11.00
BJ The Return	9.00
BJ in 3D Land	10.50
Spook	9.00
Bridge Player II	17.00
King	12.50
Citadel	8.50
Zepper and Eagle	8.50
Knight Flight	12.50
Chess	16.00
Match Point	12.50
Snooker	12.50
Scrabble	12.50
Flight Simulator	18.00
Lands of Havoc	16.00

ADVENTURE

Pawn	16.00
Classic Adventures	8.50
Mortville Manor	17.00
Aquanaut 471	17.00
Dragonhold	17.00
West	12.50
Zul	12.50

LANGUAGES

Assembler Workbench	21.00
Metacomco Assembler	35.00
Metacomco C	85.00
Metacomco Lisp	53.00
Metacomco BCPL	53.00
Metacomco Pascal	75.00
Superlorth	24.00

UTILITIES

QL Paint (GraphQL Plus)	21.00
Home Finance (BUZZ)	21.00
Graphic Toolkit	13.00
ICE (EPROM)	21.00
CHOICE	12.50
ICE Toolkit	8.50
ARTICE	11.00
ICE (Complete)	49.00
Qspell	16.00
Supercharge	48.00
Super Astrologer	19.00
Professional Astrologer	45.00
Super Media Manager	19.00
Cad Pak	12.50
Nucleon	17.00
Eye-Q	21.00
Super Sprite Generator	19.00
QL Paintre	13.00
Touch Typist	12.00
Sign Designer	15.00
Cosmos	12.50
TechnQL	45.00
Cartridge Doctor	12.50
Ram Disk	13.00

HARDWARE

Quickshot II Joystick	8.00	Miracle Autodial Modem	45.00
Quickshot TURBO (Microswitched)	12.00	Miracle Expanderam 512	115.00
Joystick Adaptor	4.50	Miracle Centronics Interface	19.00
Transform Microdrive Box	4.50	Eiderson Mouse (+ ICE AND ARTICE)	34.00
4 Microdrive Cartridges	7.50	20 Microdrives in Transform Box	39.00

WANTED: ORIGINAL QL PROGRAMS!

ALL PRICES INCLUDE VAT AND FIRST CLASS POST
TELEPHONE (0636) 79097 FOR PERSONAL ASSISTANCE
Send Cheque/PO to:

BYTEBACK 20a SPRING GARDENS,
NEWARK, NOTTS NG24 4UW

QL KEYBOARD

A REPLACEMENT KEYBOARD FOR YOUR QL

FEATURES:-

- ★ PROFESSIONAL FULL TRAVEL KEYS.
- ★ COMPATIBLE WITH ALL QL RELATED PRODUCTS.
- ★ ORIGINAL MICRODRIVE ACCESS RETAINED.
- ★ TWO SHOT MOULDED BLACK KEYS.
- ★ 5 RED FUNCTION KEYS.

Engineered by professional keyboard designers, this superb new keyboard marks the beginning of a new life for the QL. Details available from address below. Send stamp.

Price only **£54.95 inc VAT.**

Send your order to: Dept. 00, SCHÖN KEYBOARDS, 15 Northcote Crescent, West Horsley, Surrey KT24 6LX. Tel: (04865) 3836.

Mr/Mrs/Miss

Address

..... Amount enclosed £

Please add £1.80 for postage and packing.

TRADE ENQUIRIES
WELCOME.

PLEASE ALLOW 28 DAYS
FOR DELIVERY.

SCHÖN
KEYBOARDS

Micro Amvika

220a Tottenham Court Road, London, W1P 9AF. Tel: (01) 636 2547
224 Tottenham Court Road, London, W1P 9AF. Tel: (01) 580 6382
Telex 946240 Cweasy G (Quote 19010170)

Leisure		Languages	
Wanderer (Pyramide).....	£ 18.00	Digital Supercharge V1.18	£ 53.00
Othello (Pyramide).....	£ 13.00	Digital Forth+Reversi.....	£ 26.00
Vroom (Pyramide).....	£ 13.00	Digital Super Monitor.....	£ 18.00
Mortville Manor (Pyramide).....	£ 18.00	Digital Super Sprite Gen.....	£ 24.00
Dragon Hold (Rubicon).....	£ 19.00	Metacomco Latice C.....	£ 85.00
Aquanaut (Micro deal).....	£ 18.50	Metacomco APL.....	£ 85.00
Flight Simulator (MD).....	£ 18.50	Metacomco MCC Pascal.....	£ 79.00
Chess (Psion).....	£ 18.00	Metacomco Lisp.....	£ 51.00
Scrabble (Leisure Gen).....	£ 14.00	Metacomco BCPL.....	£ 51.00
BJ Return (Eidersoft).....	£ 12.00	Metacomco Assembler.....	£ 33.00
Spook (Eidersoft).....	£ 10.00	Prospero Fortran 77.....	£ 95.00
Karate (Eidersoft).....	£ 13.00	Prospero Pascal.....	£ 95.00
3D Slime (DataLink).....	£ 12.00	Talent Assembler Workbench.....	£ 24.00
Lost Pharaohs.....	£ 14.50	ICE.....	£ 21.00
Special Pack		Choice.....	£ 14.00
Citadel/BJ 3D/Zapper		Toolkit.....	£ 9.00
£14.95		Article.....	£ 12.00
Graphics		Icicle.....	£ 19.50
TechniQL (Talent).....	£ 47.00	OSpell (Eidersoft).....	£ 19.00
ODraw (Talent).....	£ 13.00	Archiver (Eidersoft).....	£ 17.00
QL Peintre (Pyramide).....	£ 14.50	Super Media Manager (DP)	£ 36.50
Nucleon (Pyramide).....	£ 19.00	Cartridge Doctor.....	£ 14.95
Cad Pak (DataLink).....	£ 14.00	Mail List (Transform).....	£ 24.00
Tasprint (Tasman).....	£ 19.00	Appointment Diary (Transform).....	£ 24.00
Tascopy (Tasman).....	£ 14.00	Stock Control.....	£ 14.95
Eye-Q (Digital P).....	£ 24.00	Power Line Cleaner	£ 90.00
QL Computer.....	P.O.A.	Miracle 256K Expanderam.....	£ 89.00
MicroVitec Club 1451/DOT3 With Stand.....	£270.00	Miracle 512K Expanderam.....	£119.00
Philips CM 8533 Colour monitor		Miracle Ram Disc Software.....	£ 14.00
Composite Video (phone)		Miracle/D-code Modaptor.....	£ 38.00
RGB to Linear input (SCART)		Miracle 1200/75 Modem.....	£ 49.00
RGB/RGBI to TTL (for QL)		Miracle WS2000 Modem	£ 99.00
plus many other features.....	£299.00	Nightingale Modem.....	£109.00
Philips BM7502 Mono Man.....	£ 84.00	PCML Disc Interface.....	£ 98.00
Panasonic KX1080.....	£189.00	PCML Dual 3.5" Disc Drive including I/F.....	£299.00
Star NL10.....	£249.00	Cumana Disc Interface.....	£ 89.00
Epson LX86.....	£259.00	Cumana Dual 3.5" Disc Drive including I/F.....	£289.00
Citizen 1200.....	£174.00	Dust Cover for QL.....	£ 4.95
Citizen LSP10.....	£199.00	Cart (Soft) Storage Box.....	£ 3.50
Queen Data Daisy Wheel.....	£189.00	Cart (Hard) Storage Box.....	£ 4.95
Canon PJ1080 Colour.....	£349.00	Cartridges in 4 Pack.....	£ 8.50
Miracle Centro I/Face.....	£ 19.00		

We also stock other makes of computers, peripherals & software for

Amstrad, Atari, Commodore (Amiga) etc. . .

All prices are including VAT. Postage above £20 on software is free.

Please add 50p to order under £20. For computer, printers and monitors

please add £7.50 per item. Postal rates apply to UK only.

Overseas orders are welcomed.

VISA AND ACCESS WELCOMED

QATS-QL Applications Traffic Supervisor (VERSION 2)

QATS is a utilities package and universal boot program designed to minimise your use of the keyboard by cutting down on all those unnecessary, boring keystrokes needed to execute jobs, copy and delete files and display directories. And it's quick to use because it's menu driven. For example, to start a PSION program you press two keys—one to give PSION menu and one to choose a program from that menu. When you quit the program you will return to QATS ready to run another PSION program or any of the easy-to-use QATS utilities. QATS stays in your QL all the time, always available. The comprehensive manual includes 20 step by step examples to get you started.

QATS allows you to:

- ★ set up menus to run your own jobs (EXEC'able programs only)
- ★ rearrange the supplied menus and add your own to suit your own style of working
- ★ copy files quickly, selectively or not
- ★ delete files, selectively or not
- ★ control jobs running in the machine
- ★ multi-task your own programs (if EXEC'able) in any combinations subject to the size of your QL
- ★ start PSION jobs (expanded QL's only)
- ★ display paged directories showing filenames in alphabetical order with file sizes
- ★ use the sophisticated wild card file facility—essential for managing floppy and hard disks

OUTPUT CONTROL, the first of a series of extensions planned for running under QATS, is a printing package (with extended printer driver) which will:

- ★ print in the background while you do other work
- ★ divide unformatted files into pages with headings
- ★ print on continuous stationery or single sheets
- ★ print labels
- ★ print mailing lists

QATS EPROM is also available. If the QATS EPROM is in the ROM slot at the back of your QL then you will save 16K of memory. However, if you want to use the ROM slot for something else QATS will automatically allow for its missing EPROM and load from backing storage.

QL is a trademark of Sinclair Research Ltd. PSION is a trade mark of PSION Ltd.

To: COPE, 3 Langham Mansions, Earls Court Square, London SW5 9UH

Please send me:

...copies of QATS @£20 each = £.....
...copies of Output Control @£15 each = £.....
...copies of QATS EPROM @£10 each = £.....

All prices include VAT p&p U.K. only.

Overseas orders please add £4 to cover airmail p&p.

Indicate: 5.25 1440 sectors disk/microdrive cartridges.

I enclose cheque (payable to COPE)/cash: £.....

Title:.....Name:.....

Address:.....

Postcode:.....Tel:.....

Allow at least 14 days for delivery. Items may be posted separately.

SQLW 11

RELEASE THE POWER OF THE

QL

QLC £99.95 inc VAT

A professional specification C compiler for the QL. Designed by LATTICE*, QL is the most powerful and complete C compiler available for the QL.

- Complete Kernighan and Ritchie implementation. ► Full floating point arithmetic. ► Comprehensive library of UNIX and QDOS functions.
- Separate compilation. Linker. ► Powerful data types (inc. structures and arrays). ► Macros and conditional compilation. ► Over 90 detailed error messages.

ASSEMBLER £39.95 inc VAT

The best selling macro assembler for the QL.

- Full Motorola 68000 specification ► Macro expansions. ► Linker, directives, conditional assembly, and many other professional features.

QL PASCAL £89.95 inc VAT

A full ISO standard Pascal compiler.

- Fast, single pass Pascal compiler ► Complete implementation of the ISO 7185 Pascal standard. ► Generated native code. Can be linked to assembler modules. ► Comprehensive error handling. ► Easy interfaces to QL features.

BCPL

£59.95 inc VAT

A true compiler.

Ideal for systems programming—utilities, games, and applications.

LISP

£59.95 inc VAT

LISP interpreter for exploring 'the language of artificial intelligence', with graphics.

QL APL

£99.95 inc VAT

Keyword and Symbolic versions of this powerful APL interpreter by Micro APL. All standard APL facilities implemented with no restrictions and many extra features.

METACOMCO

26 Portland Square, Bristol BS2 8RZ

Tel: Bristol (0272) 428781

In the USA call 1-800-252-6382

Trademarks: UNIX-AT+T Bell Laboratories, QL, QDOS—Sinclair Research Limited

Prices include VAT, postage and packaging UK mainland only. Delivery, allow up to 28 days.

Phone today or post this coupon to:

Metacomco, 26 Portland Square, Bristol BS2 8RZ.

I enclose a cheque for £..... or debit my ACCESS/VISA

No:..... CARD EXPIRY DATE.....

NAME.....

ADDRESS.....

POSTCODE..... TEL:.....

SIGNATURE.....


Please send me:

- ☐ Assembler £39.95
- ☐ LISP £59.95
- ☐ BCPL £59.95
- ☐ QLC £99.95
- ☐ QL PASCAL £89.95
- ☐ QL APL (Keyword) £99.95
- ☐ QL APL (Symbolic) £99.95
- ☐ More information

Mandelbrot Magic

Suppose you are in the middle of a featureless desert. Finding yourself short of other entertainment, and being of mathematical bent, you decide to use the desert to model the complex plane. The axis of real numbers stretches east and west of you and the imaginary numbers run north and south. You choose to allow

Figure 1.



one mile for each unit on the axes — an imaginary number is the product of a normal number and i , the square root of -1 . Any point in the desert has a real and imaginary component and hence represents a complex number.

You consider the repeated process $Z \rightarrow Z^2 + C$ where Z and C are complex numbers. C is constant and Z starts at $0 + 0i$ and then takes the value obtained from the expression using the previous value of Z . After each calculation of Z , you plot it on your desert and decide if it is more than two miles away from you; if so, it is not a member of the *Mandelbrot* set and you try another value of C .

After a great deal of work, you find you are surrounded by values of C which cause Z to remain closer than two miles and that the closest point which does not is less than a quarter of a mile due east. You go to investigate.

When you arrive, you make more calculations on the small area you have found and discover that the boundary of the Mandelbrot set is not so plain as you thought; in fact, the harder you look, the more complexity

you find. The boundary is not smooth but includes inlets and protuberances. When you investigate an inlet, you find recurrences of patterns you think you have seen previously but they are never exactly the same.

Even when you get to the complex number represented by a single grain of sand on your complex plane, you find variations from one side of the grain to another; when you look at an

atom in the sand, there is still more detail to be discovered. You are confronted by an apparently infinite richness of detail.

The same complications apply at all the other points along the perimeter you thought you had discovered and, faced with that you are likely to decide to re-direct your mathematical skills to the calculation of the Great Circle route to the nearest oasis.

Those who are situated more comfortably and equipped with a QL can use computers to do the same for us. Even more interesting, we can get it to display the results in a multi-coloured graphical form. The calculation is straightforward, provided that you understand the multiplication of complex numbers — see panel — and is implemented in the program. The apparently simple program is capable of consuming QL time in enormous quantities, so beware. It has been kept as short as possible, to make it easy to type-in, so contains no frills.

The idea is that you describe the square in the complex plane to be investigated by specifying its lower left-

Their basis is in complex mathematics but it does not take a genius to generate images such as these. James Lucy shows how.

hand corner co-ordinated — i.e., the real and imaginary parts — and the length of the side of the square. You then indicate the accuracy to which you want to work and the number of pixels which make up each side of the square.

The accuracy figure refers to the number of attempts made to persuade the value of the expression $Z^2 + C$ to run to infinity. It can be any number you like but small numbers — e.g., 10 — will give only a very general view and will not work at all in the more detailed areas, and large numbers will consume a great deal of time. To give a starting-point, the various parameters used to generate the images in the photographs are shown in the table.


The program looks at each location in the square, 40,000 of them if you have specified a 200-pixel side, and checks to see if it is a member of the Mandelbrot set. If at any stage the distance of Z from the origin becomes greater than 2, calculated by Pythagoras, a rule of complex numbers predicts that Z will eventually go to infinity, so the calculation is aborted.

```
100 REMark 'Quick' Mandelbrot
110 REMark James Lucy
120 Tel. 0206-868159
115 REMark Type all 'E' signs as hashes
120 INPUT#0,'Enter the real part of the
number';rp
130 INPUT#0,'Enter the imaginary part
of the number';ip
140 INPUT#0,'Enter the size of the
square to be investigated';side
150 INPUT#0,'Enter the accuracy';ac% :
ac% = ac%-1
160 INPUT#0,'Enter the number of pixels
';pix
170 PRINT#0,'Press any key to continue..
': PAUSE : CLSE#0
180 gap = side/pix
190 MODE 8 : WINDOW 512,
200,0,0 : PAPER 0 : CLS
200 FOR m = 1 TO pix
210 FOR n = 1 TO pix
220 rc = n*gap+rp : ic = m*gap+ip
230 rz=0 : iz=0 : count%=0
240 REPEAT Mandel
250 tempz = rz*rz - iz*iz + rc
260 iz = 2*rz*iz+ic : rz = tempz
270 count% = count%+1
280 size = SQR(rz*rz+iz*iz)
290 IF size > 2 OR count% > ac%
: EXIT Mandel
300 END REPEAT Mandel
310 INK (count% MOD 8) : POINT n,m
320 END FOR n
330 AT#0,0,0 : PRINT#0,m
340 END FOR m
```


The number of iterations necessary to reach that point is used to select a colour for the pixel under investigation, which is then drawn. If the number of iterations exceeds the accuracy chosen, the point under consideration is considered a member of the Mandelbrot set and is coloured accordingly.

The program as it stands is intended as a starting-point. Unless you are blessed with extraordinary patience, you will find the several days taken to produce an image such as those in the photographs something of a strain. One possibility would be a re-write in assembler or another language faster than SuperBasic but the method I adopted was to compile a modified version using the Supercharge compiler.

I suggest you use the in-line code option on Supercharge and you might find it worthwhile to analyse the con-



tents of the loop, which will be executed many millions of times, to find a more efficient method. Whatever the improvements, running times of up to 24 hours or even more can be expected — has anyone yet developed an add-on Transputer for the QL?

A much more significant improvement possible is in the method of producing colour from the fruits of the calculations of the computer. The program shown uses the simplest method of which I could think, that of taking the number of iterations modulus 8. While giving a pretty picture, it also means that not all areas coloured black are in the Mandelbrot set.

What is more, all that you have to show for many hours' running is a screen image. You might choose instead to store the number of iterations for each point by some means, such as poking it into resident procedure space or placing it in an array, and then to write a separate program to process the data into a picture.




Figure 2.

This program might do a statistical analysis of the data and ascribe colours to iteration number ranges to produce pleasing colour balance in the final picture, or it might do something wild like generating three-dimensional coloured surfaces.

The three colour photographs show views of the Mandelbrot set generated by the program in the listing. Each picture may be reproduced on your machine if desired, but since there is an infinite number of such images it would be much more interesting for readers to look at other areas.


Figure one shows an overall view of the entire Mandelbrot set and provides a starting-point for further exploration. I selected the smallest, left-most, of the three block 'blobs' on the axis of symmetry — the imaginary axis — for further investigation, resulting in figure two. The inlet in the south-south-west of the black area of figure two was enlarged further for figure three, an overall magnification of almost 60 times.

The Mandelbrot set is infinitely com-

plex and the investigation of each small area takes a great deal of computer time. Readers should enter the world of Mandelbrot with their eyes open and with an awareness that it can prove almost all-consuming to the susceptible. While we, for the moment, have kicked the habit we would be interested to hear from readers who discover their own corners of paradise in the Mandelbrot domain.

If you cannot wait for SuperBasic, and if you do not want to write your own machine code Mandelbrot program, you might consider Mandelbrot from Transtech, 324 Yorktown Road, Camberley GU14 4PZ. My copy did not arrive in time for review but it seems that the author has re-written the QL floating point routines to the faster IEEE standard and has produced a quicker point-plotting routine. The result is about two hours for something similar to figure one, using a 192-pixel square and 255 iterations per point. It sounds good but untested, so *caveat emptor*. £7.

Figure 3.



TECHNICAL HELPLINE

QL expert Colin Opie offers advice on RAM expansions and ROM removal.

The disappearing ROM trick

My QL — JS ROM — is fitted with a PCML disc interface plus 256K and I use an Eidersoft ICE ROM. I also make regular use of the Tandata QL modem. I have recently received version 2.2 of the Q-Connect software from Tandata, the version supposedly written to take account of a QL with expanded memory.

If I remove the ROM there is no problem but I am concerned that doing it repeatedly is weakening the interface and I want to find a way to run the modem with the ROM in place.

When Q-Connect runs it checks to see if additional memory is fitted and if so re-sets the QL to pretend that it has only the standard memory. Splitting the Boot program and

running the two sections before and after the re-set loads the program but leaves one with a pulsating clock on one side of all the Prestel pages.

I am concerned that it might also affect other aspects of the software, although I have yet to check that thoroughly. Is there a way to allow the ROM and modem to live in harmony with one another? Can the ROM perhaps be switched out by a software command in the Boot program?

I have contacted Tandata and Eidersoft. Both companies are aware of the problem but neither has so far offered any helpful suggestions.

**C. J. Willsher,
Northwich,
Cheshire.**

If a ROM is designed to be recognised automatically by Qdos when the QL is re-set, there is no software patch you can use to prevent it happening. There is, however, a hardware solution. To perform the operation you will need to be confident about using a low-power soldering iron.

Do not attempt the modification to your ROM cartridge if you are not sure about what is happening. Find a trustworthy friend who knows about electronics to do the work for you. QL World can take no responsibility for anything which may happen to your QL or your cartridge.

Figure one shows the

operation being performed. Open the cartridge case by undoing

the two screws in the base. Lift the board from the top half and turn it over so that you can see the track side. There is a small track which joins pin 6 of the 74LS10 to pin 22 of the 27128 EPROM.

Using track cutters or a sharp modeller's knife, cut this track. Obtain a micro-miniature SPDT switch which will fit into the top half of the cartridge case, at the back, between the screw lug and the rear edge. Make a suitable hole in the top of the case and mount the switch.

Connect the common of this switch to pin 22 of the 27128 EPROM, one pole to pin 6 of the 74LS10 and the other to pin 28 (+5V) of the 27128 EPROM via a 2K2 resistor. Make sure that you use thin flexible wire and that you have created no shorts. Feeding the thin wires between the case top and the board, place the board EPROM uppermost, on to the case


top. Finally, screw back the base.

With the switch in one position the EPROM will be recognised by Qdos when the QL is re-set. In the other position the EPROM becomes disabled and Qdos will assume that one is not present. Which position is which will depend on how you mount the switch. I suggest you use the switch forward — i.e., switch pointing towards the rear of the QL — position to mean enabled.

If you disable a ROM without re-setting the QL, there is a good chance of locking-up your QL or causing the QL to do something weird and wonderful.

Enabling a ROM which was disabled when the QL was re-set will not cause the ROM routines to be recognised automatically. In other words, the switch replaces the need to plug and unplug cartridges.

Figure 1. The EPROM disabling circuit.



Memory management

In your reply to N. Kasrawy — August, page 21 — you said: "There is no standard procedure for reclaiming resident procedure memory". Does that mean that, having called a machine code procedure for an on-screen capslock marker for Quill, I am stuck with it in #0 once I return to Basic? Must I press RESET and lose 700 sectors of occupied RAM

disc? My Miracle 512K expansion works well with everything but Chess and Home Finance packages, which report "Out of memory [!]" and refuse to load. I am told that should not happen and therefore does not — which is not much help. Can you explain?

**B. P. Holt,
Sevenoaks,
Kent.**

QL users seem to be having a great deal of trouble utilising the QL memory efficiently and properly. Certain software houses also seem to be a little naive. Holt's questions highlight a number of important considerations which should be taken into account when designing and using software, particularly when it involves machine code.

There is no reason, provided the capslock utility was designed correctly, why the marker should remain active while in SuperBasic. As no mention is made regarding the author of the utility or how it works, let us examine the overall design process which should be behind every published utility. Being aware of this process will help you decide what is and what is not possible in any instance.

There are three main ways in which machine code programs can exist in the QL environment: As CALLED code — used mostly for games As JOBS, invoked by EXEC, or as SuperBasic language extensions.

It is the overall task to be performed which will decide which implementation is to be used.

SuperBasic language extensions are always, so far as I know written in

the correct manner. You could refer to *QL Assembly Language Programming* by McGraw-Hill to see how it is done. Once they are added to SuperBasic only a re-set will reclaim the space they required.

They are, however, programs which normally do nothing until called explicitly by their corresponding SuperBasic name.

If a machine code

Figure 2. Chess.

```
CLOSE#1
CLOSE#2
MODE 4
OPEN #1, con_
512x256a0x0_32
INK 7
PAPER 3
CLS
CSIZE 2, 1
AT 2, 16
CSIZE 3, 1
PRINT "QL CHESS"
CSIZE 1, 0
AT 7, 28
PRINT "by PSION"
AT 9, 24
PRINT "with Richard
Lang"
CSIZE 1, 0
AT 24, 20
PRINT "Copyright 1984
PSION LTD"
LBYTES f1p1_logo, 151552
addr=184064
a=ALCHP(75000)
IF a<=addr THEN LBYTES
f1p1_chessc, addr:
ELSE STOP
CLOSE #0
CALL addr
```

program is intended for some form of monitoring or continuous display action — such as clocks, timers, or keyboard status indicators — it should be

implemented as a Qdos job.

Within the constraints of memory space, you can have as many jobs active in the QL as you wish. SuperBasic is one job. You could add a real-time clock job, an alarm job and so on — the book mentioned discusses it more fully. Facilities exist in Qdos to alter the priority of jobs, stop/start them and kill them off. When a job is killed off, the memory allocated to that job is relinquished and hence is available for use by something else.

Packages such as the Tebby/Care Toolkit ROM, Digital Precision SuperCharge and Media Manager, and some memory/disc interface cards, support SuperBasic language extensions — such as SJOB, RJOB and KJOB — which can be used to view and alter the status of any current jobs.

If the capslock utility has been written appropriately — i.e., as a QL job — those SuperBasic extensions can be used to prevent the marker being displayed whenever you wish.

If a game is being written, the use of the CALL statement is the most common. The game will require a certain amount of memory space to run and that is allocated by using the SuperBasic RESPR statement. Those programs usually have a small SuperBasic BOOT program which displays a title, requests the memory space required and then CALLS the code.

That leads to the problems encountered with Psion Chess and Home Finance. The QL memory management facilities in Qdos are, clearly, designed to enable maximum use of the large amount of memory available. That is especially so when extra memory is plugged-in.

One of the side-effects of this management is that machine code routines, with the notable exception of ROM cartridge code, should be written in position-independent code.

That is easy to do in 68000 code. When RESPR is used to reserve memory you do not know where in the memory map the reserved block will be, so your code must be able to run

Figure 3. Home Finance.


```
CLCHP : a=ALCHP
(256*1024)
IF a>HEX('2D000')
THEN STOP
x=a+256*1024-512
LBYTES FLP1_HF_1.DR, x
CALL x+44
```

wherever it is placed. The two programs mentioned are written in fixed — or absolute — code. When extra memory is attached to the QL, the Qdos memory management creates a different map for RAM usage and the programs fail to load and run properly. Peculiarly, the error message which appears most often under those circumstances is 'Out of memory'!

Perhaps the easiest, and normally 100 percent effective solution, is to keep requesting memory with the RESPR command until you receive a base address lower than the required start address for the absolute code. You then load the code and call it as dictated by the original BOOT program.

That is a technique Talent Computer Systems has used e.g., with *GraphiQL*. Tony Hitchins from Essex also supplied the solutions shown in figures two and three for Chess and Home Finance respectively. Software houses which continue to offer programs written in absolute code are doing the QL user a great disservice. The sooner they cease to do so the better.

Peter Witte has been putting his QL to good use in the home for the mentally handicapped where he does voluntary work. Here are his suggestions for improving your QL set-up.



The Psion suite for the QL is an excellent package, catering for most day-to-day needs in a simple and uncluttered manner. Its versatility and usefulness can be greatly enhanced with the aid of some multi-tasking facility — the capability to load some or all of the programs together, and by a few key presses to switch between them. That capability requires extra memory, of course. RAM-discs for the fast transfer of data between the programs also increase the performance considerably.

I would like to share with you some uses to which the printer drivers can be put. The table lists various settings

manual under the information section.

Now follows a description of each of the printer drivers, together with instructions and suggestions for use.

Dfault

Four types of usage are described in ever further-removed relation to the intended purpose of a printer driver. The first is a plain driver for an Epson LX-80 or compatible printers. Two

function; they could well be utilised for something more useful. If, like myself, you have a parallel printer interface on the expansion board and Psion version 2.00 software, this is something for you.

Since you cannot install a Centronics printer to use with the Psion suite directly you have to print to a file named `_PAR` — note the underscore. That makes the programs look for a device named "par" and print to it as if it were a file, which makes a mess if you are using single-sheet paper for multi-page documents.

Basic

Quill has its function as a SuperBasic editor. Transliteration is only one of a host of possibilities — e.g., change all occurrences of `mdv` into `flp` — for those who upgrade to disc drives. That is faster and surer than by hand for long, complex programs. Other uses are tidying programs, editing or even writing whole SuperBasic programs. Remember you then have a full screen editor with advanced editing facilities.

Programs can be typed-in using the normal keyboard abbreviations, e.g., `defproc So_and_so`. Another short-form method can be seen by studying the Basic driver listing. There you see that certain characters have been translated into common SuperBasic keywords. Note that some of the translations end on a space. Thus, the procedure Train could be written like this:

```
{Train
  [puff:print'PUFF '];puff
```

Now follows a short principle program for removing line numbers from a SuperBasic program for editing in Quill:

```
OPEN #3,mdv1_PROG_bas
OPEN_NEW #4,mdv2_PROG_exp
REPEAT loop
IF EOF(#3):CLOSE #3:CLOSE #4:
  STOP
INPUT #3,1$:PRINT #4,1$(( ' INSTR
1$)+1 to)
END REPEAT loop
```

Similarly, the following method may be used for restoring the line numbers after editing.

```
OPEN #3,mdv2_PROG_lis
OPEN_NEW #4,mdv1_PROG1_bas
FOR 1=1 to 999
IF EOF (#3):CLOSE #3:CLOSE
#4:STOP
INPUT #3,1$PRINT #4,1!1$
END FOR 1
```

APRG

In the same way as for SuperBasic, Archive procedures and programs may be written from Quill or even from within an Archive program. The possibilities of search and selection criteria you may include in your Archive pro-

	DFAULT	BASIC	ARCHPROG	ARCHFILE	MAILMERGE
DRIVER NAME	LX80	BASIC	APRG	AFILE	MAIL
PORT	SER1	SER1	SER1	SER1	SER1
BAUD RATE	9600	9600	9600	9600	9600
PARITY	NONE	NONE	NONE	NONE	NONE
LINES/PAGE	66	0	255	0	0
CHARS/LINE	80	255	160	80	80
CONT					
FORMS	NO	YES	YES	YES	YES
EOL CODE	CR,LF	LF	CR,LF	"CR,LF"	"CR,LF,1,p,r,i,n,t,"
PREAMBLE	NONE	NONE	NONE	"1,\$,"CR,LF"	p,r,o,c,M,E,R,C,R,L,F
POSTAMBLE	FF,ESC,@	NONE	SUB	"CR,LF,SUB	"CR,LF,e,n,d,p,r,o,c
BOLD ON	ESC,E	NONE	NONE	NONE	"B,o,n,\$,+,,"
BOLD OFF	ESC,F	NONE	NONE	NONE	"+,B,o,f,\$,+,,"
UNDER ON	ESC,-,1	NONE	NONE	NONE	"+,U,o,n,\$,+,,"
UNDER OFF	ESC,-,0	NONE	NONE	NONE	"+,U,o,f,\$,+,,"
SUB ON	ESC,S,1	NONE	NONE	NONE	
SUB OFF	ESC,T	NONE	NONE	NONE	etc
SUPER ON	ESC,S,O	NONE	NONE	NONE	
SUPER OFF	ESC,T	NONE	NONE	NONE	
TRANS 1	ESC,R,ETX,#,ESC,R,NUL	(,e,n,d,p,r,o,c,	(,p,r,o,c,	"],p,r,i,n,t,"
TRANS 2	↑,ESC,9	(,e,n,d,d,e,f	(,e,n,d,p,r,o,c	NONE	(,,"+
TRANS 3	↓,ESC,8	(,r,e,p,	(,w,h,i,l,e,	NONE),+,"
TRANS 4	←,ESC	(,e,n,d,r,e,p,	(,e,n,d,w,h,i,l,e	NONE	(,,";
TRANS 5	/FF			NONE],:,l,e,t, ,d,\$,=,"
TRANS 6	NONE	YOU	YOU	NONE	'
TRANS 7	NONE	THINK	THINK	NONE	YOU
TRANS 8	NONE	OF	OF	NONE	THINK
TRANS 9	NONE	SOMETHING	SOMETHING	NONE	OF
TRANS 10	NONE			NONE	SOMETHING

for which you may find of some use and, most important, may give you some ideas for further development or different uses.

To make testing and development of the printer driver settings easier, I modified the `INSTALL_bas` program supplied with Quill so that it would install on any medium — disc or RAM-disc; install the printer data under any name, not only `printer_dat`; re-run; multi-task — using a SuperBasic compiler.

Instructions on how to operate `INSTALL_bas` can be found in the QL

special features are included in this driver. The first is of more general application — the translation (see TRANS 2) of the `<<` (CTRL&SHIFT X) symbol into ESC. It enables control codes to be inserted in your Quill documents on par with other word processors. Thus typing `<<4` — on a line of its own, or it will mess up your margins — will cause the italic character set on an Epson printer to be used.

The ↑ and ↓ translation into ESC 9 and 8 — Epson control codes for paper-out sensor disable/enable respectively — have a more esoteric

gram may be increased manifold utilising this method. Say that in a program you wish to make a selection of fields from a database. You have, of course, catered for your less bizarre needs in the usual manner with statements like:

```
input 'Input search field number ':n
input "Input search string "; string$
search fieldv(n) = string$
```

This may not always be sufficient. How about this, using the GAZET_dbf file supplied with your QL:

```
proc sirch
rem *** If all else fails ***
input 'Input statements ';srit$
rem *** eg "search continent$ =
'AFRICA' and pop>20"
kill 'mdv1_printer_dat' backup
'mdv1_APRG_dat' as
'mdv1_printer_dat'
spoolon 'ram1_proc_prg'
lprint 'proc special'; rem *** or lprint
'(special' See TRANS1
lprint srit$
lprint 'endproc':rem *** or lprint '}'
See TRANS2
spooloff
merge 'ram_proc'
error special
if errnum(): print "Error in
statement":srit$:endif
endproc
```

This can all be done, then, without leaving the shell program. As an example, AFIL is a different kettle of fish. A foretaste of ways of using the drivers has already been given. To start with the PREAMBLE entry, the first two lines printed in the file will look like this:

```
"1$"
```

due to the given preamble setting. The EOL code — End Of Line — prints the following to the file:

```
"
```

If we take those codes together, add some text and finish with the POSTAMBLE settings, a Quill document which looks like this:

```
Wait till you see "MAILMERGE"
```

```
It's really useful
```

would be printed to file looking like this:

```
"1$"
```

```
"Wait till you see 'MAILMERGE' "
```

```
"It's really useful"
```

If you remember reading the full discussion on import and export in the QL Manual Information section, you will see that this is the format of a single variable (1\$) export file. You may add as many lines as you please but they are all elements of the variable 1\$. If you need to add large amounts of edited text into an ARCHIVE file, this is one way of doing it.

Back to GAZET_dbf. Perhaps you wish to have some notes on some of

the countries which could be referred to by keywords or just simple string searches. You could create a new file with a large number of fields but this, more often than not, imposes unnecessary complications and restrictions on this particular type of data. On some countries you may wish to have a large amount of notes, perhaps adding to them every time you return from a visit there; on others you may not wish to have any and thus, I find, a single-line text file suits the purpose best. The gazette file and the text file could have the following structures:

GAZET dbf	GAZTEXT dbf
logical name : g	logical name : t
country\$: NORWAY	line : 0
continent\$: EUROPE	text\$:
capital\$: OSLO	ref : 102
languages\$: NORWEGIAN	
currency\$: KRONE	
pop : 4	
gdp : 5288	
area : 324	
ref : 102	

The umbilical cord between the two files is ref, which has to be added to the gazette file. This may be achieved easily, by exporting GAZET_dbf to file and then importing the file into Abacus by column. On row one of the column after area, add the text ref. Then, on the next row enter the formula col = row() - 2 from 2 to 152. That gives each record a specific reference number. Export the file by column again and import it into ARCHIVE.

Type your text using Quill as you would type any other document and edit it to your heart's desire. The following points may be worth considering.

Left margins are translated by Quill into spaces, so unless you do not mind storing a few K of empty spaces, do not use left margins. Do not use a right margin greater than 79 or it will ruin your display.

Once the text is ready, back-up your AFIL_dat file as printer_dat.

Print the document to file. — e.g.,

```
TEMP_exp
```

Import this file into Archive as, say,

```
TEMP_dbf:
```

```
import "temp" as "TEMP" logical 'x'
```

Open the gazette file and find the name of the country to which you wish to attach the text so as to discover its ref number:

```
open "GAZET" logical "g"
```

```
search country$ = 'NORWAY':rem ***
```

```
for example
```

```
let reference = ref
```

You now have ref number of Norway in the variable reference.

Mail

This final driver is also the furthest removed utilisation of the printer drivers from their intended purpose. It turns the combination Quill/Archive

into a powerful and intelligent mail-merge duo. It may also be used for other purposes than mailmerge. The facilities shown are the bare basics. No doubt more powerful and elegant solutions can be found and other features may easily be added. The principle is simple enough, yet some explanation may still be necessary.

The idea is to use Quill to type and edit a letter to satisfaction, using squiggly brackets { } and field names to insert variables into the document, e.g.:

```
Dear {title$} {sname$},
```

This document must be printed to file using the MAIL_dat driver as printer_dat. The foregoing line will then be translated into:

```
lprint "Dear " + titles$ + "
" + sname$ + ,"
```

because each EOL code is translated into

```
"
```

```
lprint"
```

and each { is translated into

```
" +
```

while each } is translated into

```
+ "
```

It is important to note that the mail-merge document must start with a , or whatever other symbol you choose. See TRANS1 as the driver data is limited to a maximum of 10 items per line. Thus the whole PREAMBLE code is taken up with the Archive initialising procedure, proc MER, and there would be no quotes or anything to justify the EOPL closing quote.

So this symbol must be on the first line above any header and, unless you specifically wish it to be otherwise, alone on the line. As you see, ^ translates as lprint" for no other reason than as an excuse for the inevitable closing quotes.

Advanced facilities

There is no reason why other Archive keywords should not be utilised. That is the meaning of TRANS 4 to 5. The square brackets [and] neutralise the inevitability of the lprint" statements. The [translates as ";;" and the] as :let d\$ = " (dummy\$) leaving a hole in the document for keywords thus:

```
lprint::"; one statement : another :let
d$ = ""
```

```
lprint" etc . . ."
```

A number of spaces constituting your margin or indent will be inserted automatically in the lprint statements and therefore they will have to be taken into consideration. Alternatively, program lines in the document could be written with the indent set to zero.

Obviously it is not possible here to provide further documentation. The best way is to experiment and discover what you require.

SECTOR SOFTWARE

★ 0772 454328 ★

TOUCH TYPIST TYPING TUTOR (VERSION 5)

Touch typist (version 5) is the fastest typing tutor available for the Sinclair QL. It will teach you to type at up to 211 wpm with a fully interactive keyboard on the screen. It is 100% machine code and has been carefully designed to fit in a stand QL whilst still having a host of features crammed into its 85K+ of machine code and has a keyboard tutorial to show you the keyboard basics, a demonstration option, 3 teaching modes, adjustable targets to 211 wpm and 100% accuracy, very fast interactive keyboard, your results can be displayed on an auto scaling graph, results can be saved to drive for future additions, the full lesson editor will allow you to alter and customise any or all of the 200 lessons which can then be saved to drive to create a library of custom lesson sets also included is a reward option where if selected, providing you meet the requirements you specify, you will be given a 100% Machine Code arcade game as a reward for your progress. Touch Typist can be transferred to disc, another Microdrive or RAMdisc with the copy program supplied and can be invoked with the EXEC-W command, supplied on Microdrive in a 4 cartridge wallet.

ONLY £11.95

TOUCH TYPIST received a four star rating on QNET2, the reviewer Nigel Barker said "For all people who want to improve their typing this program is a real boon, it is well written and easy to use".

"Succeeding admirably as a serious course intended for beginners and experienced typists alike Touch Typist is a well presented useful utility which includes the professional polish of good quality software" — *QL WORLD* JULY 1986

SEE US AT THE NEXT MICRO FAIR 25th OCTOBER 1986

Sector Software have over 200 products for the QL and will be pleased to assist you with any of your requirements

Touch Typist.....	£ 11.95	Snooker.....	£13.00
Scrabble.....	£ 14.00	Chess.....	£17.00
Matchpoint.....	£ 14.00	Super Astrologer.....	£23.00
Assembler Workbench.....	£ 24.00	Forth.....	£33.00
Supercharge Compiler.....	£ 50.00	Cartridge Doctor.....	£13.00
512K Expanderam.....	£119.00	10 DS/DD 3.5" Discs.....	£34.00
Supertoolkit 2 (Eprom).....	£ 34.00	Eye Q.....	£25.00
Techni-QL.....	£ 50.00	Squadron.....	£16.00
Bridge Player.....	£ 20.00	Q Flash Ram Disk + Toolkit.....	£20.00

This is only a small selection from our range

Phone or Write for more details

SECTOR SOFTWARE

39 WRAY CRESCENT, ULNES WALTON,
LEYLAND, LANCASHIRE

TEL: 0772 454328

PRESTEL MAILBOX 772454328

ACCESS AND VISA CARDS WELCOME

PLEASE NOTE ALL PRICES INCLUDE P/P.

Exclusive Datalink QL Products

Datalink SPI—QL£17.95

Serial to Parallel Printer Interface

Plug-In-And-Go design, compatible with
any Centronics Parallel printers.

Datalink RS-232 QL Printer Lead£6.95

QL to 25 Way D Plug printer lead,
2 metre cable.

Datalink QL Joystick£9.95

Quickshot II Style Joystick, 3 fire buttons

Plug direct to CTL 1 or 2

Datalink QL Joystick Adaptor£4.50

Convert any Atari/Commodore/Spectrum
joystick to use with QL.

Plug direct to CTL 1 or 2 via adaptor.

Prices include Postage, Packing & VAT
Overseas orders please add 10% to
cover postage. 12 months warranty and
14 days money back option with all
Datalink Products.

Dealer, Distributor & Export Enquiries welcome.

Payment by cheque or Visa Card Welcome

Datalink Computer Systems Ltd,
Unit 3, Abbeymount Techbase,
2 Easter Road, Edinburgh EH7 5AN.

Telephone for immediate dispatch 031-661 6270

All trademarks acknowledged

WAR in the EAST ★

Scenario I - Barbarossa 1941

Scenario II - Stalingrad 1942

Scenario III - Destruction of Army Group Center 1944

This is a military strategy & tactics game for 1 player. It is not
an arcade or adventure game.

Features include:

- Four-way scrolling map
- 16 different types of Divisions and Brigades (Rumanian, Italian, Hungarian, Panzers, SS, etc.)
- Partisans, weather, terrain
- All aspects of the Eastern Front are covered

Master Program & Scenario I £ 19.95

Master Program + All 3 Scenarios £ 39.95

Scenarios II, III (each) £ 13.50

ZX Computing Aug. '86 ... "A real challenge and requires
thought and planning."

Time Designs U.S.A. ... "In its way the equal of Psions
games."

SHARP'S, INC.
Rt. 10, Box 459
Mechanicsville, VA 23111 U.S.A.
Telephone (804) 746-1664
Telex (via WU1) 6502339544

T K COMPUTERWARE
Stone Street
North Stanford
Ashford, Kent TN25 6DF
Telephone 0303-812052
Telex: 966676 PMFABG

Dealer Inquiries Welcome!

Cheque, Postal Orders, Visa, Master Card

Qflash

RAM DISK & RAM TOOLKIT

★ AVAILABLE ON CARTRIDGE OR EPROM ★

RAM DISK FEATURES:

- ★ Up to 12 times faster than other "RAM-disks"!
- ★ Create cartoons with simple LBYTES-commands
- ★ POP-UP/PULL-DOWN Windows with 10 lines of SuperBASIC
- ★ Load even the longest machine-code programs in fractions of a second
- ★ Multiply the operation speed of I/O intensive programs by a factor of 100
- ★ Fully dynamic!
- ★ No FORMAT-command necessary
- ★ Memory will be reserved and released automatically
- ★ Common-Heap will automatically be cleaned up by new files
- ★ No wasting or limitations due to static memory allocation

RAM TOOLKIT FEATURES

- ★ Microdrives faster than floppies?
- ★ Copy a full microdrive-Cartridge to RAM-disk in 7-14 seconds with the super-fast MDVLOAD command
- ★ Maintain backups of RAM-files automatically using SBACKUP
- ★ Copy from microdrive to microdrive with FASTCOPY much faster than other cloning routines
- ★ Full control over all QL-Devices
- ★ Rename even the microdrives with DEVNAME
- ★ Show original and current device names with DEVLIST
- ★ Patching and repairing of any file
- ★ Repair corrupted Microdrive-Cartridges with MDVLOAD and RAMdoctor
- ★ Use RAMdoctor as a screen-editor in HEX and ASCII
- ★ Software control over memory expansion boards
- ★ Turn memory expansions logically off with RESET128 to run those bad programs that would not work on an expanded QL

RAM disk£13.00

RAM disk with RAM toolkit£19.00

RAM disk with RAM toolkit on BROM£21.00

Prices inclusive of VAT and U.K. Mainland P&P.

Telephone order payment by:



or send Cheque, Postal Orders or Eurocheque to:
T.K. COMPUTERWARE, UNIT A, RANGE ROAD INDUSTRIAL ESTATE,
HYTHE, KENT CT21 6HG. Telex: 966676 PMFAB G

FORTH

Charles Gerrard ties the loose ends in our Forth features and looks at the relative merits of two implementations.

With our brief foray into the Forth language in the last three months we hope we have managed to whet your appetite. In the last article we look at a few remaining features of the language and consider the relative merits of the two major Forth implementations available for the QL.

There are two problems which many newcomers to the language have. The first is understanding the language, which even hardened users will admit is a little unusual at first. To those people, all I can suggest is that they stay with it. Even Reverse Polish Notation makes sense once you are used to it.

The second major problem is trying to make use of the stack data structure, when conventionally having access to as many arrays and variables as you could possibly need. We saw in the last article how an array could easily be added to the language. Additionally most commercial products include strings. Lists are another easy data structure to add, and so on.

A word of warning. Decide carefully, from the beginning, what data structures you will use. It is very tempting to type-in a standard array definition, say, for a single-dimensional, single-precision array. You then start writing the remainder of the program and find that you also need a two-dimensional byte array, a double-precision array, and so on.

You then face the dilemma of deciding whether to fit those different instances into the word you have already defined; or is it worth creating a new word definition, just for this particular instance? You soon either find that your program is too long to be readable, or too garbled to be readable. In these respects, Forth is very much like Pascal, encouraging you to plan and build your data structure before trying to cope with the coding, to finish with a much neater product.

Do not worry too much initially about the over-use of variables. That is a common tendency and you will find that their use decreases automatically as you become more familiar with the language.

Although we have looked at a few examples of Forth code, we have said little, as yet, of how Forth code is entered and compiled. Once within the Forth system, you are in a completely interactive environment. Calculations may be typed and new word definitions may be entered — over several lines. If at any time an error occurs, the system will tell you of it and you can correct it immediately. That approach,



as we have been using so far, though far superior to many systems, is still analogous to single-line command input in SuperBasic.

The Forth implementation on your QL will have an EDIT command of



some form. It will take you to an editor which manipulates blocks of information. Traditionally they are 1KB blocks, each of which is placed on a single screen containing 1,024 characters — 16 lines of 64 characters. Usually with the use of a full-screen editor, standard word definitions may be typed on to those screens, then saved to Microdrive in the form of a Screen File. Once written, screens may be loaded and compiled using the LOAD command, with the screen number on the stack.

That form of layout is very different from the more conventional form of program writing and storage; in other words the program. It is, however, a logical method of storage for a language based on word definitions, rather than complete, segregated programs. It is thought to be good practice when writing SuperBasic programs to split the program into a number of small tasks, with a separate procedure or function for each one, allowing each segment of the program to be tested individually.

Additionally, it permits standard procedures to be used in a variety of programs. When doing this, you probably find yourself merging programs, then deleting vast areas of the original programs which are no longer need-

FORTH

ed. The Forth language is based on this segmented philosophy, so it makes sense to store word definitions in separate areas.

Forth 83

We will now look at two QL Forth packages. The two major Forth implementations available for the QL are from Computer One and Digital Precision. Both are versions of the Forth-83 standard language, with applicable extensions to make use of QL-specific features.

Computer One forth is supplied on a single Microdrive, with a 100-page A5 manual. With only a brief explanation of Forth, the manual consists mainly of system word lists and details of the more esoteric features of the implementation. The beginner will be perplexed if trying to use the manual, which is really designed only for reference purposes. So there will probably

you amused for minutes.


The Digital Precision SuperForth package is supplied in an A4 box, with a loose-leaf manual — to be inserted into the QL User Guide — and a single Microdrive. Again it will need copying but there is no protection. The manual is well-written, with sufficient details for the beginner to learn the fundamentals of the language, without the need for a separate book. The manual also contains an index, which is noticeably lacking in the Computer One documentation.

The cartridge contains the standard files and screen blocks, plus two examples. The main additional feature in the package is a complete source listing of the classic *Reversi* game, which is also listed in full in the manual. It will provide not only good examples of the Forth language but Digital Precision claims that it plays an excellent game, outperforming all other available programs for the QL.

In both implementations, program writing and editing is done by means of a full-screen editor, operating on standard Forth screen files. The default screen with SuperForth shows only 56 horizontal characters — the remaining characters are made visible by scroll-

files, containing one or more screens. Computer One Forth saves named multi-screen files automatically.

One major advantage with the Computer One editor is the ability to obtain



be the added expense of a Forth manual.

The cartridge, of which you will have to make a copy — it is not protected — contains the BOOT and CLONE files, the Forth image, a number of overlays, and a Forth screen file. The latter file contains source code for a few useful utilities, including an assembler, a de-compiler, and a demonstration arcade game, *Nibblers*, which is likely to keep

ing the screen — which may appeal to TV owners. The full 64 characters can be made visible by altering the display parameters, as explained in the manual.

Though both systems use the standard Block Screen layout, the default storage methods are different. Whereas SuperForth saves each screen as a separate block — eg, BLK123 — with an optional method of creating named

an index of screens in a screen file, by using option 'I'. It will print the first 14 characters of the first line of each screen block, where the screen title is held traditionally. If you are using the Digital Precision package, you will

Figure 1.


Typical Forth Bubble Sort routine sorting double-precision values.

```
: ARRAY CREATE 2 * ALLOT
DOES> SWAP 2 * + ;
100 ARRAY PRESORT
[Set up some random values in
PRESORT]
: CHECK PRESORT @ ROT
DUP
PRESORT @ ROT OVER
OVER >
IF ROT PRESORT! SWAP
PRESORT ! O S !
ELSE 2DROP 2DROP
ENDIF;
: BUBBLE BEGIN DUP DUP
1+ DUP CHECK
1+ OVER OVER =
UNTIL DROP DROP;
: SORT BEGIN 1 S !
OVER OVER BUBBLE S !
UNTIL 2DROP ;
```

have to remember which screen you need.

For speed, there is very little to choose between the two packages. They were tested on a few Basic arithmetic problems, simple looping, and

so on. SuperForth was marginally faster than the Computer One product for most applications. A typical test program was the standard Bubble Sort routine — figure one. Both versions



were much faster than the SuperBasic equivalent, with the SuperForth version being four per cent faster than the Computer One version. They are both fast implementations of the language and, unless speed is particularly critical, the slight advantage of SuperForth are negligible.

In addition to the required set words of the Forth-83 standard, both implementations of the language include a number of extension words, dealing with double-precision arithmetic, string manipulation — SuperForth version 2.0 onwards and so on. Because of the nature of the language, any missing features are added easily.

Both implementations allow multi-tasking of SuperForth definitions and both versions contain a number of job and task words for dealing with this. They both also allow for the creation of stand-alone, machine code application programs, for use without the Forth operating system. Computer One will freely allow the marketing of such final products, though it insists that an acknowledgment and a copy of the copyright notice in the manual be included.

Extensions

Naturally, QL owners will be particularly interested in being able to access such QL-specific features as graphics, windows, sound, printer commands, and so on. Both packages contain

extensions to Forth-83 to accommodate those features, including channel input/output, time and date, and graphics handling. Computer One Forth has the additional advantage of containing a set of words corresponding to assembler mnemonics. Consequently, with the appropriate machine knowledge, any Qdos traps not already implemented in Forth could be added easily.

If you have been following this series, you are probably a beginner so far as the Forth language is concerned. If that is the case, Digital Precision SuperForth provides all the necessary features and is much easier to use for the uninitiated. In addition, it is cheaper, has a better manual for the beginner, and is marginally faster than its rival.

Versatility

Alternatively, experienced users may prefer Computer One Forth, which has a more versatile Qdos interface, assembler word set and supplied source code. More experienced users may also be interested in the QL Forth Development Package, available from Microprocessor Engineering, the writer

QL micros. Nevertheless, there are many limitations with the language. For instance, converting programs written in SuperBasic to run on other microcomputers is particularly difficult. Though many other micros run versions of Basic, they are rarely as comprehensive as SuperBasic, which is more equivalent to Pascal than the traditional Basic syntax.

Speed King

The major problem which most people find with SuperBasic is its speed. Even with a powerful processor such as the 68008, programs written in interpreted SuperBasic run very slowly. The answer lies in choosing a compiled language, where the code is written at high level but run in machine code. The problem with most compiled languages is that they are not interactive, making them much more difficult to use, and errors much more difficult to correct quickly.

Forth, however, is an interactive compiled language, running at typically 30 times the speed of SuperBasic. Forth word definitions are compiled



of this implementation.

It is remarkably easy to become settled with a particular language. The large majority of QL owners will learn SuperBasic and never look at any of the alternatives available. SuperBasic has a number of advantages. It is easy to learn and write, corresponding very closely to English and standard mathematical notation. It is interactive, making it easy to use and correct mistakes and it is universal among all

separately, showing errors immediately and allowing the programmer to correct them as the program is written.

The main handicap with Forth is learning the language initially. It is written very differently from other languages and Forth programs are notoriously difficult to read and understand. Once you have achieved some competence with Forth, however, you will never consider Basic again.

P + R : O = G < S

If you have a program that is worthy of consideration, send it to 'The Progs',
Sinclair QL World, 79-80 Petty France, London SW1H 9ED. We pay for
everything published at the usual page rates — £80 per thousand words.

Starport 2001 Karl Jeffery

Does anybody remember *Galaxians*? If you do, you will need no prompting to type-in the November Program of the Month. Karl Jeffery has produced a version which incorporates all the speed and excitement of the original.

Type-in program two, save it, then run it. That will generate the program and graphics code on the cartridge. Then type-in program one and save it on the same cartridge. To play the game LRUN program one.

Program 1.

```
10 REMark
20 REMark STARPORT 2001
30 REMark
40 REMark Written APR 86 By Karl Jeffery
50 REMark
100 WINDOW#1,512,256,0,0
110 MODE 8
120 prog=RESPR(3000):a5=RESPR(3800)
130 LBYTES mdv1_code,prog:LBYTES mdvq_grap,a5+200
140 POKE a5+55,0:POKE_W a5+14,0
150 PAPER 0:CLS:CSIZE 3,1:OVER 1
160 FOR I=1 TO 7
170 CURSOR I*8+5,I*8+40:IN=aL80 PRINT "S T A R P
   O R T  2 0 0 1"
190 NEXT I
200 CSIZE 0,0:AT 2013:INK 5:PAPER 1:OVER 0
205 PjRNT "      PRESS ENTER TO START THE GAME      "
210 IF INKEY$<>CHR$(10) THEN GO ^O 210
220 CALL prog,a5
230 FOR I=1 TO 100:~EXT I:BEEP
240 GO TO 150
```

Program 2.

```
100 REMark
110 REMark GENERATE PROGRAM AND GRAPHICS DATA
120 REMark
130 REMark PROGRAM 2
140 REMark
150 ad=RESPR(3000)
160 generate "MDV1_GRAP",400
170 generate "MDV1_CODE",850
180 DEFine PROCedure generate(f$,li)
190 RESTORE li
200 p=ad
210 REPEAT loop
220 READ a$,c
230 IF a$="END" THEN EXIT loop
240 t=0
250 FOR i=1 TO 31 STEP 2
260 x=hex(a$(i))*16+hex(a$(i+1)):t=t+x
270 POKE p,x:p=p+1
280 NEXT i
290 IF t>c THEN PRINT "Error in line ";li:STOP
300 li=li+10
310 END REPEAT loop
320 SBYTES f$,ad,p-ad
330 END DEFine
340 DEFine FuNction hex(x$)
350 IF x$<"A" THEN RETURN x$:ELSE RETURN CODE(x$)-55
360 END DEFine
370 REMark
380 REMark Graphics data
390 REMark
400 DATA "000000000000000000000000000000",0
410 DATA "000000000000000000000000000000",0
```

```
420 DATA "000000000000000000000000000000",0
430 DATA "000000000000000000000000000000",0
440 DATA "000000000000000000000000000000",32
450 DATA "0000A800000000002AA000000002AA00",512
460 DATA "0000000555400000000555400000005",313
470 DATA "55400000000555400000000555400028A",597
480 DATA "0007DF400A8A800FCFC00A02800F03C0",1334
490 DATA "200008200008000020080020000000002",162
500 DATA "AA800282800BEBE000820002EB800000",1523
510 DATA "0002AA8000000002AA800828200ABEA0",1040
520 DATA "20000822AA882082082082082080808080",752
530 DATA "08800000000000000000000000002800",56
540 DATA "2828002800000002AA80082000ABEA0",955
550 DATA "00820002EB8000820002EB80000000002",992
560 DATA "AA800828200ABEA020000822AA882082",1280
570 DATA "08208208202020202020000800000000",626
580 DATA "0000000000000000000000000000A00A00A",180
590 DATA "00A02082082082080028000028000000",580
600 DATA "0002AA8000820002EB800082000ABEA0",1330
610 DATA "0000000AAAA02008002AA8002008002",902
620 DATA "00800800200800200000000000000000",208
630 DATA "000000002000082000060A82A00A82A0",680
640 DATA "00280000280000000002AA8000820002",512
650 DATA "EB800082000ABEA00000000000AAAA00200",1240
660 DATA "8002AA80020080020080020080020080",948
670 DATA "00000000000000000000000008280A041",483
680 DATA "40508822084411048822084411048822",848
690 DATA "08441104882208441104882208441104",631
700 DATA "8822084411048280A041405000000000",894
710 DATA "00000000000000000000000000000000",0
720 DATA "00000000000000000000000000000000",237
730 DATA "00000000330330000000330330000000",228
740 DATA "033300000000003330000000333300000",270
750 DATA "003F0C0C000000000000000000000000",87
760 DATA "0000000000000000000000000000A820200",232
770 DATA "000080888880000080888880000000A088",1096
780 DATA "8800000008888800000000088888000000",696
790 DATA "88888800000020202000000000000000",504
800 DATA "00000000000000000000FF0000014E444F",481
810 DATA "END",2
820 REMark
830 REMark Program code
840 REMark
850 DATA "2A411B7C00C800001B7C000100J81B7C",817
860 DATA "00050036426D000C422D00394238003E",598
870 DATA "1B7C0005003A3B7C000100143E7C0001",602
880 DATA "00164A2D0037661443FA0656347800C0",1099
890 DATA "4E922E4800081B7C00010037206400008",703
900 DATA "720274017600700C4E4343FA06403478",1179
910 DATA "00D04E92610038C1B7C00640001422D",1055
920 DATA "00321B7C00C2000247ED006449FA05F6",1379
930 DATA "303C000E321CD23C000A36C136FCFE00",1287
940 DATA "51C8FFF2303C001047ED00A436FC0000",1680
950 DATA "51C8FFFA42D00018422D003C1B7C000E",1321
960 DATA "003B1B7C000100351B7C000A00346100",574
970 DATA "047247FA04F070114E413CD00000001",1069
980 DATA "000367024E7508010004670254060601",520
990 DATA "000167025506010003201B4600017001",540
1000 DATA "610003343A2D0002610003AE142D0033",647
1010 DATA "1B410033080100066716080200066610",417
1020 DATA "701147FA04F84E411B7C000100326018",1167
1030 DATA "4A2D003267185B2D00020C2D000A0002",503
1040 DATA "62121B7C000000321B7C00C200025A06",760
1050 DATA "1B4600033A2D000261000390424749ED",896
1060 DATA "00640C2C00FE0000267340C2C00D20002",835
1070 DATA "6578671E532C0000242400C2C00D20002",881
1080 DATA "6704102C00033C2C0000610002AA6000",639
1090 DATA "019E303C00C851C8FFFE600001923C2C",1604
1100 DATA "0000DC2D0035194600017002D02D0039",838
1110 DATA "6100028461000366B26D0014640000B6",1022
1120 DATA "2F07701147FA04664E412E1F39460000",957
1130 DATA "70056100034CC2FC000519410002197C",985
```



```

1140 DATA "0001000370006100024E4240102C0002",485
1150 DATA "47FA03DAD6C0E348D6C0532C0003660E",1899
1160 DATA "522C0000247EB0003196B000200031C2C",646
1170 DATA "0000DC2B0000E14E1C2C0001DC2B0001",903
1180 DATA "610001F6394600007004D02D00396100",994
1190 DATA "02060C2C00BE0000653A162D00010603",490
1200 DATA "000BB606630A04030016B5066500011C",655
1210 DATA "4280610001E23207E30945FA0428D4C1",1579
1220 DATA "3412D42D003439420000197C00FE0002",907
1230 DATA "600000BC342D0002B42C000163000088",843
1240 DATA "0402000BB42C0001627CE04AB42C0000",986
1250 DATA "63740402000BB42C0000626A2F077011",843
1260 DATA "47FA039A4E412E1F70060C2C00FE0002",1128
1270 DATA "670C70036100026A3001060000063C2C",600
1280 DATA "000019400003197C00FA000261000168",695
1290 DATA "04000006E3485240D16D000C61000264",984
1300 DATA "3A2D0002610001D21B7C000000321B7C",765
1310 DATA "00C20002532D003B600C1B7C0001003C",709
1320 DATA "1B7C005A003D61000214B26D0016641E",860
1330 DATA "45ED00A4362D0018D4C3A1266100646",1286
1340 DATA "0A06348654430243001F3B43001849EC",912
1350 DATA "000452070C07000E6600FE283E3C0010",660
1360 DATA "45ED00A44A12673E3A126100016C5E12",1121
1370 DATA "0C1200C8652A182D0001B82A0001641C",798
1380 DATA "0604000BB82A00016512701147FA02DE",1041
1390 DATA "4E41532D0036600FCFC4E7542526006",1376
1400 DATA "3A126100016645EA000251CFFFB8142D",1373
1410 DATA "0034D42D00350C02008267060C02000A",639
1420 DATA "6604442D00351B420034532D003A660C",717
1430 DATA "086D000000391B7C0005003A4A2D003C",567
1440 DATA "662847FA02B870114E41080100016600",1033
1450 DATA "FD0247FA0288086D0000003E670447FA",1321
1460 DATA "028C70114E416000FCEA532D003D6600",1287
1470 DATA "FCE2526D0014526D0016522D00386000",1181
1480 DATA "FC88207C00020000303C1AFE20FC0000",1218
1490 DATA "000051CBFFF84E7542800C0600E66308",1528
1500 DATA "61141C3C000B4E750C06000A64066106",648
1510 DATA "1C3C00E54E753F063F00C0FC0004841ED",1462
1520 DATA "00C8D0C03006E24E020600FE08C60011",1443
1530 DATA "224602400003E3083C3CFF00E07ECCBC",1525
1540 DATA "000000FF1A060A0500FF243C00000008",661
1550 DATA "9400303C000B26181803420348443818",645
1560 DATA "E18CE5BBCD118719E5BBCD118919E19B",2344
1570 DATA "12C3E19C12C4E19B12C3E19C12C4E19B",2376
1580 DATA "CB118719E19CCB118919D2FC007851C8",2006
1590 DATA "FFC6301F3C1F48753005E24D020500FE",1435
1600 DATA "08C50011224502400003E3081A3C007F",842
1610 DATA "143C003FE02DE02A303C0004CB19C511",1232
1620 DATA "D2FC007F51C8FFF64E753005E24D0205",1929
1630 DATA "00FE08C50011224502400003E3081A3C",969
1640 DATA "0080143C00C0E02DE02A303C00048B19",1211
1650 DATA "8511D2FC007F51C8FFF64E75303C0384",1959
1660 DATA "222D0004C2C1242D0010B5812B410010",1001
1670 DATA "028100FF00E089D3AD0004C2C04841",1913
1680 DATA "4E75343C0001323C00076152322D000C",711
1690 DATA "B26D000E65043B41000E6150615A343C",1020
1700 DATA "0001323C001C61364241122D00363478",710
1710 DATA "00CE4E92343C0002323C00076120322D",885
1720 DATA "000E61286132343C0002323C001C610E",661
1730 DATA "4241122D0038347800CE4E924E75363C",1161
1740 DATA "0000206D000870104E434E75206D0008",766
1750 DATA "347800CE4E924E7543FA0130347800D0",1543
1760 DATA "4E924E750901000000001020000C801",633
1770 DATA "002800003C01FF1401013201FFC80101",886
1780 DATA "3200003201002800003202FFC801FF28",944
1790 DATA "01003C00FF0A00011902FFC801003201",861
1800 DATA "FF0F00011E01FF0F0100C80201500000",856
1810 DATA "320001280000190100C800000A080000",335
1820 DATA "AAAA01489001302A120001000A080000",700
1830 DATA "AAAA287A58020C49117101000A080000",826
1840 DATA "AAAA7B8B6400BB0B800001000A080000",1044
1850 DATA "AAAA538B6400546FF00001000A080000",1116
1860 DATA "AAAA2BBD6400000100801000A080000",715
1870 DATA "AAAA2BBD640000020800100010000000",834
1880 DATA "00000200050005190532054B0564140C",309
1890 DATA "1425143E145723192332234B3225323E",700
1900 DATA "0201000401C20028001E00D8003B0A0A",567
1910 DATA "0A0A53434F52453A20202020202020",714
1920 DATA "202020202020204C495645533A0A2042",777
1930 DATA "4553543A2020202020202020202020",678
1940 DATA "2020204C45564543A000002303000000",628
1950 DATA "0000019000000000FFFFFFFFFF00000190",1310
1960 DATA "0000010B00000837B0000018E00008373",655
1970 DATA "END",0

```

Britain John Hartrey

Our call for educational software has not gone unheeded. Britain is a geography quiz. A map of the country is drawn and eight cities pinpointed. You must make an educated guess and name each of the eight cities from a list of 25.

Each time the program is run, different cities are targeted. If you think it sounds easy, try it. The *Sinclair QL* team managed a respectable seven out of eight—after several attempts.

```

10 REMark *****
20 REMark *** BRITAIN ***
30 REMark ** copyright **
40 REMark * John Hartrey*
50 REMark **** 1986 ****
60 REMark *****
70 DIM q(25),z(8):score=0
80 MODE 4
90 set_up
100 britain
110 towns_list
120 input_chart
130 choose
140 input
150 compare
160 answers
170 finish
180 STOP
190 :
200 DEFine PROCEDURE set_up
210 WINDOW#2,240,230,20,10:SCALE#2,900,0,0
220 WINDOW#1,512,256,0,0:PAPER#1,0:CLS#1
230 INK#2,4:PAPER#2,7:BORDER#2,4,2
240 CLS#2
250 WINDOW#0,212,154,270,15:BORDER#0,2,7:PAPER#0,0:CLS#0
260 OPEN#3,scr_212x55a270x183:BORDER#3,2,4:INK#3,7:PAPER#3,2:CLS#3
270 WINDOW#1,212,14,270,169:BORDER#1,2,2:PAPER#1,0:INK#1,4:CLS#1
280 CSIZE#0,2,1:INK#0,2:CUSOR#0,6,0:UNDER#0,1:PRINT#0,"CHOICE OF TOWNS":CSIZE#0,0,0:UNDER#0,0:INK#0,7
290 END DEFine
300 :
310 DEFine PROCEDURE britain
320 LINE#2,106,32
330 RESTORE 2000
340 FOR x=1 TO 164
350 READ a,b
360 LINE#2 TO (a*1.75)-230,(b*1.5)-550
370 BEEP 10,RND(255)
380 NEXT x
390 END DEFine britain
400 :
410 DEFine PROCEDURE towns_list
420 RESTORE 2070
430 FOR x=1 TO 13
440 READ a$,b,c
450 AT#0,(x+1),0:PRINT#0,CHR$(x+64);" = ";a$
460 NEXT x
470 FOR x=1 TO 12
480 READ a$,b,c
490 AT#0,(x+1),16:PRINT#0,CHR$(x+77);" = ";a$
500 NEXT x
510 END DEFine towns_list
520 :
530 DEFine PROCEDURE input_chart
540 UNDER#3,1:AT#3,0,10:PRINT#3,"YOUR CHOICE":UNDE
R#3,0
550 FOR x=1 TO 4
560 AT#3,x,0:PRINT#3,x;"=":AT#3,x,17:PRINT#3,(x+4):"="
570 NEXT x
580 END DEFine input_chart

```

```

590 :
600 DEFine PROCedure choose
610 RANDOMISE
620 FOR x=1 TO 8
630 p=RND(1 TO 25):IF q(p)>0:GO TO 630
640 q(p)=x
650 RESTORE 2070
660 IF p=1:GO TO 680
670 FOR y=1 TO (p-1):READ a$,b,c:NEXT y
680 READ a$,b,c
690 b=(b*1.75)-230:c=(c*1.5)-550
700 OVER#2,1:INK#2,0:CUSOR#2,(b/3.1)-6,(ABS(c-900)/4)-10:PRINT#2,x
710 POINT#2,b,c+4:POINT#2,b+3.2,c+4:POINT#2,b,c:PO
INT#2,b+3.2,c
720 NEXT x
730 END DEFine choose
740 :
750 DEFine PROCedure iinput
760 CLS:PRINT#1,"Please enter choice :";
770 a=CODE(INKEY#(1,-1)):BEEP 100,50+a:IF a<49 OR
a>56:GO TO 770
780 PRINT CHR$(a);" = ";
790 b=CODE(INKEY#(1,-1)):BEEP 100,50+b
800 IF (b>64 AND b<90) OR (b>96 AND b<122):GO TO 8
10:ELSE :GO TO 790
810 IF (b>96 AND b<122):b=b-32
820 PRINT#1,CHR$(b);
830 pprint
840 sstore
850 eend
860 IF flag=0:GO TO 140
870 END DEFine iinput
880 :
890 DEFine PROCedure pprint
900 RESTORE 2070
910 FOR x=1 TO (b-64):READ a$,k,l:NEXT x
920 IF a-49<4 THEN AT#3,a-48,2:PRINT#3,FILL$(" ",1
3):AT#3,a-48,2:PRINT#3,a$;ELSE AT#3,a-52,19:PRINT
#3,FILL$(" ",13):AT#3,a-52,19:PRINT#3,a$;
930 END DEFine pprint
940 :
950 DEFine PROCedure eend
960 CLS#1:PRINT#1,"Have you finished ";
970 c=CODE(INKEY#(1,-1))
980 IF c=89 OR c=121:flag=1:END DEFine
990 IF c=78 OR c=110:flag=0:END DEFine :ELSE :GO T
O 970
1000 :
1010 DEFine PROCedure sstore
1020 d=a-48:e=b-64
1030 z(d)=e
1040 END DEFine sstore
1050 :
1060 DEFine PROCedure compare
1070 FOR x=1 TO 8
1080 IF q(z(x))=x THEN score=score+1
1090 NEXT x
1100 END DEFine compare
1110 :
1120 DEFine PROCedure answers
1130 CLS#1:CLS#0:CSIZE#0,2,1:UNDER#0,1:INK#0,2:AT#
0,0,4:PRINT#0,"ANSWERS":CSIZE#0,0,0:UNDER#0,0:INK#
0,7
1140 FOR x=1 TO 8
1150 RESTORE 2070:a=0
1160 REPEAT loop
1170 a=a+1
1180 IF q(a)=x:EXIT loop
1190 END REPEAT loop
1200 FOR y=1 TO a:READ a$,k,l:NEXT y
1210 AT#0,x+1,4:PRINT#0,x;" = ";a$
1220 NEXT x
1230 AT#0,11,9:PRINT#0,"Your score is ";score
1240 AT#0,13,1:PRINT#0,"Do you want another go ? (
y/n)"
1250 a=CODE(INKEY#(-1))
1260 IF a=89 OR a=121:PRINT#0,"          Yes":FOR x=
1 TO 500:NEXT x:RUN
1270 IF a=78 OR a=110:PRINT#0,"          No":FOR x=1
TO 500:NEXT x:END DEFine
1280 GO TO 1250
1290 :
1300 DEFine PROCedure finish
1310 WINDOW#1,512,256,0,0:CLS#1
1320 CLOSE#3:WINDOW#0,448,30,32,216:WINDOW#1,448,2
00,32,16:WINDOW#2,448,200,32,16:PAPER#0,0:PAPER#1,

```

```

1:PAPER#2,2:INK#0,7:INK#1,7:INK#2,7:OVER#2,0
1330 CLS#0:CLS#1:PRINT#1,"BYE ..... "
1340 END DEFine finish
1350 :
2000 DATA 204,391,210,384,216,390,216,396,233,400,
237,406,266,402,270,396,279,396,290,420,303,426,32
6,418,347,418,347,414,354,426,376,423,388,430,392,
425,422,429,437,425,460,436,466,436,483,448,486,46
8
2010 DATA 468,465,457,473,466,483,465,492,474,490,
480,495,480,501,492,514,499,530,498,553,498,568,45
0,570,447,560,441,557,433,567,444,576,447,582,438,
604,432,607,435,615,425,636,429,645
2020 DATA 420,650,405,672,387,681,381,704,376,706,
372,740,360,749,354,762,342,769,326,769,324,764,31
8,764,312,770,324,780,332,780,339,786,330,792,334,
799,342,804,360,834,361,846,372,864,366,878
2030 DATA 339,882,303,878,288,875,301,891,294,894,
297,900,326,924,330,940,318,945,315,939,270,942,26
3,947,255,924,244,912,249,903,231,897,234,888,226,
879,230,855,224,842,222,828,210,828,207,824
2040 DATA 216,822,220,810,237,813,231,794,228,780,
223,774,225,762,213,735,225,735,230,747,237,741,24
2,741,245,753,249,747,258,750,262,744,252,738,235,
710,246,684,246,700,264,690,267,698,285,696
2050 DATA 294,699,297,705,307,708,292,678,306,643,
309,651,321,637,324,650,318,636,312,636,309,627,32
2,624,310,618,306,606,312,591,297,602,267,597,258,
606,249,600,258,588,240,567,252,564,255,570,264,57
3
2060 DATA 270,548,264,534,228,516,215,507,222,504,
218,498,228,486,252,498,255,492,253,483,276,486,28
5,473,294,471,306,480,330,486,314,476,306,462,258,
465,252,450,244,450,240,436,222,420,210,402,194,39
8,192,388
2070 DATA "ABERDEEN",357,845,"BIRMINGHAM",369,519,
"BLACKPOOL",315,633,"BOURNEMOUTH",360,428,"BRISTOL
",324,471,"CARDIFF",297,483,"CHESTER",313,582,"COV
ENTRY",388,513,"EDINBURGH",324,759,"EXETER",291,42
9
2080 DATA "GLASGOW",282,750,"IPSWICH",480,510,"LEE
DS",390,630,"LIVERPOOL",312,603,"LONDON",450,480,"
MANCHESTER",354,615,"MIDDLESBROUGH",393,672,"NEWCA
STLE",375,693,"NORWICH",486,537,"NOTTINGHAM",393,5
61
2090 DATA "OXFORD",395,486,"PLYMOUTH",262,408,"SHE
FFIELD",385,603,"SOUTHAMPTON",384,432,"SWANSEA",27
3,489

```

Boot 128 Steve Sutton

Often the smallest routines are the most useful. This little gem causes an expanded QL to think it has only the standard 128K bytes of memory. That means there is now no need to remove your RAM card when you want to use software which will not run on an expanded machine, thus saving a good deal of bother and potentially disastrous pin-wear. JS and MG ROM owners should substitute 460 for 458 in line 100.

```

1 REMark BOOT_128 by Steve Sutton
2 REMark
3 REMark This routine will cause an expanded
4 REMark QL to re-boot as though it only has
5 REMark 128 Kbytes installed.
10 start=RESPR(38)
20 RESTORE
30 FOR i=0 TO 36 STEP 2
40 READ j
50 POKE_W start+i,j
60 END FOR i
70 CALL start
80 DATA 20032,18172,9984,10876,4,0
90 DATA 16889,2,0,8252,0,-31617
100 DATA 16920,20936,-4,8316,0,458
110 DATA 20112

```


Print NLQ Bill Jones

This utility will enable you to achieve NLQ like output from a standard dot matrix printer.

Type in the listing and RUN it. That will save the code to Microdrive 1 as nlq_obj. Install the Superbasic extension by typing in the following short program:

```
10 a=RESPR (6020)
20 lbytes mdv1_nlg_obj,a
30 call a
40 new
```

The routine can be called by entering the statement:

NLQ 'sourcefile', 'destfile', e.g.

NLQ "mdv1_nlg',ser1' will send the program to a printer attached to ser1

To use the program with the Psion packages you will first have to print your document to a (Microdrive) file with a suitable printer driver.

The printer driver must set 66 lines per page, 80 characters per line, no preamble or postamble and 'LF' as the end of line code.

```
100 REMARK NLQ for Epson compatible printers
110 REMARK By Bill Jones
120 a=RESPR(6020)
130 addr=a
140 FOR line_no=260 TO 3260 STEP 10
150 checksum=0
160 FOR count=1 TO 10
170 READ word
180 checksum=checksum+word
190 POKE_W addr+word
200 addr=addr+2
210 END FOR count
220 READ check
230 IF checksum=checksumPRINT E0:"error at line "line_no:STOP
240 END FOR line_no
250 SBYTES mdv1_nlg_obj,a:6020
260 DATA 17402,10,13422,272,20114,20085,1,12,846,19537,91711
270 DATA 0,0,0,13432,278,20114,3139,2,26372,28913,92250
280 DATA 20085,16890,3864,24832,466,16890,3984,24832,458,16890,129091
290 DATA 3849,8764,-1,-1,30208,28673,20034,19072,26112,428,137137
300 DATA 17914,3850,9352,16890,3848,9788,0,2,28673,20034,110351
310 DATA 19072,26112,402,17914,3852,9352,18426,3872,28689,20033,147724
320 DATA 2049,6,26368,24,18426,3864,28689,20033,2049,1,10159
330 DATA 26368,8,28927,24576,358,13372,98,13884,500,17402,125403
340 DATA 3772,8273,17402,5766,28674,20035,19072,26368,20,3200,132582
350 DATA -1,-10,26112,320,19009,26368,292,21057,17914,5732,116793
360 DATA 13441,3137,1,26112,36,5180,4,13884,-1,1,17402,79196
370 DATA 3740,8273,17402,3756,12348,7,20035,19072,26112,268,111013
380 DATA 24576,-130,18426,3720,12043,30723,17914,3748,13500,4,124524
390 DATA 17402,5668,14865,21829,17402,5662,18938,3734,16133,16961,138594
400 DATA 4635,-28100,32,3073,-5,26368,294,3140,3,26368,35806
410 DATA 0,3140,2,26112,14,24832,240,19008,26368,16,99742
420 DATA 16897,24832,228,19008,26112,4,16897,15420,17,16890,136305
430 DATA 292,-15620,18,-11839,2052,0,26368,5,-11780,0,-10501
440 DATA 1638,7784,3140,1,26112,5,19458,3590,-5623,6343,59303
450 DATA 20942,-20,15932,3,16890,3574,7184,5180,1,26368,94014
460 DATA 4,16902,6342,20943,-4,1618,22,14979,20941,-142,81505
470 DATA 6332,10,1618,1,17402,3530,8273,29699,30463,8791,106119
480 DATA 28679,20035,1687,0,4,12306,23360,5440,4,-8120,83395
490 DATA 5440,5,13330,17402,3536,20679,20035,20940,-224,87799,117942
500 DATA 24576,-370,17914,3446,8274,28674,20034,17914,3446,8274,132200
510 DATA 28674,20034,20085,12032,20562,8223,20085,12854,-26624,12534,132959
520 DATA -26624,-1268,0,2,-7607,25876,4,21313,12534,-26624,-12414
530 DATA -11268,0,2,20937,-12,20085,13884,6,16960,18426,79020
540 DATA 14,-19941,26368,16,20939,-9,20085,3009,16250,20561,89383
550 DATA 22784,28673,20085,3159,2,27904,-172,4633,21335,3073,131476
560 DATA 45,26112,-190,19450,3356,6844,1,4633,3073,48,63372
570 DATA 26112,4,16917,21335,24576,-216,0,0,0,0,88728
580 DATA 0,0,0,0,0,0,0,48,31792,31840
590 DATA 0,0,0,0,0,16,20544,24576,0,4176,49312
600 DATA 16480,0,0,512,1285,1280,19938,16384,257,257,52393
610 DATA 16705,8192,4642,2056,2056,32520,2056,2175,2056,2056,74514
620 DATA 8740,24832,512,1024,26624,18,5381,9477,17666,0,94274
630 DATA 1058,18456,257,257,2329,4160,17952,1536,2315,0,48318
640 DATA 0,0,4176,16480,0,0,0,0,0,24,24680
650 DATA 9213,16385,0,0,0,0,0,0,0,0,25083
660 DATA 0,1,16384,9240,0,0,0,2808,2076,2056,31957
670 DATA 2076,2090,2056,0,0,0,8,2056,2056,15800,26222
680 DATA 2056,2056,0,0,0,0,0,2,2568,3072,9754
690 DATA 0,0,0,0,8,2056,2056,2056,2056,2056,10288
700 DATA 0,0,0,0,0,3,771,0,0,0,774
710 DATA 0,257,2,4,8,16,32,64,0,0,383
720 DATA 7202,16389,1281,2313,257,4353,352,8732,0,0,40879
730 DATA 1,289,321,32513,257,257,0,0,289,323,34250
740 DATA 16641,1285,257,265,2305,337,8449,0,512,1,30052
750 DATA 4369,4369,12593,4352,16458,1024,4,1036,1044,1060,46307
760 DATA 1349,1407,1285,1284,0,114,0,257,257,6210
770 DATA 257,256,10,17408,1544,2329,2345,2377,18697,2313,47536
780 DATA 2313,6,0,16384,0,0,1792,2048,16,22559
790 DATA 4128,16384,9808,22795,257,257,257,345,20518,74996
800 DATA 0,8272,0,1,256,2,4,8,16432,0,24975
810 DATA 0,0,0,54,13878,0,0,0,0,0,13932
820 DATA 0,0,618,26732,0,0,0,0,0,2056,29406
830 DATA 0,5140,0,8738,0,16705,0,0,4112,4112,38807
840 DATA 4112,4112,4112,4112,4112,0,0,16705,0,8738,46003
850 DATA 0,5140,0,2056,0,0,8256,16384,0,1280,33116
860 DATA 2056,64,20512,0,15362,16385,2325,257,257,277,57495
870 DATA 3345,325,56,257,773,3348,9284,1028,17444,5133,40993
880 DATA 1283,257,257,383,257,257,257,257,257,22562,26027
890 DATA 1024,2068,8194,16448,257,257,257,257,16386,8704,53852
900 DATA 257,383,257,257,257,16448,544,5128,0,257,23788
910 DATA 32513,257,257,257,257,257,257,257,32513,67092
920 DATA 256,0,0,0,0,0,2068,8194,16448,26966
930 DATA 257,257,257,64,17952,1,1,383,257,0,19428
940 DATA 0,0,257,32513,256,0,0,1,257,32513,65797
950 DATA 257,0,0,0,4,512,1,257,257,0,1288
960 DATA 636,0,0,257,32521,2312,16,5124,32,8963,49861
970 DATA 16705,257,257,383,257,257,257,257,257,19146
980 DATA 0,257,32577,288,16,0,4,2,127,257,2068,35604
990 DATA 257,32577,288,16,0,4,2,127,257,2068,35604
```

```
1000 DATA 8194,16448,257,257,257,16448,544,5128,257,383,48173
1010 DATA 2313,2312,2056,2056,2056,16448,4128,2068,8194,16448,58079
1020 DATA 257,256,324,16386,8212,2305,257,383,2313,2312,33014
1030 DATA 2056,2068,2315,16705,4365,9986,20568,257,257,257,58838
1040 DATA 257,257,18504,612,24576,0,1,257,32513,257,77234
1050 DATA 0,0,24576,0,31746,1,257,257,257,256,57358
1060 DATA 636,0,0,16416,4104,1026,257,516,2064,8256,33275
1070 DATA 0,0,30726,1,256,1560,1026,257,126,0,33952
1080 DATA 257,321,801,1296,2056,4101,8451,16641,257,0,34181
1090 DATA 16384,8193,4353,3841,4353,8192,16384,0,0,16641,78341
1100 DATA 769,1281,2305,4353,8449,16643,0,0,0,32513,66313
1110 DATA 257,257,256,0,0,0,6177,1345,17153,256,25701
1120 DATA 0,1,323,16645,8472,0,0,1,257,257,25956
1130 DATA 383,0,0,2,1032,4136,16384,0,2048,23985
1140 DATA 4136,16388,0,257,257,257,257,257,257,22323
1150 DATA 257,257,0,0,0,0,0,0,0,514
1160 DATA 0,2,0,5397,5397,5397,5397,5380,3584,256,30810
1170 DATA 1,126,10,17,4369,4369,4369,10,1024,0,14295
1180 DATA 1034,0,4369,4369,4369,4352,0,0,4,2560,21057
1190 DATA 4369,4369,4369,4352,2050,32256,257,4,3580,1045,56659
1200 DATA 5397,5397,5397,5381,1292,1024,16,4369,4415,20753,53441
1210 DATA 4368,0,0,16384,0,6,9280,6417,4369,4369,45193
1220 DATA 4369,320,8258,1024,257,32513,2304,4112,4112,61381
1230 DATA 4097,2311,257,0,1,4369,24321,257,0,35613
1240 DATA 0,0,512,257,257,257,62,0,0,1345
1250 DATA 0,1,383,257,1028,0,6939,4369,4369,0,17346
1260 DATA 0,0,1,257,32513,257,0,0,0,4369,37397
1270 DATA 3849,272,4112,2311,2304,4113,4367,257,17,4367,25969
1280 DATA 2305,4112,4112,4112,4353,3841,256,4,2560,17,25672
1290 DATA 4369,4369,4369,4352,10,1024,1,383,728,0,19205
1300 DATA 0,0,72,18432,12288,48,72,18432,0,0,49344
1310 DATA 72,63,16641,2,0,4353,3849,272,4112,4112,33476
1320 DATA 4112,8,0,11,4116,5397,5397,5397,5397,35232
1330 DATA 1281,6656,0,4112,32272,4369,4369,257,0,57687
1340 DATA 0,16,4126,4113,257,257,257,4114,7696,4353,25189
1350 DATA 4112,4120,4100,2,258,4,4120,4112,4096,4112,29036
1360 DATA 7696,4352,516,2052,512,4368,7696,4096,4369,4369,40026
1370 DATA 8449,1765,17472,16456,16452,12286,612,16449,16784,16448,148240
1380 DATA 20,8,16,32,64,0,25,4369,4883,4369,13786
1390 DATA 5397,4369,6425,4369,4864,0,0,0,0,0,25424
1400 DATA 0,0,0,0,0,0,56,15672,0,15728
1410 DATA 0,0,0,0,24688,24576,0,96,20768,78128
1420 DATA 0,0,3,8,2059,15880,2377,16448,16448,0,53223
1430 DATA 8449,4104,8481,8481,32545,8481,8575,8481,8481,1026,97104
1440 DATA 8273,2056,20564,8200,2051,16,32,67,0,548,60513
1450 DATA 4417,18504,18504,18496,17685,4130,5,0,0,0,81741
1460 DATA 0,96,28768,0,0,0,0,12,4640,33516
1470 DATA 320,0,0,0,0,0,0,0,0,0,320
1480 DATA 64,288,4620,0,0,0,0,4608,3072,3072,15724
1490 DATA 4608,0,0,0,0,0,0,0,7680,0,12288
1500 DATA 0,0,0,0,0,12,3596,0,0,3608
1510 DATA 0,0,0,0,0,0,0,0,0,0
1520 DATA 0,0,0,1,257,0,0,0,0,258
1530 DATA 0,256,512,1024,2048,4096,8192,16448,0,7202,39778
1540 DATA 832,16452,16448,18504,16464,20481,8732,0,0,97913
1550 DATA 8096,8192,32512,0,0,0,0,0,16,8448,578,53842
1560 DATA 16448,1765,17472,16456,16452,12286,612,16449,16784,16448,148240
1570 DATA 20568,16448,24681,18752,17948,0,1024,2048,4096,8192,113785
1580 DATA 16511,0,0,0,122,18761,18504,18504,18504,18504,109410
1590 DATA 18505,18752,17920,1537,2048,4096,8192,64,16384,0,87498
1600 DATA 1282,0,0,24640,16448,16448,17220,16456,18496,16464,127454
1610 DATA 24576,12805,72,18504,18504,18504,18504,18432,1330,0,131231
1620 DATA 12288,18504,18504,18505,18760,19016,19528,2096,0,0,127201
1630 DATA 0,0,18,4626,0,0,0,0,0,0,4644
1640 DATA 0,44,11820,0,0,0,0,0,0,3084,14948
1650 DATA 0,4626,0,8481,0,0,0,514,514,514,14649
1660 DATA 514,514,514,514,0,0,0,8481,0,4626,15163
1670 DATA 0,3804,0,0,0,8192,64,16448,17908,16448,42224
1680 DATA 18440,48,0,7712,320,19520,21874,21874,21056,19522,128766
1690 DATA 20972,9240,0,258,1032,4128,16448,8208,2052,513,62871
1700 DATA 0,16448,16511,18504,18504,18504,18504,18504,308,512,126299
1710 DATA 2068,544,257,16448,16448,16448,16448,288,8704,16448,74101
1720 DATA 16511,16448,16448,16448,257,8194,5128,0,16448,32584,128466
1730 DATA 18504,18504,18504,18504,16448,16448,16448,32584,18504,190896
1740 DATA 18504,18504,18504,16448,16448,16448,2068,544,257,16448,124173
1750 DATA 16448,16452,17669,1572,1028,64,16511,18504,2056,2056,92360
1760 DATA 2056,18504,32576,16384,0,0,64,16448,32576,16448,135056
1770 DATA 0,0,0,61,256,0,0,16705,17020,33988
1780 DATA 16448,16388,0,6939,32576,16392,3076,16,4610,16480,24997,147327
1790 DATA 16448,64,16511,16448,4369,0,0,1,0,40972
1800 DATA 16448,32512,8192,4096,2056,16,32,127,16448,16448,96375
1810 DATA 32512,8192,4096,2048,1024,16460,16767,16448,2068,544,100659
1820 DATA 257,16448,16448,16448,257,8194,5128,16448,16511,16448,112587
1830 DATA 16448,16448,16448,16448,2056,8208,2068,544,257,16448,95373
1840 DATA 16448,17409,800,789,2048,16448,16511,16448,16448,16448,119797
1850 DATA 17472,16960,2312,8208,816,257,18504,18504,18504,120041
1860 DATA 18504,257,9314,24640,16448,16448,32576,16448,16448,167531
1870 DATA 16448,24576,16448,32520,16704,0,0,16449,16510,139455
1880 DATA 1648,16448,24656,18500,513,0,258,17020,20576,16448,131327
1890 DATA 16448,31810,16640,1,524,513,64,16766,16448,16448,115662
1900 DATA 16449,24642,20484,2056,1104,16972,16704,16448,16448,147807
1910 DATA 16464,8,1900,16,16480,16448,16448,0,24641,16450,108755
1920 DATA 16452,16456,16464,16480,16449,0,32576,16448,131325
1930 DATA 16448,16384,0,0,0,2068,8194,320,16448,16448,76310
1940 DATA 16448,16384,544,5128,0,0,64,16448,16448,16511,87976
1950 DATA 0,0,256,516,2064,9220,1028,8,24,13116
1960 DATA 9216,0,0,0,0,0,0,0,0,0,9216
1970 DATA 0,0,0,0,0,0,0,0,0,0
1980 DATA 0,779,0,0,0,0,9,1537,0,64,2389
1990 DATA 16766,1536,2304,0,0,0,2304,1536,0,1536,25982
2000 DATA 2313,0,0,0,9,2304,0,6,9,4641
2010 DATA 0,0,9,16708,32257,0,6,9,2304,0,51293
2020 DATA 0,0,0,2305,1280,0,0,63,64,16448,20168
2030 DATA 16448,16448,32,0,512,9469,19524,17476,17476,113861
2040 DATA 21525,9476,16960,16448,32516,8,0,0,8,96941
2050 DATA 7,0,0,0,0,0,12032,0,0,12039
2060 DATA 0,1,0,0,32,8574,0,0,0,8607
2070 DATA 64,16511,16962,0,1542,0,2313,0,0,37392
2080 DATA 0,0,16448,32512,0,0,0,0,0,3840,52800
2090 DATA 2048,0,2055,8,0,15,0,0,15,8,4149
2100 DATA 0,0,0,9,1792,0,6,9,2304,0,4119
2110 DATA 0,9,2304,1536,64,16447,10240,17476,17476,65552
2120 DATA 17476,17408,40,4096,16,10240,68,17476,17476,17408,101704
2130 DATA 10271,8256,16440,0,8,1792,2048,0,0,39015
2140 DATA 2048,0,9,1281,0,0,0,0,0,2058,5396
2150 DATA 2304,0,0,32257,0,0,0,256,0,34817
2160 DATA 14,256,0,0,0,256,3585,0,0,4111
2170 DATA 2048,1024,512,256,512,1024,2048,0,0,3585,11009
2180 DATA 1,2,1026,1,1,3584,0,0,0,2313,0,6928
2190 DATA 1542,0,1542,0,2313,0,320,16448,24896,4608,51669
2200 DATA 3072,2048,4160,24640,16448,8,257,0,514,0,51147
2210 DATA 1028,0,2056,256,0,0,0,0,0,3340
2220 DATA 0,0,0,0,0,0,0,0,0,0
2230 DATA 0,0,0,0,0,0,0,0,0,0
2240 DATA 0,0,6963,256,6963,1280,6963,256,6963,29644
2250 DATA 7424,6963,9226,2305,0,0,258,2305,0,0,28481
2260 DATA 1794,0,7002,0,0,0,0,0,0,8796
```

QL COMMUNICATIONS

QCODE TERMINAL software £19.95

Features:

- VIEWDATA TERMINAL – for PRESTEL and MICRONET
- Split baud rate operation (75tx/1200rx) in conjunction with MODAPTOR (see below) – necessary for calling PRESTEL
- Can handle dynamic frames.
- Full emulation of colours, mosaics, separated mosaics, etc.
- Save displayed page to file on microdrive or disk.
- Save entire session to file on microdrive or disk.
- Replay, create or edit saved pages whilst off-line.
- Transmit a saved file.

PLUS

- VT52 (Scrolling terminal) – for use with Bulletin boards, electronic mail services, mainframe computers, etc.
- 80 column (4 colour), or 40 column (8 colour) modes.
- VT52 control codes, for fancy editors, etc.
- Additional control codes to set display colours.
- Alternate keypad emulation.
- Upload or download text files using standard utilities on host.
- XON-XOFF protocol.

PLUS

- QL to QL file transfer. Any file transferred from disk or microdrive, including executable files, Quill documents, etc.
- Error detecting and correcting protocol.

QL MODAPTOR £39.00

- Links QL to 300/300, 1200/75, 1200/1200 modem eg WS2000, PRISM 1000 & 2000, NIGHTINGALE, DATACHAT, VOYAGER 11, AMSTRAD.
- Includes QCODE TERMINAL software.
- State modem type when ordering if not 25 way connector.
- Also works with Micronet "Free" Modem.

MODEM 2000 with Modaptor & Software £59.00

- The Prism Modem 1000 is a B.T. approved, manual dial modem that operates at 1200/75 full duplex or 1200 baud transmit only.
- This package provides all the hardware and software you need to connect your QL to Micronet, Prestel, BT Gold or any other 1200/75 baud service. It also allows QL to QL file transfer at 1200 baud.

VOYAGER 7 MODEM with Modaptor & Software £129.00

- This package enables you to use 300 baud full duplex as well as 1200/75 and 1200 transmit. Manual dial, BT approved.

QLash RAM DISK (while stocks last) £10.00

QCODE

42 Swinburne Road Abingdon OXON OX14 2HD
Telephone: 0235 28359 (9.00 am – 8.30 pm)

DS ENTERPRISES (01)671 0209

Disks

5.25" Mimic DS DD ***** £12.50 ***** Per Box
3.5" DS DD Disks at only ***** £28.50 ***** Per Box

All disks are guaranteed and come packed in plastic flip & File type boxes.

Drives

(BBC Spectrum and QL)

	Single 80 Track	Dual 80 Track
3.5"	£128.50	£210.00
5.25"	£144.95	£249.95

QL Software

Lattice C	£79.95
Nucleon	£17.50
Wanderer	£17.50
Super Charger (Basic Compiler)	£48.50
Ram Disc (Ram Disk & Utilities)	£14.95
QL User Recommended	
Toolkit II (Eprom version)	£32.95
Sign Designer (Designs Screens & Signs)	£18.95
QL User Recommended	
Integrated Accounts (Sagesoft)	£79.95
Multi Task True multi tasking of the Psion Suite	£14.95
QL Paint	£23.95
Technical Guide	£14.95
GST Assembler	£44.95
Cash Trader	£59.95
Pawn	£19.95
All Sinclair QL Games	£9.95

Add On's

512k Expanderam (Miracle Systems)	£119.95
Including Ram Disk	£127.50
C.S.T. Interface	£82.95
C.S.T. Plus Expanderam	£200.00
As above Plus Dual 3.5" Drives	£399.95
Citizen LSP 10 Printer Including Interface	£224.95
Astrocom Modem (Ex Brightstar)	£194.95
Sandy 512K Super Q Board & dual 3.5" drive	£445.00
Sinclair QL (Guaranteed)	£135.00
Miracle Systems Modem	£47.50

QL Books Lots at £3.95 each

All Prices include VAT and Post & Packing (in UK). Phone for quote on other items.

DS Enterprises
25 Trinity Rise, London SW2 2QP
Tel: (01) 671 0209

Stay ahead of the crowd. Subscribe to *QL World*

Copies of the latest issue of *Sinclair QL World* disappear fast from the shelves. If you cannot go to the shops on our publication date, you can miss the mixture of news, reviews and features which make *Sinclair QL World* the only magazine for serious QL users.

The only way to avoid possible disappointment is to subscribe to the magazine. In that way, a copy

will drop on to your doormat each and every month. Copies are sent direct by our printer, so by subscribing you should receive the magazine even before it reaches newsagents.

A subscription also makes an ideal present for someone who takes the QL seriously. Why not make a present of a subscription?

To subscribe to *Sinclair QL*

World, complete the order form and send it with a cheque or postal order for £15 for the U.K., £30 for Europe, or £45 for the rest of the world.

Do not delay. Send your order now and relax in the knowledge that you will never again miss a copy of *Sinclair QL World* — the only magazine for the serious QL user.

Sinclair/QL World
(Subscriptions)
Oakfield House,
Perrymount Road,
Haywards Heath,
RH16 3DH.

Name

Address

Postcode

READY
TO RUN
SOFTWARE

MICRODRIVE EXCHANGE

PROGRAM OF THE MONTH

The games freaks have never had it so good. The quality of games software submitted by readers is improving every month. So it goes almost without saying that our program of the month for November, *Starport 2001*, by Karl Jeffery, is a fast-action arcade game with superb graphics and sound.

Starport 2001 is an authentic-looking version of the classic coin-operated game *Galaxians*. Using your cursor key or joystick-controlled laser base you must defend the earth against squadrons of screaming

aliens. You have five bases with which to destroy as many waves of attacking Galaxians as is humanly possible.

Update

In addition to the Program of the month, Microdrive Exchange features two new programs. Regular readers will need no introduction to the programming talents of Marcus Jeffery. He is a keen strategy games player and programmer and is a regular writer for *Sinclair QL World* and other magazines.

QL Go appeared in the April and May issues of *Sinclair QL World* with an accompanying article explaining the rules of the game and the principles

involved in its programming. Although the game made a tough opponent, because of the complexity of the evaluation procedures, it was very slow.

We have overcome that problem by compiling the program with the Digital Precision *Supercharge* and there is now nothing to touch it. *QL Go* is essential for every serious strategy games player.

Teachers, parents and anyone who likes to test their general knowledge will find *Britain*, by J P Hartrey, both entertaining and educational. Utilising a graphic representation of the country, the user is tested on the location of 25 cities.

The program is written in

SuperBasic and would provide a useful foundation for those wishing to expand its capabilities as a geography quiz program.

A number of people have omitted to include their addresses on the Microdrive Exchange form and it has not been possible to despatch their orders.

If you have ordered programs from Microdrive Exchange and have not received them within 28 days, please write to *Sinclair QL World* stating your name and address, which programs you requested, the total amount enclosed and the method of payment. Alternatively you can telephone System Design on 01-731 7948.

ORDER FORM

Author	Language	Program Name	Price	Issue	Size
Giles Todd	(B)	DIY Assembler <small>Converts Assembler source into m/c object code</small>	£5	Mar/Jun	120 <input type="checkbox"/>
Richard Cross	(AO)	Mini Monitor <small>Pocket-sized monitor with comprehensive facilities</small>	£3	Oct	60 <input type="checkbox"/>
A Didcock	(B)	Connect4 <small>Pit your wits against the QL</small>	£1	Sept	15 <input type="checkbox"/>
Shergold & Tose	(B)	*Golf <small>From fairway to green on 50 courses of varying difficulty</small>	£2	May	35 <input type="checkbox"/>
Williams & Holliday	(AO)	Paladin <small>The basis of our games programming series — a Space Invaders-type game written entirely in machine code</small>	£5	Apr	70 <input type="checkbox"/>
Richard Cross	(MB)	Sprite Animation <small>A subtle blend of machine code and SuperBasic which produces a versatile sprite designer and high-speed animator</small>	£2	Apr	50 <input type="checkbox"/>
Steve Deary	(B)	Pacman <small>A reasonably fast rendition of the famous arcade favourite</small>	£1	Mar	20 <input type="checkbox"/>
Andy Carmichael	(B)	Family Tree <small>Archive program and database for setting-up and displaying large family trees</small>	£3	Aug	100 <input type="checkbox"/>
James Lucy	(B)	Composer <small>Composer and play sheet music on the QL</small>	£3	Oct	50 <input type="checkbox"/>
Mathew Capp	(B)	Miners <small>A nail-biting management simulation which puts you in charge of the NCB</small>	£2	Aug	30 <input type="checkbox"/>
P J Smith	(B)	*DIY Adventure <small>A skeleton framework where you have to slot in the details to create your bespoke adventure</small>	£1	Feb	60 <input type="checkbox"/>
R Green	(B)	Othello <small>A 3D version of the well-known board game Othello for one or two players</small>	£1	Aug	25 <input type="checkbox"/>
S J Ackers	(S)	*Touch Type <small>Touch-typing course — 14 lessons, on-screen keyboard, 800+ word vocabulary and WPM readout</small>	£4	Aug	80 <input type="checkbox"/>
Rob Sherratt	(AO)	FCOPY <small>A machine code Microdrive utility for turbocharged file copying</small>	£4	Mar'86	80 <input type="checkbox"/>
Alan Prior	(B)	World Map <small>A high-resolution multi-coloured map of the world for geography buffs</small>	£2	Mar'86	80 <input type="checkbox"/>
J M Dower	(B)	Mushman <small>Mushroom munching arcade action</small>	£2	Jun/Jul'86	15 <input type="checkbox"/>

Tony Quinn (S) *CAD QL £5 Sept'86 120 ☐
Professional features include rubber banding and user-definable symbol library

Stuart Campbell (MB) Attack of the Things £3 Oct'86 45 ☐
Can you repulse the attacking Things?

Karl Jeffery (MB) Starport 2001 Nov'86 40 ☐
An authentic version of the arcade game Galaxians

Marcus Jeffery (S) QL Go Apr/May'86 40 ☐
A must for strategy games enthusiasts

J P Hartrey (B) Britain Nov'86 20 ☐
Improve your geography knowledge with this round Britain quiz

B = SuperBasic, AO = Assembler + Object Code (ready to run), MB = Machine Code + Basic Loader, S = Supercharged

Name

Address

No. of programs ordered Total cost £.....

Total sectors
(max. 200 per drive)

No. of drives sent

No. of drives required @ £2.50 each £.....

Plus postage—packing £.....0.75

Sub total £.....

Add VAT @ 15% £.....


TOTAL TO BE SENT £.....

Please copy on to Microdrive the programs above which I have indicated with a cross. I enclose a cheque/PO to the value of £..... made payable to *Sinclair QL World*. I understand that *Sinclair QL World* undertakes to supply only these programs (copied on to Microdrive) and accepts no liability for their operation as defined by the author. Neither can *Sinclair QL World* supply additional information about any of the listings other than that originally printed. Any article reprints required must be ordered and paid for separately at £1 each inclusive of post and packing (£2 overseas).

PRINTERLAND

UK's LOWEST PRINTER PRICES

Free WITH ALL PRINTERS, QL USERS PRINTERS GUIDE
GOVERNMENT AND OFFICIAL OVERSEAS ORDERS WELCOME



**ORDERED
TODAY
DELIVERED
TOMORROW**

PANASONIC 1080U £159 ex VAT £182.50 inc VAT

DOT MATRIX

PLUS NEAR LETTER QUALITY

	Ex VAT	Inc VAT
SHINWA CP A80 + NLQ	£165.00	£189.75
EPSON LX 80	£190.00	£224.25
CANON 1080A	£209.00	£240.35
CANON A55	£345.00	£396.75
EPSON FX 85 +	£360.00	£414.00
EPSON FX 105 +	£455.00	£523.25
EPSON LQ 800	£515.00	£592.25
EPSON LQ 1000	£546.00	£627.90
EPSON LQ 1500	£715.00	£822.25

DAISY WHEEL

QUENDATA 1120	£149.00	£171.35
EPSON DX100 - SPECIAL OFFER:	£356.00	£409.40

COLOUR PRINTERS

EPSON JX-80 - SPECIAL OFFER:	£450.00	£517.50
------------------------------	---------	---------

PRINTER INTERFACES

MIRACLE SYSTEMS	£26.05	£29.95
-----------------	--------	--------

Please note ACCESS and VISA CARDS are for use in our mail order dept. only.
Calling customers please pay by cheque/cash.

DISK DRIVES

CUMANA	ExVAT	Inc VAT
3 1/2" SINGLE DRIVE SYSTEM (.75m byte)	£115.00	£132.25
3 1/2" DUAL DRIVE SYSTEM (1.5m byte)	£195.00	£132.25
CUMANA DISK INTERFACE	£95.00	£109.25

MONITORS

PHILIPS 7502 GREEN	£75.00	£86.25
--------------------	--------	--------

MODEMS

TANDATA (COMPLETE SYSTEM)	£69.35	£79.75
---------------------------	--------	--------

SOFTWARE (VARIOUS)

RING FOR BEST PRICE

COMPUTERS

SINCLAIR QL ONLY	£173.05	£199.00
------------------	---------	---------

COMPLETE PACK SPECIAL OFFER

THE WORLD'S BEST PRICES ON SINCLAIR QL MICROVITEC CUB 563. PRINTER & ALL LEADS AND INTERFACES	With EPSON LX80 F/T	£619.00 - £711.35
	With CANON 1156	£842.00 - £968.30
	With KAGA TAXAN	£581.00 - £668.15

NOW ONLY 3 MINUTES FROM
JUNCTION 23 M62
(MANCHESTER 25 MINUTES/
LEEDS 20 MINUTES)
N.B. From East use Junction 24

**156 LONGWOOD GATE
LONGWOOD
HUDDERSFIELD
TEL:
0484 646048/9**



Liberator

The Definitive SuperBASIC Compiler

by Ian Stewart and Adrian Soundy

LIBERATE YOUR QL from ridiculous restrictions.

No more laborious loading, fatal not founds, pregnant pauses, plastic prisms and annoying not so super basic limitations.
QLIBERATOR compiles SuperBASIC into smaller faster multitasking executable modules.

MORE THAN JUST COMPATIBLE

QLIBERATOR is compatible with EVERY facet of SuperBASIC.

"IF YOU CAN RUN IT, YOU CAN COMPILE IT"

Not just compatible with the SuperBASIC syntax, but also with ALL data types and all QL hardware.

Extended support for Toolkits and machine code procedures.

Full integer arithmetic with automatic conversion to floating point when needed - no unexpected "out of range" errors.

Pass arrays, even subarrays to procedures with "Call by reference" parameter passing. No problems with returning values in parameters. Typeless formal parameters - eg the same procedure will handle float, integer or string arrays.

SElect on anything. Dynamic or static memory management. Massive arrays, limited only by RAM. All the usual ROM bugs eliminated.

QLIBERATOR even supports GOTO expression and expressions in DATA statements. Optional machine code linkage, line numbers in error reports, listing devices, statistics, user defined job names and more.

QLIBERATOR has successfully compiled 160k of SuperBASIC source into a 95K object file.

REAL ERROR TRAPPING on ANY QL

Professional programs demand sophisticated error handling. QLIBERATOR gives you the tools to recover from errors reported by any machine code or ROM procedure.

e.g. "Bad or changed medium", "Not found" in OPEN, COPY etc,
"error in expression" and "buffer overflow" on INPUT, and all the others.

'JS' ROMS? - who needs them.

MULTITASKING

Explore the full potential of QL multitasking.

QLIBERATOR programs can SHARE a re-entrant runtime system so they occupy less file space and less memory. Run more than a dozen

QLIBERATOR programs simultaneously on a standard QL. Edit or run programs whilst compiling. Full support for inter job communication.

Pass variables, filenames channels and commands between jobs. Now you can use pipes and write filters in conjunction with the Toolkit.

Supplied complete
with printed manual,
demonstration programs
and utilities.

**PRICE
£69.95**

**delivered within
10 working days**

**LIBERATION SOFTWARE
43 CLIFTON ROAD
KINGSTON-UPON-THAMES
KT2 6PJ
01-546 7795**

QL SUPERTOOLKIT II

Written by Tony Tobby.

OVER 118 COMMANDS INCLUDING FULL SCREEN EDITOR, PRINT USING, LAST LINE RECALL, ALTKEY, JOB CONTROL, FILE HANDLING, DEFAULT DIRECTORIES, EXTENDED NETWORK (ALLOWS DISCS, PRINTERS ETC TO BE SHARED BETWEEN QL's.) NEW BROADCAST PROTOCOL.

16K Eprom Cartridge Version	@£ 34.50d
Configurable Version on Microdrive	@£ 34.50d
Configurable Version on 3.5" Disc	@£ 34.50d

Q LIBERATOR

Superbasic and Toolkit II Compiler	
Microdrive Version	@£ 69.92d
5.25" Disc Version	@£ 69.92d
3.5" Disc Version	@£ 69.92d
Q Liberator will be incorporated into the operating system of the Sandy 68000 (QLT)	

MAGNETIC MEDIA

Microdrives (Pkt 4)	@£ 7.91c
3.5" (each)	@£ 3.45c
3.5" (per 10)	@£ 29.90c
5.25" D/S, D/D (per 10)	@£ 13.80c

QL HARDWARE

NEC 3.5" Disc Drive	@£ 94.30b
Eprom Cartridge (each)	@£ 8.05c
Eprom Cartridges (per 10)	@£ 52.90c
QEP III Advanced Eprom Programmer	@£115.00d
Sinclair QL 128K Computer	@£138.00a
Sandy Super 512K QBoard Inc Toolkit II	@£249.00d
Eprom 2764 250n/s 8K	@£ 2.53c
Eprom 27128 250n/s 16K	@£ 3.45c
Wide range of Connectors & Semiconductors.	

68000 SERIES COMPUTER

See the New Computer at the ZX Microshow 25th October 1986	
SANDY 68000 512K Computer	@£690.00a
Amega type specification at 25% of the cost	
★ Full Multi-tasking	★ Dual 3.5" Disk Drives
★ IBM-AT Style Keyboard	★ Internal Power Supply

QL SOFTWARE

AMBITION By Way Ahead	@£ 28.95c
An advanced Business Orientated Strategy game for up to 4 players. Ambition simulates a comprehensive environment in which you can pursue a complex business career over a twenty eight year period.	



TONY TEBBY Software

RAM Disc, Driver	@£ 9.20c
QLFP (Please specify Version No)	@£ 14.95c
QMON II	@£ 19.95c

COLIN OPIE Software

Character Font & Editor	@£ 19.55c
Cross Assembler 6502/65C02	@£ 34.50c
Cross Assembler 8084 Series	@£ 34.50c

MONITORS 8 5 Characters (Price incl lead)

Philips Monitors	
BM7502 Green Hi-Res	@£ 89.70a
BM7522 Amber Hi-Res	@£ 92.00a
CM8533 Colour Med-Res	@£289.80a
Hantarex Monitors	
HX-12 Green Hi-Res	@£ 79.50a
CT9000 Colour Med-Res	@£199.50a

TV/MONITORS 85 Characters (Price incl lead)

Philips CT2016 16"	@£294.40a
Philips CT2216 16" Remote	@£322.00a

RGB CONVERSION (Philips/Pye TV's Only)

Conversion Kit (D.I.Y.)	@£ 57.50d
Factory Conversion	@£ 80.50a

READYMADE LEADS

Phono to UHF	@£ 2.60c
RGB QL DIN to Phono	@£ 4.60c
RGB 8-6 pin DIN	@£ 4.14c
RGB 8-7 pin DIN (Hitachi)	@£ 5.29c
RGB 8-7 pin DIN (Ferguson)	@£ 5.29c
RGB 8 pin to SCART (Euro)	@£ 7.82c

SWITCHING UNITS

RS232C 2 to 1 'T' (All Lines)	@£ 57.50d
RS232C 4 to 1 (All Lines)	@£ 78.20d
RS232C 2 to 2 'X' (8 Lines)	@£ 69.00d

HOW TO ORDER: ALL PRICES INCLUSIVE OF VAT

By Post. Enclose your Cheque/P.O. made payable to CARE Electronics. Or use ACCESS/VISA. Allow 7 days for delivery. Please add carriage.

a=9.99 b=5.00 c=1.00 d=2.00



OPEN
9am-5pm Mon-Thu
9am-4pm Fri-Sat

800 ST ALBANS ROAD,
GARSTON, WATFORD,
HERTS. WD2-6NL.

Tel: 0923-672102



NEW PRODUCT AVAILABLE

- ★ Q LIBERATOR
- ★ AMBITION



T.K. COMPUTERWARE

★ Your QL Stockists ★
Telephone: 0303-64039

SOFTWARE:

Eidersoft ICE Eprom	£24.00	QL Paint	£25.00
Artice	£14.00	TechniQL	£50.00
Choice	£15.00	GraphiQL	£18.00
Toolkit	£10.00	QDraw	£15.00
ICE (set above)	£59.00	Eye-Q	£25.00
Eidersoft Mouse set	£87.00	Metacomco Pascal	£75.00
Ram Disk (D/Lash)	£13.00	Assembler	£33.00
Ram Toolkit (D/Lash)	£10.00	'C'	£85.00
Ram set above (cart)	£19.00	LISP	£51.00
Ram set above (Eprom)	£21.00	BCPL	£51.00
Toolkit 2 (Eprom)	£34.00	APL	£99.00
Entrepreneur	£35.00	GST Macro Assembler	£45.00
Decision Maker	£35.00	Prospero Pro Pascal	£92.00
Integrated Accounts	£78.00	Pro Fortran-77	£92.00
Impact Sales Ledger	£46.00	Digital Supercharge	£50.00
Purchase Ledger	£46.00	S/Forth+Reversi	£25.00
Normal Ledger	£46.00	Super Media Manager	£40.00
Impact set above	£135.00	Talent Cartridge Doctor	£13.00
Impact set + Stock Cont	£175.00	Assembler Workshop	£25.00
Cash Trader Disk	£60.00	Lost Pharoas	£15.00
Home Finance	£22.50	Karate	£15.00
QSpell (cart)	£20.00	Pawn	£20.00
Archiver (cart)	£17.00	Gwendoline	£18.00
Touch Typist	£12.00	Bridge	£20.00
Boulder	£8.75	Nucleon	£20.00
Squadrons	£16.00	Chess	£17.00
Baron Rouge	£18.00	Scrabble	£15.00
Sime 3D	£13.00	Wanderer	£20.00
HARDWARE:			
Dual Drives & Iface	£299.00	Epson LX 86 printer+iface	£274.50
Single Drive & Iface	£209.00	Tractor Feed for LX 86	£24.00
Disk Interface	£86.25	Centronics Printer Interface	£19.50
Sandy Super Q Board	£215.00	Modaport	£39.00
Dual Drive+ Sandy Super		Tandata DCOM	£84.00
Q Board with 512K	£415.00	Microvitec Cub 1451/DD3 monitor	£270.00
Single Drive+ Super		Astracom 1000 modem	£198.00
Q Board with 512K	£325.00	Phillips 7502 monitor & lead	£98.00
512K Expander+ Ram Disk	£126.00	Swivel Stand for Phillips	£12.00
256K Expander+ Ram Disk	£96.00	QL Computer Ver. 2.3 S/ware	£169.00
512K Int. u/g D/IY fit	£112.00	QL Technical guide	£15.00
10 DSD0 3.5" Disks	£34.00	10 Microdrive cartridges	£17.50

Please phone for details of other QL products in stock

★ All prices are in £ and include VAT and UK mainland delivery by Post or Securicor★

Telephone order payment by:



or send Cheque, Postal Orders or Eurocheque to:



T.K. COMPUTERWARE, UNIT A,
RANGE ROAD INDUSTRIAL ESTATE, HYTHE,
KENT CT21 5HG Telex: 966676 PMFAB G

ADVERTISERS INDEX

ABC Electronic	26
Byte Back	38
Care Electronics	57
Compware	25
Cope	39
CST	11
Datalink	46
Digital Precision	20, 21
D.S. Enterprises	54
Eidersoft	30, 31
Liberation Software	56
Metacomco	39
Micro-Anvika	39
Miracle Systems	60
MPC Software	27
Printerland	56
Pyramide	2
Q-Code	54
Rainbow Digital Research	25
Schön	38
Sandy U.K.	6
Sector Software	46
Strong Computer Systems	59
Talent	4
Tandata	7
Transform	26, 34
T.K. Computerware	57, 46
Technology Research	7
Ultrasoft	38
W.D. Software	26
ZX Microfair	6

MICRO ADS

COMPUTER CLEANERS



STOP LOCK-UPS AND DATA CORRUPTION

If this is due to mains interference then our plugs may be the answer. As well as cutting high voltage spikes they smooth the cut spikes and filter RF interference from 1 to 30 MHz (better than 40db) and up to 130 MHz.

Some customer comments:

"With the cleaner... (locking up)... is no problem now"—*Electrical engineer.*
 "... these computer cleaners work!"—*Commodore user group.*
 "Many thanks for your help, efficiency and, above all, for producing such an effective device"—*N Daglish, New Zealand*

ADAPTOR—1 three pin socket.....£14 inclusive
ADAPTOR—2 three pin sockets.....£18 inclusive
TRAILING 4-WAY SOCKET.....£24 inclusive

Simply plug in—no wiring required.

TONY FIRSHMAN SERVICES
 12 Bouverie Place, London W2 1RB. 01-724 9053

QL REVISOR £14.50 QL

STUDENTS, BUSINESSMEN, TEACHERS, TRIVIAL PURSUERS

Create your own personal set of revision files, fine-tuned to your requirements. Everybody knows how tedious it can be revising for exams, learning essays, or that important speech. **Revisor** enables you to group together all the relevant facts and review them regularly without having to plough through the pages of a text book or hastily scribbled notes.

Pages can be created in the following formats:
 A block of text: a single keypress blanks sections of the screen, another restores the text (line by line, in sections, or completely) until you are sure you have memorised it.

Multiple Choice Questions: select the answer from up to five choices, the QL tells you if correct. Option to store explanation of answer. It may be obvious when you type it in but not so obvious days before the exam. The order of answers to each question can be jumbled for each viewing, ensuring you really know the answer. Ideal for past exam papers.

Questions/single answers: After displaying questions a single keypress reveals the answer with optional explanation. Questions and text can be intermixed and pages can be viewed in order or at random. Quick and easy editing with on-screen instructions at every stage. Files can be saved/loaded to any device, merged with existing text, exported to Quill and can be linked so that auto-run one after the other. A design command (like Quill) alters windows, character size etc.

Menu driven 100% multi-tasking machine code.

Please send cheque or postal order payable to:

DIGITRIX
 Wishingtons, Porkellis, Helston, Cornwall. TR13 0LB

ARCHIVE NOT FAST ENOUGH NOT ENOUGH CAPACITY?

Using the C programming language and BTree techniques I can convert your Archive applications into stand-alone programs that run much faster, with virtually no limitation on the number of records (files up to the size of the storage medium).

Demonstration programs available on disk or Microdrive.

L. F. HELLER,
 65 Flanders Mansions, Flanders Road
 London W4 1NF Tel: 01 994 7976

SHADOW GAMES

Our comprehensive range of top-selling games are available through the post or from selected stockists. At £12.95 each: AREA RAIDER, CONTROLLER, SPACE PARADOX, NIGHT WARRIOR, BLAST RUGBY, QUAZIMODO. At £14.95, the two-game, action-packed: STAR GUARD and GALACTIC INVADERS. At £14.95, for a limited time only, the incomparable: **PAINT MASTER.**

New titles will soon be announced. WATCH THIS SPACE!
 Good programmers are always in demand. Let us publish your game or utility. Write for details.

SHADOW GAMES, 1/2 The Cottages,
 Maidenhead, Tidmarsh, nr Reading,
 Berks RG8 8HP

QL SPEECH SYNTHESISER£59.95

- ★ Unit is complete and plugs directly into expansion connector.
- ★ Unlimited vocabulary of realistic speech. Examples provided.
- ★ Incorporates resident software. Access as independent channel.
- ★ Loudspeaker and onboard audio amplifier. Full instructions.
- ★ Many applications: Education, Business, Games, Communication etc.

QL STOCKMARKET INVESTOR£19.95

- ★ Calculates Commissions, end-costs, profits, identifies losses.
- ★ Database storage of portfolio histories. Account trading. Options.
- ★ Analysis to calculate up-to-date portfolio performance etc.

QL SPRITE ANIMATOR£9.95

- ★ Sprite movement by fast machine code, with sprite/frame designer.
- ★ Store up to 64 frames. Play a sequence of frames for animation.

QL STEREO SOUND/MUSIC SYNTHESISER: Write for details

All prices include p+p in the U.K. Order by post from:

MAURICE COMPUTERS, Brookside, S. Kilvington,
 Thirsk, N. Yorkshire YO7 2NL.

QUANTA

The Independent QL users group

- ★ monthly newsletter (36/40 pages)
- ★ free advice
- ★ massive software library (mostly free)
- ★ supports for local groups
- ★ tutors (Archive etc.)
- ★ workshops
- ★ printer hotline

Further details from Brian Pain, 24 Oxford St, Stony Stratford, Milton Keynes, MK11 1JU Tel: (0906) 564271

"NEW RIBBONS FOR OLD"

from
ALADDINK

ALADDINK WILL RE-INK YOUR OLD FABRIC RIBBONS AT GREAT SAVINGS AGAINST NEW PRICES!!

INTRODUCTORY OFFER

Send a dry fabric ribbon cassette (stating printer make and model) with £2 and we'll re-ink it and quote you for future re-inkings.

ALADDINK (Dept QL), 4 Hurker Crescent, Eymouth, Berwickshire TD14 5AP. Or phone for a quotation: 08907 50965

YOUR PERSONAL CENTRONICS PRINTER

UNBEATABLE FROM £99 OPTION TRACTOR plus vat and £8 p+p



- FAST 50/100cps FAST
- DRAFT MATRIX PRINT
- NEAR LETTER QUALITY
- SUBSCRIPT SUPERSCRIPT
- CONDENSE EMPHASISE
- 96 CHAR+48 EURO+16 MATHS
- EPSON/IBM PC GRAPHICS

128 Station Rd
 Glenfield
 Leicester
 LE3 8BR

TEL (0533)

313531. HALL

QL BRIDGE THE GAP PC

Archive file compatible, friendly, comprehensive, and professional database environments.

QL RTM CARDFILE	128K QL (44 fields) £14.95; 256K QL (44/18/8 fields)	£19.95
RTM MAILFILE	128K QL (25 fields) £14.95; 256K QL (25/21/8 fields)	£19.95
RTM LIBRARIAN	128K QL (25 fields) £19.95; 256K QL (25/14/8/4/fields)	£24.95
MAILMERGE	Fast multitasking code, works with .exp and .lis files	£9.95
PC XCH CARDFILE	For use with Psion Xchange/Archive on the PC and clones	£49.95
XCH MAILFILE	As QL file compatible as the PC Cardfile system above	£49.95
XCH LIBRARIAN	Scheduled for release in early November '86, please call	£59.95
PSION ORGANISER	Computers with file transfer, IBM PC, and QL compatible software.	

Please include your QL's RAM/FLP/MDV specifications on your Mail Order or with your SAE.
 NON UK: Please add £3.00 and pay by complete Eurocheque or London Sterling Money Order.

ARK DISTRIBUTION, Corve Farm House, Corve Lane, Chale Green, I.O.W. (0983 79496)

PROFESSIONAL REPAIRS

Home Micro Service Centre
Sinclair QL Repair from £14.95
RING 0234 213032

★ AV 3-4 day turnaround

★ 6 month warranty

★ Free telephone diagnostic service

★ While-you-wait service available

ZEDDEM COMPUTERS LTD
 2 Kimbolton Road, Bedford MK40 2NR
 (Trade and Overseas enquiries welcome)

QL POOLSWINNER VERSION 2.0

THE ULTIMATE POOLS PREDICTION PROGRAM

★ IMPROVED MASSIVE DATABASE: Poolswinner is a sophisticated pools prediction aid and took over 4000 hours to compile. It comes complete with large database with over 35000 matches since 1959. All English and Scottish team names are included.

★ FORECASTS score draws and no score draws with built in points generator and faster than version 1.0—mark you coupon direct from screen.

★ SUCCESSFUL: We guarantee that POOLSWINNER performs considerably better than chance. If you can prove otherwise we shall refund.

★ UNIQUE: The Prediction Formulae calculate the efficiency of every team with present and past results—but no tedious typing. We have yet to see a predictor that uses this method.

ONLY £14.95 on microdrive cartridge

SAME DAY DISPATCH FROM:

XENON, 24 WHARFCLIFFE STREET, BARNESLEY,
 SOUTH YORKSHIRE S70 8BP

QL SMALL TRADERS PACK

- ★ Sales/Purchase ledgers
- ★ Stock Control
- ★ Mailing List database
- ★ Label printer
- ★ BILLBOARD animated display system
- ★ UNIT conversion suite
- ★ M/drive utility
- ★ Quick-Fone directory
- ★ Cartridge Clone
- ★ Fully menu-driven & Epson compatible.

TEN programs on ONE big-value cartridge.

ONLY £19.95 (inclusive) Add £1 p/p (abroad)

Send cheques/po's or SAE for full details:

SD MICROSYSTEMS (DEPT QL)

P.O. BOX 24, HITCHIN, HERTS, UK


Athene Consultants Announce The Sinclair QL Quill enhancer QL TurboQuill

Enhanced speed for your copy of
 V2.00 Quill wordprocessor.

£15.00 inc Vat & pp in UK

Send SAE for more details,

Cheques, P.O. to: **Athene Consultants,**
 33 Holly Grove, Fareham, Hants.
 Tel: 0329 282083 Prestel MBX 329282083



QL REPAIRS

ANY FAULT £27.95 INCLUSIVE OF P&P,
 INSURANCE AND 3 MONTHS GUARANTEE.
 FOR REPAIRS ON OTHER MICROS
 PHONE FOR DETAILS.

SUREDATA

Telephone: 01-951 0124

45 WYCHWOOD AVENUE
 CANONS PARK, EDGWARE
 MDDX. HA8 6TG

QL SPECIALS

microdeal
ELECTRONIC PUBLISHING

THE KING

MULTI-SCREEN DONKEY KONG ARCADE GAME

Normal Price £14.95

Mail Order Special Price **Just £7.50**

AQUANAUT 471

GRAPHIC ADVENTURE WITH OVER 100 SCREENS

Normal Price £19.95

Mail Order Special Price **JUST £14**

FLIGHT SIMULATOR

THE ONLY SIMULATOR FOR THE QL — 9 DIFFERENT SCENARIOS

Normal Price £19.95

Mail Order Special Price **JUST £14**

LANDS OF HAVOC

GRAPHIC ADVENTURE WITH 2000 SCREEN PLAYING AREA. COMES COMPLETE WITH 9 FULL COLOUR MAPS

Normal Price £19.95

Mail Order Special Price **JUST £10**

CUTHBERT IN SPACE

A TRUE ARCADE ZAP-EM-UP FOR ALL THE FAMILY. HELP CUTHBERT LOOT THE MORONIANS PLANET.

Normal Price £14.95

Mail Order Special Price **JUST £7.50**

CRAZY PAINTER

WHISTLE WHILE YOU WORK IN THIS ZANY-CRAZY PAINT THE FLOOR GAME, LOOK OUT FOR DOGS, CRAZY PAINT EATERS, SNAKES, & BUCKETS OF TURPS.

Normal Price £12.95

Mail Order Special Price **JUST £5**

HOPPER

ORIGINAL FROGGER STYLE ARCADE GAME WITH POOR OLD HOPPY TRYING TO CROSS THE MOTORWAY

Normal Price £12.95

Mail Order Special Price **JUST £5**

JOYSTICK INTERFACES

Normal Price £4.75

Special Price

JUST £3

(Allows any Atan Commodore Joystick to plug into the QL)

Orders by
Post to

microdeal

Box 68, St Austell,
Cornwall PL25 4YB

Orders by Phone
with Credit Card



0726 68020

Name _____

Address _____

Post Code _____

Please
Supply

Qty	Item	Price

Add 75p P & P per order

P & P

75p

I enclose a cheque for £ _____

Total _____

Please charge my Credit Card type _____

Number _____

The Dark Side of the Moon




A NEW QL MEGA-TEXT ADVENTURE

During a routine flight to the moon Admiral Cola and Captain Franklin learn that the moonbase and mineral mine have been taken over by hostile aliens. To avoid enemy radar they land their spacecraft some distance from the base and then set off on a dangerous mission to recapture it.

Packed onto two cartridges this big-value mega-text adventure contains over 150 descriptive and imaginative locations and a wide variety of problems, traps, mazes and puzzles with logical solutions.

It includes an extensive vocabulary, over 50 objects and a number of intelligent characters capable of carrying out tasks.

Amazingly all this can be yours for only £16 (including postage and packing). Send your cheque or postal order to the address shown below. Or telephone 041 552 0759 and quote your Access or Barclaycard number.



Javid Systems

5 Cheltenham Road
Gloucester GL2 0JE